



QYT AUTO PARTS

TOP QUALITY, GENUINE PARTS
BRAKE MTL SPECIALIST



DISC BRAKE ROTORS

DISC BRAKE ROTORS & HUB ASSEMBLIES

BRAKE DRUMS

BRAKE DRUMS & HUB ASSEMBLIES

BRAKE REPAIR KITS



QYT AUTO PARTS CO., LTD
T e l : +86 057762129089
Hot Line: +86 13634216230
Website: QYTAUTO.COM
Hq Addr.: Lat. 7 Rd, Center Industry Zone,
Yueqing, ZheJiang 325600





QYT NO.	Application	Position	Size	Cross Ref.
BD0001 31050DS	LEXUS ES 89-97;TOYOTA AVENSIS VERSO 01-11/CAMRY 91-02/CAMRY ESTATE 91-97/CAMRY SALOON 01- 06/PREVIEW 00-06	FRONT	Diameter:275 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Centering Diameter:62 mm Height:50 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	4351206020,16220, 4351206031,31050, 4351244020,DR6722, 4351244021,141723
BD0002 31056DS	TOYOTA COROLLA 91-02/COROLLA COMPACT 92-02/COROLLA ESTATE 92-01/COROLLA LIFTBACK 92-02	FRONT	Height:48.1 mm Diameter:255 mm Centering Diameter:55 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Number Of Holes:4 Solid Or Vented:V	3501011G08,94853004, 94854148,4351202040, 4351212550,DDF794, 0986AB6040,63555
BD0003 31059DS	SUBARU BRZ 12-/FORESTER 97- /IMPREZA SERIES 92-/LEGACY SERIES 89-/OUTBACK 98-10;TOYOTA 86 COUPE 12-	FRONT	Height:56.5 mm Diameter:277 mm Centering Diameter:58 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:24 mm Minimum Thickness:22 mm Number Of Holes:5 Solid Or Vented:V	26300AE050,18A486, 26310AA151,31059, SU00300585,145207, 24012401451
BD0004 31165DS	TOYOTA TRUCK 4 RUNNER 96- 00/TRUCK TACOMA 95-04	FRONT	Height:70.3 mm Diameter:296.9 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:22.1 mm Minimum Thickness:20 mm Number Of Holes:6 Solid Or Vented:V	4351204020 ,4351235280
BD0005 31204DS	TOYOTA 4 RUNNER 87-02/LAND CRUISER PRADO 95-	FRONT	Height:70.2 mm Diameter:319 mm Centering Diameter:108 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Number Of Holes:6 Solid Or Vented:V	4351235210,16897, 4351260120,18A834, 24709,6002205
BD0006 31267DS	TOYOTA TRUCK SEQUOIA 01- 07/TRUCK TUNDRA 99-06	FRONT	Height:70.5 mm Diameter:318.8 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:27.9 mm Minimum Thickness:26 mm Number Of Holes:6 Solid Or Vented:V	435120C010,18A1101, 435120C011,31267, 145291,PRT5291, 09819680,12044118

BD0007 31269DS	TOYOTA CELICA COUPE 99-06/PRIUS HATCHBACK 03-09	REAR	Height:56 mm Diameter:269 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:9 mm Minimum Thickness:7.5 mm Number Of Holes:5 Solid Or Vented:S	88971154,88974200, 4243120390,17169, 4243120420,18A1103, 4243132111,31269, 4243147030,DSK2472
BD0008 31270DS	TOYOTA CELICA COUPE 99-06	FRONT	Height:49.2 mm Diameter:275 mm Centering Diameter:55 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Number Of Holes:5 Solid Or Vented:V	88970123,18A1104, 4351202110,31270, 4351263010,145294, 24012507001,09850085 , DI956093,
BD0009 31294DS	BAW YUSHENG 007 / BW 007 11;TOYOTA LAND CRUISER 84-/LAND CRUISER HARDTOP 90-96/LAND CRUISER PRADO 95-/PRADO 03-10	REAR	Height:68 mm Diameter:312 mm Centering Diameter:106 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:18 mm Minimum Thickness:16 mm Number Of Holes:6 Solid Or Vented:V	4243160200,16891, 4243160201,18A1227, 31294,418709, 4243160270
BD0010 31314DS	TOYOTA CAMRY 96-01/CAMRY 06- 15/CAMRY SALOON 01-06/PREVIA 00- 06	FRONT	Height:49.2 mm Diameter:296 mm Centering Diameter:62 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Number Of Holes:5 Solid Or Vented:V	4351208040,18A1485, 4351228180,31314, 4351228181,DSK2272, 4351233100,145471, 4351258010,DI956175, 4351258011
BD0011 31326DS	TOYOTA LAND CRUISER PRADO 02- 09/PRADO 03-10	FRONT	Height:67.5 mm Diameter:338 mm Centering Diameter:108 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Number Of Holes:6 Solid Or Vented:V	4351260150,17459, 4351260151,18A1615, 4351260160,31326, 60022003,428194, 145457,ADT343161
BD0012 31327DS	TOYOTA TRUCK 4 RUNNER 03- 07/TRUCK FJ CRUISER 07 /TRUCK TACOMA 05-06	FRONT	Height:67.3 mm Diameter:318.8 mm Centering Diameter:108 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:27.9 mm Minimum Thickness:26 mm Number Of Holes:6 Solid Or Vented:V	4351204050,18A1616, 4351204051, 31327, 4351204052,25273, 4351235320,145458, 4351235321, BS8883, 4351235322
BD0013 31392DS	LEXUS RX 03-08;TOYOTA HARRIER 03- 13/HIGHLANDER 09-	FRONT	Height:49 mm Diameter:319 mm Centering Diameter:62.2 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:27.9 mm Minimum Thickness:25.9 mm Number Of Holes:5 Solid Or Vented:V	4351248080,17841, 4351248081,C32150AB E, 4351248100,18A1813, 435120E010,DSK2580, 24012807531

BD0014 31433DS	LEXUS ES 06-;TOYOTA AURION 06- /AVALON SALOON 99-12/CAMRY SALOON 01-/CAMRY 06-	REAR	Height:67 mm Diameter:281 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8.5 mm Number Of Holes:5 Solid Or Vented:S	4243106110,18A2422, 4243106140,31433, 4243106160,15069, 4243106170,145712, 4243133130, 0986479C21, 4243133150
BD0015 31434DS	LEXUS ES 06-1;TOYOTA AURIS 06- 12/CAMRY SALOON 06-11/PRIUS PLUS 11-/RAV 4 III 05-/RAV 4 IV 12- /RAV4 CLOSED OFF-ROAD VEHICLE 09-13	FRONT	Height:49.3 mm Diameter:296 mm Centering Diameter:62 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:25 mm Number Of Holes:5 Solid Or Vented:V	4351202250,17807, 4351206090,31434, 4351233130,18A2448, 4351233140,DSK2514, 4351242050,60022006, 4351242090
BD0016 31482DS	TOYOTA TRUCK SEQUOIA 08- 10/TRUCK TUNDRA 07-10	FRONT	Height:83 mm Diameter:353 mm Centering Diameter:112 mm Pitch Circle Diameter:150 mm Brake Disc Thickness:32 mm Minimum Thickness:29 mm Number Of Holes:5 Solid Or Vented:V	435120C020,31482, 145718,PRT5718, 12044156
BD0017 31483DS	LEXUS TRUCK LX570 08-10;TOYOTA AVALON 09/TRUCK LAND CRUISER 08/TRUCK LAND CRUISER 10/TRUCK SEQUOIA 08-10/TRUCK TUNDRA 07- 10	REAR	Height:76.2 mm Diameter:345 mm Centering Diameter:112 mm Pitch Circle Diameter:150 mm Brake Disc Thickness:18 mm Minimum Thickness:16 mm Number Of Holes:5 Solid Or Vented:V	424310C010,17984OE, 424310C011,C42078AB E, 4243160290,31483, 6102237,09938602, 09A96710
BD0018 31505DS	SUBARU TREZIA 10-;TOYOTA URBAN CRUISER 07-/VERSO S 10-16	FRONT	Height:46.3 mm Diameter:275 mm Centering Diameter:55 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:22 mm Minimum Thickness:19 mm Number Of Holes:5 Solid Or Vented:V	4351202240,18A2601, 4351202270,31505, 4351212710,09909612, 145818,ADT343220, 0986479767
BD0019 31521DS	LEXUS TRUCK LX570 08-10/TOYOTA AVALON 09/TRUCK LAND CRUISER 08/TRUCK LAND CRUISE 10/TRUCK TUNDRA 09	FRONT	Height:83.2 mm Diameter:340 mm Centering Diameter:112 mm Pitch Circle Diameter:150 mm Brake Disc Thickness:32 mm Minimum Thickness:29 mm Number Of Holes:5 Solid Or Vented:V	4351260180,17983, C32184ABE,18A2651, 31521,60022011, PRT5908,ADT343260, 09A96610
BD0020 31550DS	LEXUS GX 09-;TOYOTA LAND CRUISER PRADO 09-	REAR	Height:68 mm Diameter:312 mm Centering Diameter:108 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:18 mm Minimum Thickness:16 mm Number Of Holes:6 Solid Or Vented:V	4243160311,18A2735A, 31550,PRT6067, ADT343281, 6063422,BR9508

BD0021 31554DS	LEXUS GX 09-;TOYOTA LAND CRUISER PRADO 09-	FRONT	Height:68.4 mm Diameter:338 mm Centering Diameter:108 mm Pitch Circle Diameter:140 mm Brake Disc Thickness:32 mm Minimum Thickness:29 mm Number Of Holes:6 Solid Or Vented:V	4351260190,18A2738A, 4351260191,31554, 146066,DI956960, 12044174,MDC2273
BD0022 31608DS	TOYOTA AVALON 13-18/CAMRY 12- 17;LEXUS ES300H 13-17/ES350 13-17	REAR	Diameter: 281.00 Height 66.80 Brake Disc Thickness: 10.00 Minimum Thickness: 8.50	31608, BR901192, 980972R
BD0023 55159DS	PONTIAC TRUCK VIBE 09-10;TOYOTA COROLLA 09-10/MATRIX 09-10	REAR	Height:30.3 mm Diameter:259 mm Centering Diameter:55 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:9 mm Minimum Thickness:7.5 mm Number Of Holes:5 Solid Or Vented:S	18A2635A,19184534, PRT5854,4243102200
BD0024 3291DS	TOYOTA CAMRY 91-02/CAMRY ESTATE 91-97/PICNIC 96-01	FRONT	Diameter:255 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Centering Diameter:62 mm Height:49 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	4351206010,435123302 0 ,4351233050
BD0025 43512-06100	EMGRAND EC8 10-;ENGLON SX7 13-15;GLEAGLE GX7 12- 15;TOYOTA AURION 06- 11/CAMRY SALOON 06-	FRONT	Height: 49.2 mm Bolt Hole Circle Diameter:114.3 mm Thread Size: 14.4 Num. of holes: 5 Diameter: 296 mm Min. thickness: 25 mm Brake Disc Thickness: 28 mm Centering Diameter: 62 mm	43512-06120 , 43512-06120, 43512-06100
BD0026 43512-35180	JINBEI HAISE I 98-03; TOYOTA HIACE II 82-89/HILUX V 88-99;VOLKSWAGEN TARO 89-97	FRONT	Height:46.6 mm Diameter:257 mm Centering Diameter:84 mm Pitch Circle Diameter:110 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Number Of Holes:5 Solid Or Vented:V	4351226040,435123518 0, 4351226040, 4351226070, 4351235180, 4351235260, J4351235180
BD0027 43512-52120	TOYOTA PRIUS C 11-/YARIS 05- /MIO 13-	FRONT	Height:46.3 mm Diameter:255 mm Centering Diameter:55 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:22 mm Minimum Thickness:19 mm Number Of Holes:4 Solid Or Vented:V	435120D090, 435120D220, 435120D230, 4351252120

BD0028 43512-60140	TOYOTA LAND CRUISER 84-/LAND CRUISER PICKUP 84-	FRONT	Height:64.5 mm Diameter:322 mm Centering Diameter:115 mm Pitch Circle Diameter:144 mm Brake Disc Thickness:32 mm Minimum Thickness:30 mm Number Of Holes:5 Solid Or Vented:V	4351260140, 370748, 4351260141
BD0029 43512-60151	TOYOTA LAND CRUISER PRADO 02-09/PRADO 03-10	FRONT	Height:67.5 mm Diameter:338 mm Centering Diameter:108 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Number Of Holes:6 Solid Or Vented:V	4351260150, 4351260151,09A20411 ,4351260160
BD0030 43512-60190	LEXUS GX 09-;TOYOTA LAND CRUISER PRADO 09-	FRONT	Height:68.4 mm Diameter:338 mm Centering Diameter:108 mm Pitch Circle Diameter:140 mm Brake Disc Thickness:32 mm Minimum Thickness:29 mm Number Of Holes:6 Solid Or Vented:V	4351260190, 4351260191, 980784
BD0031 42431-12310	LEXUS CT 10-;SUBARU TREZIA 10- ;TOYOTA PRIUS 09-/VERSO S 10- 16/PRIUS PLUS 11-	REAR	Height:30.4 mm Diameter:259 mm Centering Diameter:55 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:9 mm Minimum Thickness:7.5 mm Number Of Holes:5 Solid Or Vented:S	4243102250, BD126558E, 4243112310
BD0032 42431-06140	LEXUS ES350 07-10 ;TOYOTA AVALON 08 /AVALON 10/CAMRY 07-10 /CAMRY HYBRID 07-10	REAR	Height:67 mm Diameter:281 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8.5 mm Number Of Holes:5 Solid Or Vented:S	4243106110, 4243106140, 4243106160, 4243106170, 4243133130, 4243133150
BD0033 42431-33040	TOYOTA CAMRY 91-01/CAMRY STATION WAGON 91-97	REAR	Height:64.8 mm Diameter:269 mm Centering Diameter:62 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:9 mm Number Of Holes:5 Solid Or Vented:S	4243106020, 4243133010, 4243133040, 4243133060, 4243133090
BD0034 43512-02270	SCION XD 08-09;SUBARU TREZIA 10-;TOYOTA URBAN CRUISER 09- /VERSO S 10-16	FRONT	Height:46.3 mm Diameter:275 mm Centering Diameter:55 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:22 mm Minimum Thickness:19 mm Number Of Holes:5 Solid Or Vented:V	4351202240, 4351202270, 4351212710

BD0035 43512-0D190	PERODUA ALZA 09-;TOYOTA VIOS/YARIS SALOON 05-/YARIS 05- /VIOS 13-	FRONT	Height: 46.3 mm Bolt Hole Circle Diameter: 100 mm Thread Size: 14.5 Num. of holes: 4 Diameter: 255 mm Min. thickness: 19 mm Brake Disc Thickness: 22 mm Centering Diameter: 55.02 mm	43512-52120, 43512-0D190, 43512-0D090, (FAW) 435120D220, (GAC) 43512-0D230
BD0036 43512-0K041	TOYOTA INNOVA I 03-	FRONT	Height:58.5 mm Diameter:281 mm Centering Diameter:62 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Number Of Holes:5 Solid Or Vented:V	BD1567,435120K041, DF7460,YH20943
BD0037 43512-0K090	TOYOTA FORTUNER 04-/HILUX VII PICKUP 04-	FRONT	Height:67.2 mm Diameter:319 mm Centering Diameter:108 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Number Of Holes:6 Solid Or Vented:V	0986479T80, 09B62710, DF7461, YH20949, 435120K090
BD0038 43512-0K120	TOYOTA HILUX VII PICKUP 07-	FRONT	Height:58.3 mm Diameter:275 mm Centering Diameter:62 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Number Of Holes:5 Solid Or Vented:V	435120K120, BS8976, ADT343234,
BD0039 43512-0K160	TOYOTA HILUX/GENUINE 15-	FRONT	Diameter: 296 mm Height: 28.7 mm Num. of holes: 5 Brake Disc Type: Internally Vented Brake Disc Thickness: 30 mm Min. thickness: 26 mm Wheel Hub Diameter: 62 mm	43512-0K160
BD0040 43512-12620	BYD F3 05-13 /F3R HATCHBACK 07-14;GEELY VISION 05/12- ;TOYOTA COROLLA 02-07/COROLLA ESTATE 02-07 /COROLLA SALOON 01-07/COROLLA VERSO 02-04/PRIUS SALOON 00-04	FRONT	Height:49.3 mm Diameter:255 mm Centering Diameter:55 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Number Of Holes:4 Solid Or Vented:V	4351202060, 4351202070, 4351202090, 4351212620, 4351212621, 4351213030, 4351247020
BD0041 43512-12710	PONTIAC VIBE 09-10;SCION XD 08-14;TOYOTA COROLLA 09-19/MATRIX 09-13	FRONT	Height:46.3 mm Diameter:275 mm Centering Diameter:55 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:22 mm Minimum Thickness:19 mm Number Of Holes:5 Solid Or Vented:V	19184293, 4351202240, 4351212710,19184293, 980629R

BD0042 43512-26040	JINBEI HAISE I BUS 98-03;TOYOTA HIACE II BOX 82-89/HIACE II WAGON 82-89/HILUX V PICKUP 88-99;VOLKSWAGEN TARO 89-97	FRONT	Height:46.6 mm Diameter:257 mm Centering Diameter:84 mm Pitch Circle Diameter:110 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Number Of Holes:5 Solid Or Vented:V	4351226040, 4351226070, 4351235180, 4351235260, J4351235180
BD0043 AC2548D	TOYOTA HIACE III BOX 87-06/HIACE III WAGON 87-04	FRONT	Height:47 mm Diameter:255 mm Centering Diameter:84 mm Pitch Circle Diameter:110 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Number Of Holes:5 Solid Or Vented:V	16235, 4351220090, AC2548D,4351226090
BD0044 BR900340	LEXUS ES300H 13-18/ES350 07-18;PONTIAC VIBE 09-10;SCION IM 16/TC 11-16;TOYOTA AVALON 08-18/CAMRY 07-19/COROLLA IM 17-18/MATRIX 09-13/RAV4 06-18	FRONT	Height:49 mm Diameter:295.9 mm Centering Diameter:61.98 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:27.9 mm Minimum Thickness:24.9 mm Number Of Holes:5 Bolt Hole Diameter:14.5mm	4351233150, 900340, BR900340
BD0045 BD126090E	TOYOTA TRUCK 4 RUNNER 03-07/TRUCK FJ CRUISER 07/TRUCK TACOMA 05-06	FRONT	Height:67.3 mm Diameter:318.8 mm Centering Diameter:108 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:27.9 mm Minimum Thickness:26 mm Number Of Holes:6 Solid Or Vented:V	4351204050, 4351204051, 4351204052, 4351235320, 4351235321, 4351235322
BD0046 PRT1510	TOYOTA LAND CRUISER 68-/LAND CRUISER PICKUP 69-01	FRONT	Height:48 mm Diameter:302 mm Centering Diameter:100 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:20 mm Minimum Thickness:19 mm Number Of Holes:6 Solid Or Vented:V	4351260011, 4351260040, 4351260041, 4351260100, 4351269015, 4351269016
BD0047 DBA2707	TOYOTA AURION 06-11/CAMRY SALOON 06-11	REAR	Height: 64.9 mm Bolt Hole Circle Diameter: 90 mm Thread Size: 14.5 Num. of holes: 5 Diameter: 286 mm Min. thickness: 8.5 mm Brake Disc Thickness: 10 mm Centering Diameter: 62 mm	DBA2707, 42431-06130
BD0048 18A588	TOYOTA LAND CRUISER 80 90-97	REAR	Height:103 mm Diameter:335 mm Centering Diameter:106 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:18 mm Minimum Thickness:16 mm Number Of Holes:6 Solid Or Vented:V	4243160170, 4243160171,96362, 4243160170, 4243160171

BD0049 31294	TOYOTA LAND CRUISER 84-/LAND CRUISER 90 95-/LAND CRUISER HARDTOP 90-96/LAND CRUISER PRADO 02-10/LAND CRUISER PRADO 10-/PRADO 03-10	REAR	Height:68 mm Diameter:312 mm Centering Diameter:106 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:18 mm Minimum Thickness:16 mm Number Of Holes:6 Solid Or Vented:V	09424117, 4243160200, 4243160201, 4243160270, 93929
BD0050 BD126085E	TOYOTA PRADO 98-07/LAND CRUISER 100 03-07	REAR	Height:102.6 mm Diameter:329.2 mm Centering Diameter:110 mm Pitch Circle Diameter:150 mm Brake Disc Thickness:18 mm Minimum Thickness:16 mm Number Of Holes:5 Solid Or Vented:V	4243160220, 4243160221, 4243160280, 4243160281
BD0051 8DT355302551	TOYOTA LAND CRUISER 84-/LAND CRUISER PICKUP 84-	REAR	Height : 107.9 mm Inner Brake Drum Height : 98.8 mm Diameter : 345 mm Drum Diameter : 295 mm Center Diameter : 110 mm Pitch Circle Diameter : 150 mm Number of Holes : 5	BR1046,4243160250, 8DT355302551,MBD36 5
BD0052 0986479U25	TOYOTA LAND CRUISER 84-/LAND CRUISER PICKUP 84-/PRADO 98-07	REAR	Height:102.5 mm Diameter:312 mm Centering Diameter:110 mm Pitch Circle Diameter:150 mm Brake Disc Thickness:18 mm Minimum Thickness:16 mm Number Of Holes:05/08 Solid Or Vented:V	17176,4243160260, 4243160261, 0986479U25,
BD0053 PRT5370	TOYOTA PRADO 98-07/LAND CRUISER 100 03-07	REAR	Height:102.6 mm Diameter:329.2 mm Centering Diameter:110 mm Pitch Circle Diameter:150 mm Brake Disc Thickness:18 mm Minimum Thickness:16 mm Number Of Holes:5 Solid Or Vented:V	4243160220, 4243160221, 4243160280, 4243160281
BD0054 PRT5719	LEXUS TRUCK LX570 08-10 ;TOYOTA AVALON 09/TRUCK LAND CRUISER 08 /TRUCK LAND CRUISER 10/TRUCK SEQUOIA 08-10/TRUCK TUNDRA 07-10	REAR	Height:76.2 mm Diameter:345 mm Centering Diameter:112 mm Pitch Circle Diameter:150 mm Brake Disc Thickness:18 mm Minimum Thickness:16 mm Number Of Holes:5 Solid Or Vented:V	0833360, 424310C010, 424310C011, 4243160290
BD0055 PRT6067	LEXUS NX 200-SERIES 14-/NX 300H 14-/NX 300H AWD 14-	REAR	Height:68 mm Diameter:312 mm Centering Diameter:108 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:18 mm Minimum Thickness:16 mm Number Of Holes:6 Solid Or Vented:V	4243160311, 980780, BD180391E

BD0056 DF8234	TOYOTA FORTUNER 15-	FRONT	Height:67.4 mm Diameter:338 mm Centering Diameter:108 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:28 mm Minimum Thickness:25 mm Number Of Holes:6 Solid Or Vented:V	435120K210, DF8234
BD0057 42431-60200	TOYOTA LAND CRUISER 02-/LAND CRUISER PRADO 95-	REAR	Height:68 mm Diameter:312 mm Centering Diameter:106 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:18 mm Minimum Thickness:16 mm Number Of Holes:6 Solid Or Vented:V	4243160200, 4243160201, 4243160270
BD0059 43512-0K010	TOYOTA HILUX III PICKUP 05-	FRONT	Height:58.5 mm Diameter:255 mm Centering Diameter:62 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Number Of Holes:5 Solid Or Vented:V	435120K010
BD0060 43512-0K060	TOYOTA FORTUNER 04-15/HILUX III PICKUP 05-	FRONT	Height:68 mm Diameter:297 mm Pitch Circle Diameter:108 mm Brake Disc Thickness:25 mm Minimum Thickness:23.5 mm Number Of Holes:6 Solid Or Vented:V	435120K060, 435120K070, 435120K080, 435120K250
BD0061 43512-06140	TOYOTA AURIS 10-/CAMRY SALOON 06-11/PRIUS ALPHA 11- /RAV 4 III 05-/RAV 4 IV 12-	FRONT	Brake Disc Thickness : 28mm Num. of holes : 5 Diameter : 296mm Tightening Torque : 103Nm Min. thickness : 25mm Centering Diameter : 62mm Height : 49.3mm	4351202250, 4351233130, 4351206090, 4351206140, 4351233130
BD0062 43512-33020	TOYOTA CAMRY 92-01	FRONT	Height:49 mm Diameter:255 mm Centering Diameter:62 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Number Of Holes:5 Solid Or Vented:V	4351206010, 4351233020, 4351233050
BD0063 43512-33042	TOYOTA CAMRY 97-01/SOLARA 99-03/SOLARA 99-03/AVALON 98- 04/SIENNA 98-03	FRONT	Height:50 mm Diameter:275 mm Centering Diameter:62 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Number Of Holes:5 Solid Or Vented:V	4351206030, 4351206031, 4351208021, 4351208032, 4351233041, 4351233042, 4351233070, 4351233080

BD0064 43512-60090	TOYOTA LAND CRUISER 84- /LAND CRUISER 80 90-98	FRONT	Height:58 mm Diameter:311 mm Centering Diameter:105 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:32 mm Minimum Thickness:30 mm Number Of Holes:6 Solid Or Vented:V	0942483, 4351260090, 96386
BD0065 43512-60130	TOYOTA LAND CRUISER 98- 07/PRADO 98-07/LAND CRUISER 100 03-07	FRONT	Height:70 mm Diameter:313 mm Centering Diameter:115 mm Pitch Circle Diameter:144 mm Brake Disc Thickness:32 mm Minimum Thickness:30 mm Number Of Holes:5 Solid Or Vented:V	4351260130, 4351260170, 4351260171
BD0066 43512-60180	TOYOTA LAND CRUISER 07-	FRONT	Height:83.2 mm Diameter:340 mm Centering Diameter:112 mm Pitch Circle Diameter:150 mm Brake Disc Thickness:32 mm Minimum Thickness:29 mm Number Of Holes:5 Solid Or Vented:V	4351260180,BD126570 E, 0833361,BD126570
BD0067 435120K060	TOYOTA FORTUNER 04-15/HILUX VII PICKUP 04-	FRONT	Height:68 mm Diameter:297 mm Pitch Circle Diameter:108 mm Brake Disc Thickness:25 mm Minimum Thickness:23.5 mm	435120K060, 435120K070, 435120K080, 435120K250
BD0068 18A2565	LEXUS LS460 07-10/LS460L 07- 10/LS600H L HYBRID 08-09	FRONT, Right	Height:60 mm Diameter:357 mm Centering Diameter:62 mm Pitch Circle Diameter:120 mm Brake Disc Thickness:34 mm Minimum Thickness:31 mm Number Of Holes:5 Solid Or Vented:V	31467,43512-50250, PRT5801,12044151
BD0069 43512-60150	TOYOTA LAND CRUISER 02-	FRONT	Height:67.5 mm Diameter:338 mm Centering Diameter:108 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Number Of Holes:6 Solid Or Vented:V	4351260150, 4351260151, 4351260160
BD0070 43516-50010	LEXUS LS460 07-10/LS460L 07- 10/LS600H L HYBRID 08-09	FRONT, Left	Height:60 mm Diameter:357 mm Centering Diameter:62 mm Pitch Circle Diameter:120 mm Brake Disc Thickness:34 mm Minimum Thickness:31 mm Number Of Holes:5 Solid Or Vented:V	4351250010, 4351650010, 0833485

BD0071 DF6481	TOYOTA HIACE / COMMUTER V 04-/HIACE IV BOX 06-	FRONT	Height : 49mm Diameter : 285mm Centering Diameter : 105.2mm Brake Disc Thickness : 28mm Minimum Thickness:31 mm Number Of Holes:5 Solid Or Vented:V	43512-56190, 43512-26190
BD0072 DR6237	JINBEI HAISE I BUS 98-03;TOYOTA HIACE II BOX 82-89/HIACE II WAGON 82-89/HILUX V PICKUP 88- 99;VOLKSWAGEN TARO 89-97	FRONT	Diameter:257 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:84 mm Height:46.6 mm Number Of Holes:5 Pitch Circle Diameter:110 mm Solid Or Vented:V	15659,DSK561,6002270, 24012501181,BS7940, ADT34324,952780, 0 986 478 397,186696 1.5227.2.4,GBD717 98200050401
BD0073 BD1220	TOYOTA AURIS 06-12/COROLLA SALOON 06-14	FRONT	Height : 49mm Diameter : 273mm Centering Diameter : 62mm Brake Disc Thickness :26mm Bolt Hole Circle Diameter:114.3mm Min. thickness : 24mm Num. of holes : 5	09.A865.11,DSK2745, 24.0126-0148.1, 562623BC,0986479425, 562623CH,BG4234, 23-0979C, MDC2017,NBD1569, 92163700
BD0074 DF4830	TOYOTA AURIS 06-/AURIS TOURING SPORTS ESTATE 13- /AURIS VAN BOX 06-/COROLLA SALOON 06-/COROLLA 04-07	REAR	Diameter:270 mm Brake Disc Thickness:9.9 mm Minimum Thickness:8 mm Centering Diameter:62 mm Height:36.8 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	24.0110-0337.1, 0986479519, 08.A912.1X,BG4183, DDF1645,92164003, 590.2804.20
BD0075 43512-02120	TOYOTA COROLLA 01- 07/COROLLA ESTATE 01- 07/COROLLA SALOON 01-08	FRONT	Outer diameter : 255mm Centering Diameter : 55mm Bolt Hole Circle Diameter : 100mm Brake Disc Thickness : 25.2mm Min. thickness : 23mm Thickness : 50.2mm Number of mounting bores : 2 Rim : 4-Hole	BDI1207,562414B, ADT343156,BBD4379, 0986479085,AE0177, BR378VA100,BS7986, 09.9798.10,DBB294V
BD0076 43512-BZ020	DAIHATSU XENIA 02-;TOYOTA AVANZA 03-	FRONT	Diameter:233 mm Brake Disc Thickness:18 mm Minimum Thickness:17 mm Centering Diameter:91 mm Height:29.5 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:S	14890,0986AB6266, BS7705,08.A122.10, BS7705,DF7200
BD0077 DF4917	TOYOTA FORTUNER 04-15/HILUX VII PICKUP 04-	FRONT	Diameter:297 mm Brake Disc Thickness:25 mm Minimum Thickness:23.5 mm Centering Diameter:108 mm Height:68 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	0 986 AB9 825, BS 8828,43512-0K070 09.A634.10, BG4211,43512-0K060 DDF1783C,BS-8828, 92222600,DF4917

BD0078 DR6246	TOYOTA COROLLA/CONQUEST	FRONT	brake rotor	43512-0G910, DG6246
BD0079 DF3110	TOYOTA LITEACE BOX 79-86/LITEACE WAGON 79-85	FRONT	Diameter:229.75 mm Brake Disc Thickness:20 mm Minimum Thickness:19 mm Centering Diameter:74 mm Height:44 mm Number Of Holes:4 Pitch Circle Diameter:94 mm Solid Or Vented:V	561431B, 0 986 AB6 342, 0 986 AB9 556, BS 8194,09.6709.10, DDF808,43512-28020
BD0080 DF1418	GREAT WALL SAFE SERIES 02-09;TOYOTA 4 RUNNER 84-96/HILUX SERIES 82-06/TACOMA II PICKUP 83-05;VW TARO 89-97	FRONT	Diameter:289 mm Brake Disc Thickness:20 mm Minimum Thickness:18 mm Centering Diameter:100 mm Height:64.2 mm Number Of Holes:6 Pitch Circle Diameter:127 mm Solid Or Vented:V	43512-35190, 43512-35110, 0 986 478 453, 92076300
BD0081 DF4521	TOYOTA LITEACE BOX 92-95/LITEACE BUS 92-98	FRONT	Diameter:255 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:74 mm Height:42 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	DSK371,ADT34369, BBD4177,0986479T25, DI955754,DI955754S, 43512-28130
BD0082 92126100	TOYOTA COROLLA 01-07/COROLLA ESTATE 02-07	REAR	Height : 56mm Diameter : 258mm Centering Diameter : 55mm Brake Disc Thickness : 9mm Bolt Hole Circle Diameter : 100mm Min. thickness : 8mm Num. of holes : 4 Brake Disc Type : Solid	42431-02120, 42431-02050, 42431-02070, DF4379
BD0083 DSK3027	TOYOTA HILUX VII PICKUP 2004-	FRONT	Diameter:281 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Centering Diameter:62 mm Height:58.3 mm Number Of Holes:5 Solid Or Vented:V	43512-0K130, 43512-0K120, BBD5279, BG4758C
BD0084 DDF2475C	TOYOTA LAND CRUISER PRADO 02-10/TRUCK 4 RUNNER 03-07/TRUCK FJ CRUISER 07/TRUCK TACOMA 05-06	FRONT	Diameter:318.8 mm Brake Disc Thickness:27.9 mm Minimum Thickness:26 mm Centering Diameter:108 mm Height:67.3 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	43512-0K100, 43512-35320, 43512-35321, 43512-35322

BD0085 BG4181	TOYOTA HILUX VII PICKUP 04- /INNOVA I 03-	FRONT	Diameter:257 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Centering Diameter:62 mm Height:58.5 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	43512-0K030, 43512-0K010, 0 986 AB6 265, 09.A130.10
BD0086 DR6996	TOYOTA CONDOR 99-	FRONT Ventilated	Number of Stud Holes - 4 Outside Diameter - 255 Spigot Diameter - 74.05 Net Weight KG - 5.19 Height - 41.7 Th. Max - 23 Th. Min - 23	43512-0N900
BD0087 DF1430	TOYOTA CAMRY 91-02/CAMRY ESTATE 91-97/PICNIC 96-01	FRONT	Diameter:255 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Centering Diameter:62 mm Height:49 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	43512-33020, 43512-33050, 0 986 AB9 514, DI955374
BD0088 DF4469	BYD F0 HATCHBACK 08-;CITROEN C1 05-14;GLEAGLE PANDA 08- 15;PEUGEOT 107 05-;TOYOTA AYGO 05-	FRONT	Diameter:247 mm Brake Disc Thickness:20 mm Minimum Thickness:18 mm Centering Diameter:55 mm Height:35.3 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	4246-J0, 4249-94, 4249-95, 0 986 479 239
BD0089 0 986 479 A64	TOYOTA LAND CRUISER 84-/LAND CRUISER PICKUP 84-	FRONT	Diameter:322 mm Brake Disc Thickness:32 mm Minimum Thickness:30 mm Centering Diameter:115 mm Height:64.5 mm Number Of Holes:5 Pitch Circle Diameter:144 mm Solid Or Vented:V	43512-60141, 43512-60140, 09.B968.10
BD0090 DF4415S	TOYOTA AVENSIS 03-08/AVENSIS ESTATE 03-08/AVENSIS SALOON 03-08/COROLLA VERSO 04-09	FRONT	Diameter:295 mm Brake Disc Thickness:26 mm Minimum Thickness:24 mm Centering Diameter:62 mm Height:49.2 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V Weight:7.7 kg	43512-0F010, 43512-05080, 0 986 479 454, DDF1401
BD0091 DF1920	TOYOTA HILUX IV PICKUP 82- 89/HILUX V PICKUP 88-99/LAND CRUISER 84-/LAND CRUISER HARDTOP 90-96	FRONT	Diameter:301.8 mm Brake Disc Thickness:12.4 mm Minimum Thickness:11.4 mm Centering Diameter:100.1 mm Height:48 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:S	43512-60060, 43512-35070, 0 986 478 304

BD0092 DF3035	TOYOTA LAND CRUISER 68-/LAND CRUISER HARDTOP 90-96/LAND CRUISER PICKUP 68-01	FRONT	Diameter:302 mm Brake Disc Thickness:20 mm Minimum Thickness:19 mm Centering Diameter:100 mm Height:48 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	43512-60040, 43512-69015, 43512-69016
BD0093 DF2661	TOYOTA CAMRY 91-02/CAMRY ESTATE 91-97	REAR	Diameter:269 mm Brake Disc Thickness:10 mm Minimum Thickness:9 mm Centering Diameter:62 mm Height:64.8 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	42431-33010 42431-33040 42431-33030
BD0094 DF4446	TOYOTA COROLLA VERSO 04-09	REAR	Diameter:290 mm Brake Disc Thickness:10 mm Minimum Thickness:8.5 mm Centering Diameter:62 mm Height:56.8 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	42431-0F010, 0 986 479 448, 08.A354.10, 92164803
BD0095 DDF414-1	TOYOTA COROLLA 83-88	FRONT	Diameter:234 mm Brake Disc Thickness:18 mm Minimum Thickness:17 mm Centering Diameter:64 mm Height:38 mm Number Of Holes:4 Pitch Circle Diameter:87 mm Solid Or Vented:V	15837,DF2617, 561430B,ADT34330, B217340, 43512-12130
BD0096 DF4484	BAW YUSHENG 007 / BW 007 11- ;TOYOTA LAND CRUISER 84-	REAR	Diameter:312 mm Brake Disc Thickness:18 mm Minimum Thickness:16 mm Centering Diameter:106 mm Height:68 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	42431-60201, 42431-60200, 0986479421
BD0097 DF2744	TOYOTA PREVIA 90-00	FRONT	Diameter:279 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:62 mm Height:52.8 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	43512-28070, 43512-28080, 0 986 479 618, 92080900
BD0098 DDF1587	DAIHATSU CHARADE 11-;TOYOTA YARIS 05-	FRONT	Outer diameter : 258mm Centering Diameter : 55.1mm Bolt Hole Circle Diameter:100mm Brake Disc Thickness : 22mm Min. thickness : 20mm Thickness : 46.1mm Number of mounting bores : 2 Rim : 4-Hole	43512-0D060, 43512-0D060, 43512-0D140, 43512-0D150

BD0099 DF1916	TOYOTA HIACE I WAGON 77-82	FRONT	Diameter:252 mm Brake Disc Thickness:20.1 mm Minimum Thickness:18.7 mm Centering Diameter:79 mm Height:25.9 mm Number Of Holes:5 Pitch Circle Diameter:104 mm Solid Or Vented:V	4351226030, 4351226031, 0986AB6046
BD0100 DF4828S	LEXUS ES 06-12/ES350 07-10;TOYOTA AURIS 06-12/CAMRY SALOON 06-14/PRIUS PLUS 11-/RAV 4 05-/AVALON 08/AVALON 10/CAMRY 07-10/TRUCK RAV4 06-13	FRONT	Diameter:296 mm Brake Disc Thickness:28 mm Minimum Thickness:25 mm Centering Diameter:62 mm Height:49.3 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	4351202250, 4351206090, 4351206140, 4351233130, 4351233140, 4351242090, 4351242100
BD0101 DF4417	TOYOTA AVENSIS 03-08	REAR	Diameter:280 mm Brake Disc Thickness:10 mm Minimum Thickness:9 mm Centering Diameter:55 mm Height:56 mm Number Of Holes:5 Pitch Circle Diameter:100 mm Solid Or Vented:S	4243105030, 4243105060, 42431YZZAA
BD0102 BG4236	TOYOTA AURIS 06-12/AVENSIS 08-/COROLLA SALOON 06-/VERSO 09-	FRONT	Diameter:295 mm Brake Disc Thickness:26 mm Minimum Thickness:23 mm Centering Diameter:62 mm Height:49.1 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	43512-02210, 43512-02190, 43512-0F030
BD0103 92135600	TOYOTA AVENSIS 03-08/COROLLA VERSO 01-09	FRONT	Diameter:295 mm Brake Disc Thickness:26 mm Minimum Thickness:24 mm Centering Diameter:55 mm Height:49.5 mm Number Of Holes:5 Pitch Circle Diameter:100 mm Solid Or Vented:V	43512-05110, 43512-05050, 43512-05070
BD0104 DF4366	TOYOTA COROLLA 00-08/MATRIX 02-07	FRONT	Diameter:275 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:55 mm Height:49.2 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	43512-13022, 43512-13020, 43512-13021, 43512-02080
BD0105 92135400	LEXUS ES 89-97;TOYOTA AVENSIS VERSO 01-11/CAMRY 91-06/PREVIEW 00-06	FRONT	Diameter:275 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Centering Diameter:62 mm Height:50 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	43512-33042, 43512-33040, 43512-44020, 43512-44021, 43512-07020

BD0106 DF7200	FAW JILIN XENIA M80 09-14; TOYOTA AVANZA 02-11/AVANZA II 15-	FRONT	Height : 29.7mm Diameter : 233mm Centering Diameter : 91mm Brake Disc Thickness : 18mm Bolt Hole Circle Diameter:108mm Min. thickness : 17mm Num. of holes : 4 Thread Size : M10X1.25	43512-BZ190, 43512-BZ020, 43512-BZ180, 43512-BZ050
BD0107 DF2643	TOYOTA COROLLA 83-95/LSX 92/SR5 92	REAR	Diameter:242 mm Brake Disc Thickness:9 mm Minimum Thickness:8 mm Centering Diameter:54 mm Height:36.4 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	42431-12090, DDF401,561602J, J3312001,561602B
BD0108 DF4560	TOYOTA COROLLA 92-02	REAR	Diameter:266 mm Brake Disc Thickness:9 mm Minimum Thickness:8 mm Centering Diameter:55 mm Height:36.3 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	4243112150, 24.0109-0159.1, 0986479335, DDF1576, 92169203
BD0109 DF4093	TOYOTA RAV 4 I 94-00	FRONT	Diameter:302 mm Brake Disc Thickness:18 mm Minimum Thickness:16 mm Centering Diameter:62 mm Height:46.2 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	4351242010, 24.0118-0129.1, 0986AB9660, DDF1009, 92093500
BD0110 DF1431	LEXUS ES 89-97; TOYOTA AVENSIS VERSO 01-11/CAMRY 91-06/PREVIEW 00-06	FRONT	Diameter:275 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Centering Diameter:62 mm Height:50 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	43512-33041, 43512-33060, 43512-44020, 43512-44021
BD0111 DF4939S	TOYOTA AURIS 06-/COROLLA SALOON 06-/VERSO 09-	FRONT	Diameter:295 mm Brake Disc Thickness:26 mm Minimum Thickness:23 mm Centering Diameter:62 mm Height:49.1 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	46512-02190, 43512-0F030, 43512-12680, 43512-02210
BD0112DF4842	TOYOTA YARIS 05-/MIOS 08-13	FRONT	Diameter:258 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:55 mm Height:46 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	435120D060000, 435120D060, 0 986 479 363, MDC1832,DDF1587

BD0113 DF1927	JINBEI HAISE I BUS 98-03;TOYOTA HIACE II 82-89/HILUX V PICKUP 88-99;VOLKSWAGEN TARO 89-97	FRONT	Diameter:257 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:84 mm Height:46.6 mm Number Of Holes:5 Pitch Circle Diameter:110 mm Solid Or Vented:V	4351226040, 4351226070, 4351235170, 4351235180, 4351235260, J4351235170, J4351235180
BD0114 DDF1597	TOYOTA LAND CRUISER 100 98-08	REAR	Diameter:329.2 mm Brake Disc Thickness:18 mm Minimum Thickness:16 mm Centering Diameter:110 mm Height:102.6 mm Number Of Holes:5 Pitch Circle Diameter:150 mm Solid Or Vented:V	42431-60281, 42431-60280, 42431-60220, 42431-60221
BD0115 DF7066	TOYOTA CRESSIDA SALOON 80-92	REAR	Diameter:269 mm Brake Disc Thickness:18 mm Minimum Thickness:17 mm Centering Diameter:60 mm Height:60.2 mm Number Of Holes:4 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	4243122080, 4243122081,0 986 AB6 198,DI955742
BD0116 FBD1108	DAIHATSU TERIOS 97-;HUALI TERIOS 04-;TOYOTA DARIO TERIOS 03-06	FRONT	Diameter:272 mm Brake Disc Thickness:16 mm Minimum Thickness:15 mm Centering Diameter:66 mm Height:37.5 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	HP57937,39155210001, MDC1367,4351287402, 4351287402000, 54382,BSF5012, 6114300,92138200, DF860,DF4154
BD0117 DDF1846	TOYOTA RAV 4 05-	REAR	Diameter:280.9 mm Brake Disc Thickness:11.9 mm Minimum Thickness:10.4 mm Centering Diameter:62.2 mm Height:54.9 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	424310R010, 4243142060, 424310R010, 4243142060
BD0118 DDF1008	TOYOTA 4 RUNNER 87-02/LAND CRUISER 90 95-	FRONT	Diameter:319 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:108 mm Height:70.2 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	43512-35210 43512-60120
BD0119 DDF1789	TOYOTA AURIS 06-12/COROLLA 06-	FRONT	Diameter:275 mm Brake Disc Thickness:22 mm Minimum Thickness:19 mm Centering Diameter:62 mm Height:46.3 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	4351212670, 09.A864.1X,DF4810

BD0120 DDF1780	TOYOTA YARIS 05-/YARIS / VIOS 05-	FRONT	Diameter:275 mm Brake Disc Thickness:22 mm Minimum Thickness:19 mm Centering Diameter:55 mm Height:46.5 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	435120D100, 4351252130
BD0121 24566	TOYOTA LAND CRUISER 80 90-99	FRONT	Diameter:286 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:105 mm Height:58 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	4351260050, 24012501331, 561444B,0986AB6392, 16941,1815204522,
BD0122 ADT34373	LEXUS ES 89-08;TOYOTA CAMRY 91-01	REAR	Diameter [mm]:269 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:9 Height [mm]:65 Rim Hole Number:5 Brake Disc Type:Solid	DR6089, 4243133040, 4243133060, 42431-33040, 42431-33010, 4243106020
BD0123 561676B	LEXUS ES 89-08;TOYOTA CAMRY 91-01/PREVIEW 00-06/AVENSIS VERSO 01-09	FRONT	Diameter [mm]:275 Brake Disc Thickness [mm]:28 Minimum thickness [mm]:26 Height [mm]:49,2 Rim Hole Number:5 Brake Disc Type:Vented	DR6722, 4351233040, 43512-33041, 4351233043, 4351207020
BD0124 ADT34374	LEXUS RX 00-03;TOYOTA CAMRY 91-06	REAR	Diameter [mm]:288 Brake Disc Thickness [mm]:10,2 Minimum thickness [mm]:8,5 Height [mm]:65 Rim Hole Number:5 Brake Disc Type:Solid	DR6724, 42431-33030, 42431-33050, 4243148030
BD0125 BD2095	TOYOTA TOWN ACE BUS 08-	Fitting Position:FRONT	Brake Disc Type:Vented Brake Disc Thickness [mm]:25 Number of Holes:5 Bolt Hole Circle ? 1 [mm]:88 Hub Diameter 1 [mm]:69	43512BZ100, 43512-BZ100
BD0126 561667BC	SUBARU LEGACY 89-/IMPREZA 92- /FORESTER 97-/OUTBACK 98- 03/OUTBACK 09-/BRZ 12-;TOYOTA GT 86 COUPE 12-	FRONT	Diameter [mm]:277 Brake Disc Thickness [mm]:24 Minimum thickness [mm]:22 Height [mm]:57 Rim Hole Number:5 Brake Disc Type:Vented	26310-aa120, 26310-AA092, 26310-AA121, 26310-AA091, 26300-AE050, 26310-AA151
BD0127 561738B	TOYOTA SUPRA 86-93/PREVIEW 90- 00	REAR	Diameter [mm]:291 Brake Disc Thickness [mm]:18 Minimum thickness [mm]:17 Height [mm]:68 Rim Hole Number:5 Brake Disc Type:Vented	4243114100, 42431-14120, 42431-14110

BD0128 561651B	TOYOTA SUPRA 86-99	FRONT	Diameter [mm]:302 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:19 Height [mm]:53 Rim Hole Number:5 Brake Disc Type:Vented	43512-14141, 43512-14120, 43512-14140
BD0129 562861BC	TOYOTA HILUX III PICKUP 04-	FRONT	Diameter [mm]:297 Brake Disc Thickness [mm]:25 Minimum thickness [mm]:23 Height [mm]:67,4 Rim Hole Number:6 Brake Disc Type:Vented	43512-0K060, 43512-0K070
BD0130 562311B	CITRON C1 05-;PEUGEOT 107 05- /108 14-;TOYOTA AYGO 05-	FRONT	Diameter [mm]:247 Brake Disc Thickness [mm]:20 Minimum thickness [mm]:17 Height [mm]:35,5 Rim Hole Number:4 Brake Disc Type:Vented	DR7022, 4246.J0, 4249 55, 4249.94, 4249.94, 4246.F0, 4249 54, 43512-0H010, 43512-0H020
BD0131 410333	TOYOTA AVENS IS 03-	REAR	Diameter [mm]:279 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:8,5 Height [mm]:59 Rim Hole Number:5 Brake Disc Type:Solid	42431-05050, 0 986 479 520, 08.A714.10
BD0132 0 986 479 418	TOYOTA AURIS 06-/COROLLA 06-	REAR	Diameter [mm]:259 Brake Disc Thickness [mm]:9 Minimum thickness [mm]:8 Height [mm]:30,5 Rim Hole Number:5 Brake Disc Type:Solid	4243102190, 42431-12260
BD0133 562261B	TOYOTA YARIS 99-/PRIUS SALOON 00-04/COROLLA 01-08/MATRIX 01-07/ECHO 99-05	REAR	Diameter [mm]:269 Brake Disc Thickness [mm]:9 Minimum thickness [mm]:8 Height [mm]:56 Rim Hole Number:4 Brake Disc Type:Solid	DR7310, 42431-0D050, 42431-47020, 42431-12210, 42431-52050, 42431-12250
BD0134 562451B	TOYOTA YARIS 05-/IQ 08-	REAR	Diameter [mm]:258 Brake Disc Thickness [mm]:9 Minimum thickness [mm]:7,5 Height [mm]:32 Rim Hole Number:4 Brake Disc Type:Solid	42431-52080, 24.0109-0156.1, 0 986 479 420
BD0135 ADG043188	TOYOTA RAV 4 II 00-05	REAR	Diameter [mm]:302 Brake Disc Thickness [mm]:9 Minimum thickness [mm]:8 Height [mm]:63 Rim Hole Number:5 Brake Disc Type:Solid	42431-42041, 42431-42040
BD0136 DSK 2209	TOYOTA COROLLA 01-	REAR	Diameter [mm]:258 Brake Disc Thickness [mm]:9 Minimum thickness [mm]:8,5 Height [mm]:56 Rim Hole Number:4 Brake Disc Type:Solid	42431-02071, 42431-02070

BD0137 DK6044	TOYOTA COROLLA 01-	FRONT	Diameter [mm]:255 Brake Disc Thickness [mm]:25 Minimum thickness [mm]:23 Height [mm]:49,2 Rim Hole Number:4 Brake Disc Type:Vented	43512-02070, 4351202071
BD0138 DF6234	SUBARU TREZIA 11-;TOYOTA URBAN CRUISER 07-/VERSO S 10-	FRONT	Brake Disc Type:Internally Vented Diameter [mm]:275 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:19 Height [mm]:46,2 Centering Diameter [mm]:55	4351212710, 4351212710, 4351202240, 4351202270
BD0139 09.B063.10	TOYOTA HIACE / COMMUTER IV 04-/HIACE IV 04-	FRONT	Diameter [mm]:285 Brake Disc Thickness [mm]:28 Minimum thickness [mm]:26 Height [mm]:48,6 Rim Hole Number:6 Brake Disc Type:Vented	4351226190, 0 986 AB5 263, BS 8948,BG4210
BD0140 42431- 33040/60	LEXUS ES 89-08;TOYOTA CAMRY 91-01	REAR	Diameter:269 mm Brake Disc Thickness:10 mm Minimum Thickness:9 mm Centering Diameter:62 mm Height:64.8 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	42431-06020,63510, 42431-33010,31075, 42431-33040, 42431-33060, 0 986 479 R00
BD0141 DF6675	TOYOTA AURION 11-/CAMRY SALOON 11-	FRONT	Height : 49.2mm Diameter : 296mm Centering Diameter : 62mm Bolt Hole Circle Diameter : 114.3mm Brake Disc Thickness : 28mm Min. thickness : 25mm Num. of holes : 5 Thread Size 1 : 14.7	43512-06150,602006, ADT343206, 60-02-2006, 0990-4612
BD0142 DF6265	LEXUS RX 08-15/TRUCK RX450H HYBRID 10;TOYOTA RAV 4 IV 12- /TRUCK HIGHLANDER 08- 10/HIGHLANDER 09-	FRONT	Diameter:328 mm Brake Disc Thickness:28 mm Minimum Thickness:25 mm Centering Diameter:62 mm Height:49.2 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	435120E030, 4351248110, 435120E030, 4351248110, 92259403, 25563 V
BD0143 DF7257	LEXUS RX 03-08;TOYOTA HARRIER 03-13	REAR	Diameter:288 mm Brake Disc Thickness:10 mm Minimum Thickness:8.6 mm Centering Diameter:62.2 mm Height:69.6 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	4243148041, 4243148040, 4243148041, 4243148050, 92171603,0986479614, 24.0110-0316.1

BD0144 31332DS	SCION XA 04-06/XB 04-06	FRONT	Height:43.1 mm Diameter:255 mm Centering Diameter:55.1 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Number Of Holes:4 Solid Or Vented:V	4351252080,18A1619, 31332,145476, 09B46010,120441333
BD0145 DR6247	TOYO COR/CON/2E/4A 85-	brake rotor		DR6247,43512-0E900
BD0301 31046DS	NISSAN PRIMERA HATCHBACK 90-96/PRIMERA 98/105 90-93	REAR	Height:44.8 mm Diameter:258.3 mm Centering Diameter:68.1 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:9 mm Number Of Holes:4 Solid Or Vented:S	4320642R02,18A404, 4320642R03,31046, PRT1707,DI955741, DF7176,BD125105
BD0302 31057DS	NISSAN O SX 88-95/ALMERA II 00- /ALMERA II HATCHBACK 00-/PRIMERA 96-01/PRIMERA HATCHBACK 96- 02/PRIMERA TRAVELLER 96-02	FRONT	Height:49.2 mm Diameter:280 mm Centering Diameter:68 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Number Of Holes:4 Solid Or Vented:V	402062F500,31057, 402062F501,AC2574D, 402067J101,141892FM R, 562232B,ADN14369
BD0303 31134DS	NISSAN MAXIMA / MAXIMA QX IV 94- 00/MAXIMA / MAXIMA QX IV STATION WAGON 97-00/MAXIMA / MAXIMA QX V 99-03	REAR	Height:44.5 mm Diameter:278 mm Centering Diameter:68 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:9 mm Minimum Thickness:8 mm Number Of Holes:5 Solid Or Vented:S	432062Y502,17139, 432062Y503,18A701, 43206WA201,31134, 145040,ADN14396
BD0304 31306DS	NISSAN ALTIMA 01-07/MAXIMA / MAXIMA QX V 99-03	FRONT	Height:49.9 mm Diameter:296 mm Centering Diameter:68 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:24 mm Minimum Thickness:22 mm Number Of Holes:5 Solid Or Vented:V	402063Z700,18A1451, 402068J005,31306, 40206AL500,145362, 40206AL501,09A11310, 12042070
BD0305 31312DS	NISSAN JUKE 10-/QASHQAI / QASHQAI +2 I 06-13/QASHQAI 07- /SYLPHY 12-16/TEANA 04-/TIIDA HATCHBACK 11-	REAR	Height:62 mm Diameter:291.5 mm Centering Diameter:68 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:9 mm Minimum Thickness:8 mm Number Of Holes:5 Solid Or Vented:S	432063Z600,17890, 432067Y000,31312, 43206JD00A,562576BC, 24010901571,

BD0306 31328DC	INFINITI TRUCK QX56 04/TRUCK QX56 05/TRUCK QX56 07;NISSAN TRUCK ARMADA 04-05/TRUCK TITAN 04-05	FRONT	Height:42.9 mm Diameter:320 mm Centering Diameter:82.3 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:26 mm Minimum Thickness:24.5 mm Number Of Holes:6 Solid Or Vented:V	402067S000,18A1636, 31328,145507, 09B44810,12042084
BD0307 31329DS	INFINITI TRUCK QX56 04-08/TRUCK QX56 10;NISSAN TRUCK ARMADA 04-10/TRUCK TITAN 04-10	REAR	Height:57.9 mm Diameter:319.5 mm Centering Diameter:82.3 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:14 mm Minimum Thickness:12 mm Number Of Holes:6 Solid Or Vented:S	432067S000,18A1618, 31329,145475, 08B44910,12042081
BD0308 31330DC	NISSAN ALTIMA 05-06/MAXIMA 04-08/TRUCK MURANO 03-04	FRONT	Height:49.1 mm Diameter:320 mm Centering Diameter:68 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Number Of Holes:5 Solid Or Vented:V	402067Y000,18A1701, 40206CA000,31330, D0206ZA500,145571, 09B53010,12042075
BD0309 31348DS	INFINITI EX 07-/FX 02-/G SERIES 02-/M SERIES 05-/Q SERIES 13-;NISSAN ELGRAND 00-/MURANO I 03-08;MURANO II 07-14;QUEST 03-/MURANO II 11-	REAR	Height:62 mm Diameter:308 mm Centering Diameter:68 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:16 mm Minimum Thickness:14 mm Number Of Holes:5 Solid Or Vented:V	432062V70AC166,1769 8, 43206CA000,C41039AB E, 43206CK000, 24011601221, ADN143159
BD0310 31349DS	NISSAN LEAF 10-/QASHQAI / QASHQAI +2 I 06-13/X-TRAIL 01-14/QASHQAI 07-;RENAULT KOLEOS I 08-	REAR	Height:62 mm Diameter:292 mm Centering Diameter:68 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:16 mm Minimum Thickness:14 mm Number Of Holes:5 Solid Or Vented:V	432000016R,17632, 432003112R,18A1664, 432068H305,AC3119D, 432068H700, 432068H701, 432068H702
BD0311 31350DS	INFINITI G35 03-05 ;NISSAN 350Z 03-05	FRONT	Height:49.3 mm Diameter:296 mm Centering Diameter:68 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:24 mm Minimum Thickness:22 mm Number Of Holes:5 Solid Or Vented:V	40206AM800,18A1697, 31350,10131350, PRT5559,12042074, 09B44610
BD0312 31375DS	INFINITI M35 05-/M45 05-;NISSAN MURANO I 03-08/MURANO II 07-	FRONT	Height:49 mm Diameter:320 mm Centering Diameter:68 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Number Of Holes:5 Solid Or Vented:V	40206CA010,17739, 40206EG000,18A1811, C31088ABE,31375, 40206ZA500,25262V, 24012801531

BD0313 31387DS	INFINITI EX35 10/EX35 08/G35 05-08/G37 09-10/M35 06-08/M35 10/M45 06-08/M45 10;NISSAN 350Z 06/350Z COUPE 08-09/370Z 09-10/ROADSTER 08-09	REAR	Height:62 mm Diameter:307.6 mm Centering Diameter:68 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:16 mm Minimum Thickness:14 mm Number Of Holes:5 Solid Or Vented:V	43206EG000,18A2315, 31387,145845, 09B52210,12042088, PRT5845
BD0314 31425DS	INFINITI TRUCK QX56 06;NISSAN TRUCK ARMADA 06/TRUCK TITAN 06-07	FRONT	Height:43.1 mm Diameter:320 mm Centering Diameter:82 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:26 mm Minimum Thickness:24.5 mm Number Of Holes:6 Solid Or Vented:V	40206ZC00A,18A2485, 40206ZC00B,31425, 40206ZC01A,145735, 12042090
BD0315 31464DS	NISSAN ALTIMA 07-10/ALTIMA HYBRID 08-09	FRONT	Height:49.3 mm Diameter:296 mm Centering Diameter:68.1 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:26 mm Minimum Thickness:24 mm Number Of Holes:5 Solid Or Vented:V	40206JA00A,18A2571, 40206JA00B, 31464,145720, PRT5720,09B54610, 12042096
BD0316 31506DS	INFINITI TRUCK QX56 08/TRUCK QX56 10;NISSAN TRUCK ARMADA 09-10/TRUCK TITAN 08-10	FRONT	Height:43 mm Diameter:350 mm Centering Diameter:90.2 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:30 mm Minimum Thickness:28.5 mm Number Of Holes:6 Solid Or Vented:V	40206ZR00A,31506, 145808,12042099, PRT5808
BD0317 31512DS	NISSAN JUKE 10-/QASHQAI / QASHQAI +2 I 06-13/X-TRAIL 07-14/QASHQAI 07-	FRONT	Height:44 mm Diameter:296 mm Centering Diameter:68 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:26 mm Minimum Thickness:24 mm Number Of Holes:5 Solid Or Vented:V	402061KC1A,17889, 402061KC1B,C31104AB E, 40206JD00A,31512, 40206JG00A,31569, 40206JG00C,25157, 24012601541
BD0318 981780	NISSAN ALTIMA 13	FRONT	Discard Thickness (MM): 24.000 Nominal Thickness (mm): 26.000 Number of Bolt Holes: 5 Overall Height (MM): 49.300 Rotor Inner Diameter (MM): 185.000 Rotor Outer Diameter (MM): 296.000 Wheel Bolt Circle Diameter (MM): 114.300	981780,402063TA0A, 13060515,402063TA0B
BD0319 432068H305	NISSAN LEAF 10-/QASHQAI / QASHQAI +2 I 06-13/X-TRAIL 01-14/QASHQAI 07-/X-TRAIL 08-14;RENAULT KOLEOS I 08-	REAR	Height:62 mm Diameter:292 mm Centering Diameter:68 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:16 mm Minimum Thickness:14 mm Number Of Holes:5 Solid Or Vented:V	0940781, 432063NFOA, 432064BT0B, 432068H305, 432068H701, 432068H702, 980113

BD0320 432068J102	NISSAN ALTIMA 02-10/ALTIMA HYBRID 08-09/MAXIMA 04- 08/SENTRA 08-10	REAR	Height:62 mm Diameter:291.5 mm Centering Diameter:68 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:9 mm Minimum Thickness:8 mm Number Of Holes:5 Solid Or Vented:S	432063Z600, 432067Y000, 432068J100, 432068J101, 432068J102, 432069Y000, 43206JA00A
BD0321 31350	INFINITI G35 03-05;NISSAN 350Z 03-05	FRONT	Height:49.3 mm Diameter:296 mm Centering Diameter:68 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:24 mm Minimum Thickness:22 mm Number Of Holes:5 Solid Or Vented:V	18A1697,40206-AM800, 145559,09.B446.10
BD0322 18A1635	INFINITI M35 05-/M45 05-;NISSAN MURANO I 03-14/MURANO II 11-	FRONT	Height:49 mm Diameter:320 mm Centering Diameter:68 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Number Of Holes:5 Solid Or Vented:V	40206CA010,DDF1505, 40206EG000,PRT5506, 40206ZA500,31341, 40206-EG000
BD0323 PRT6098	NISSAN ARMADA 17-19;INFINITI QX56 11-13/QX80 14-15	REAR	Height:64 mm Diameter:350 mm Centering Diameter:82 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:20 mm Minimum Thickness:18 mm Number Of Holes:6 Solid Or Vented:V	0833544,432061LB0A, BD180430
BD0324 DDF443	NISSAN PICK UP 97-/URVAN BOX 86-97/URVAN BUS 86-97/EQ D22 I PICKUP 99-05	FRONT	Diameter:260 mm Brake Disc Thickness:26 mm Minimum Thickness:24 mm Centering Diameter:81 mm Height:37 mm Number Of Holes:6 Pitch Circle Diameter:103 mm Solid Or Vented:V	24576,0986479605, BS8196,09.6744.10, DI951158,BG3242, BS-8196, 92074700,DF3001, 16054,1815202236
BD0325 DF1265	NISSAN NP300 PICKUP 08- /PATHFINDER II 97-04/PICK UP 92- 10/URVAN BOX 87-97	FRONT	Height : 37mm Diameter : 260mm Centering Diameter : 81mm Bolt Hole Circle Diameter : 103mm Brake Disc Thickness : 26mm Min. thickness : 24mm Num. of holes : 6 Thread Size : 10.60	BBD5010,0986479605, 09.5255.10,DI951158, BG3242,BG3972, DDF1626,92186103, 8120 14168,DF1265, DF3001,186484
BD0326 DF4364	DACIA LOGAN SERIES 04-/SANDERO 08-;NISSAN MICRA SERIES 02-/NOTE 05-12/TIIDA SERIES 04-13/SUNNY 10- ;RENAULT CLIO SERIES 05-/LOGAN SERIES 04-/MEGANE SERIES 01- /MODUS / GRAND MODUS 04-	FRONT	Diameter:260 mm Brake Disc Thickness:22 mm Minimum Thickness:19.8 mm Centering Diameter:61 mm Height:44 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	92119200, 92119203, DF4267, 7701-207-795

BD0327 DF4267	DACIA LOGAN SERIES 04-/SANDERO 08-;NISSAN MICRA SERIES 02-/NOTE 05-12/TIIDA SERIES 04-13/SUNNY 10-;RENAULT CLIO SERIES 05-/LOGAN SERIES 04-/MEGANE SERIES 01-/MODUS / GRAND MODUS 04-	FRONT	Diameter:260 mm Brake Disc Thickness:22 mm Minimum Thickness:19.8 mm Centering Diameter:61 mm Height:44 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	40206-AX603, 40206-AX600, 92119200, MDC1607
BD0328 92059000	FORD MAVERICK 93-98;NISSAN PICK UP 85-/TERRANO I 86-96/TERRANO II 92-07	FRONT	Diameter:277 mm Brake Disc Thickness:26 mm Minimum Thickness:24 mm Centering Diameter:100 mm Height:39 mm Number Of Holes:6 Pitch Circle Diameter:124 mm Solid Or Vented:V	40206-VJ200, 40206-31G01, 0 986 AB9 521
BD0329 92054900	DACIA LOGAN SERIES 04-/SANDERO 08-;NISSAN KUBISTAR MPV 03-09;RENAULT SERIES 88-03/CLIO SERIES 90-/KANGOO SERIES 97-/MEGANE SERIES 95-08/THALIA I 98-/TWINGO SERIES 93-	FRONT	Diameter:259 mm Brake Disc Thickness:20.7 mm Minimum Thickness:17.7 mm Centering Diameter:61 mm Height:41 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	7700-780-892, 7700-813-549, 7700-842-131, 7701-204-304, 7701-205-653, 8671-005-976
BD0330 DF2576	NISSAN 100 NX 90-96/SUNNY SERIES 82-00	FRONT	Diameter:240 mm Brake Disc Thickness:18 mm Minimum Thickness:16 mm Centering Diameter:61 mm Height:45.2 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	40206-60Y01, 40206-58A00, 40206-58A01
BD0331 DR6245	NISSAN 1400 88-08/EXA 1500 83-87/LANGLEY 83-/PULSAR 83-87/SABRE 97-99/SENTRA 87-92/SENTRA 97-02	FRONT	Outer Dia: 208mm. Height: 28mm. Nom Thick: 12mm. Hub Reg: 70.4mm. Bolt Size: M10 x P1.25(Metric) Bolt Circle: 4 x 87mm.	40206-G1500, 0 986 479 R13
BD0332 857111	NISSAN	FRONT	Height : 28mm Diameter : 252mm Brake Disc Type : Vented	936057240, 857111, 857111.6980
BD0333 DR6227	NISSAN 1800	FRONT	brake rotor	40206-BM099, 40206-B8210
BD0334 DR6236	NISSAN ALMERA 00-	FRONT Ventilated	Number of Stud Holes: 4 Outside Diameter:256.8 Spigot Diameter:68 Net Weight KG: 5.53 Height:49.2 Th. Max:20 Th. Min:20	40206 EQ001A, BKDC5134

BD0335 DR6676	DACIA LOGAN I 04-/SANDERO I 08-;NISSAN MICRA SERIES 02-/NOTE SERIES 06-/TEANA II 08-13/TIIDA 07-12	FRONT	Diameter [mm]:260 Brake Disc Type: Internally Vented Number of Holes:4 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:19.8	44206-EE320, 40206-AX600, 82B0079
BD0336 DF6416	NISSAN NP300 NAVARA 04-/NP300 PICKUP 08-/PATHFINDER III 05- /TRUCK FRONTIER 05-10/TRUCK PATHFINDER 05-07/TRUCK PATHFINDER 09-10/TRUCK XTERRA 05-10	FRONT	Diameter:296 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Centering Diameter:68 mm Height:38 mm Number Of Holes:6 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	40206-EB300, 0 986 479 356, 24.0128-0241.1, 09.B628.10
BD0337 DF4966	FORD FIESTA HATCHBACK 09- 17/FIESTA SALOON 09-;MAZDA 2 07-/2 SALOON 07-;NISSAN TIIDA HATCHBACK 11-	FRONT	Diameter:258 mm Brake Disc Thickness:23 mm Minimum Thickness:21 mm Centering Diameter:55 mm Height:44 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	DF71-33251, 24.0123-0112.1, 0 986 479 541, DDF1738
BD0338 DF4964	RENAULT KOLEOS I 08-;VENUCIA T70 15-;HAIMA S5 SERIES 14-;NISSAN JUKE 10-/QASHQAI / QASHQAI +2 I 06-13/TIIDA HATCHBACK 10-/X-TRAIL 07-14/SENTRA 10/SENTRA 08/TRUCK ROGUE 08-10	FRONT	Diameter:296 mm Brake Disc Thickness:26 mm Minimum Thickness:24 mm Centering Diameter:68 mm Height:44 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	40206-JD00A, 09.A716.11, 0 986 479 358, DDF1589
BD0339 DDF133	NISSAN SUNNY SERIES 82-91/4X4 90/PULSAR NX 87-90/SENTR 86-90	FRONT	Diameter:239.7 mm Brake Disc Thickness:12 mm Minimum Thickness:11 mm Centering Diameter:61.2 mm Height:45.2 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	40206-50Y01, 40206-61A01, 40206-61A11, 0 986 478 368
BD0340 DF2738	NISSAN PICK UP 80-08/EQ D22 I PICKUP 99-05	FRONT	Diameter:267 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:100 mm Height:39.5 mm Number Of Holes:6 Pitch Circle Diameter:124 mm Solid Or Vented:V	40206-35G00, 40206-35G01, 40206-10W00, 0 986 478 806, DDF660
BD0341 DF2586	DACIA LOGAN SERIES 04- /SANDERO 08-;NISSAN KUBISTAR MPV 03-09;RENAULT 19 SERIES 88-03/CLIO SERIES 90-/KANGOO 97-/MEGANE SERIES 95-08/THALIA SERIES 93-	FRONT	Diameter:259 mm Brake Disc Thickness:20.7 mm Minimum Thickness:17.7 mm Centering Diameter:61 mm Height:41 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	7701-206-339, 7701-205-653, 7701-204-304, 7701-204-828, 7700-780-892, 7700-813-549

BD0342 DF4745	NISSAN LEAF 10-/QASHQAI / QASHQAI +2 06-13/X-TRAIL 01- 14/QASHQAI 07-;/RENAULT KOLEOS I 08-	REAR	Diameter:292 mm Brake Disc Thickness:16 mm Minimum Thickness:14 mm Centering Diameter:68 mm Height:62 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	432063NLOA, 432063NLOB, 432068H305, 432068H700, 432068H701, 432068H702, 432000016R
BD0343 DR6742	NISSAN PRIMERA 00-	FRONT Ventilated	Number of Stud Holes - 4 Outside Diameter - 280 Spigot Diameter - 68.05 Net Weight KG - 6.7 Height - 49 Th. Max - 20 Th. Min - 20	40206-EQ002A
BD0344 DF6471	NISSAN BLUEBIRD SYLPHY / SYLPHY 12-/JUKE 10-/PULSAR HATCHBACK 12-/SENTRA VII 12- /TIIDA 10-/LANNIA 15-/MAXIMA 16-/TEANA 13-/TEANA 04-08	FRONT	Diameter:280 mm Brake Disc Thickness:24 mm Minimum Thickness:22 mm Centering Diameter:68 mm Height:44 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	402061KA2A, 402061KA3A, 0 986 479 A19, 92232203
BD0345 DF4316	NISSAN ALMERA TINO 98- 06/MAXIMA / MAXIMA QX V 99- 03/PRIMERA 02-/X-TRAIL 01-13	FRONT	Diameter:280 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Centering Diameter:68 mm Height:49.1 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	402063Y502, 402063Y503, 402064U101, 402064U103, 402064U105, 402064U107
BD0346 DF2575	HYUNDAI SONATA 88-98;NISSAN BLUEBIRD SYLPHY 05-	FRONT	Diameter:257 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:69 mm Height:45 mm Number Of Holes:4 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	5171233001, 5171233010,
BD0347 DF1967	NISSAN PATROL SERIES 79-98	FRONT	Diameter:295 mm Brake Disc Thickness:20 mm Minimum Thickness:18 mm Centering Diameter:104 mm Height:29 mm Number Of Holes:6 Pitch Circle Diameter:137 mm Solid Or Vented:V	40206C7000, 40206C7001, 40206G9500
BD0348 DF1945	NISSAN CHERRY III 82-87/SUNNY I 82-90	FRONT	Diameter:239.8 mm Brake Disc Thickness:12 mm Minimum Thickness:11 mm Centering Diameter:76 mm Height:35 mm Number Of Holes:4 Pitch Circle Diameter:96 mm Solid Or Vented:S	4020605A00, 4020605A01, 0 986 AB6 056

BD0349 43206-71E01	NISSAN PRIMERA 98-	REAR Solid	Number of Stud Holes - 4 Outside Diameter - 257.9 Spigot Diameter - 68 Net Weight KG - 3.4 Height - 44.5 Th. Max - 8 Th. Min - 8	43206-71E01, 43206-EQ002A
BD0350 DF7369	FENGSHEN A60 SALOON 12- NISSAN BLUEBIRD SYLPHY / SYLPHY 12-/JUKE 10-/NVO 10-/PULSAR HATCHBACK 12-/QASHQAI 06- /SENTRA VII 12-/TEANA 03-/TIIDA HATCHBACK 10-/ALTIMA 02- 10/MAXIMA 04-08/SENTRA 08- 10/LANNIA 15-;VENUCIA T70 15-	REAR	Diameter:291.5 mm Brake Disc Thickness:9 mm Minimum Thickness:8 mm Centering Diameter:68 mm Height:62 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	432069W000, 432069Y000, 43206JA00A, 43206JA00B, 43206JD00A, 43206JD00B
BD0351 40207-u7600	SKYLINE VENTILATED 82- 87;NISSAN 200SX 79-82	FRONT Ventilated	Number of Stud Holes - 4 Outside Diameter - 250 Spigot Diameter - N/A Net Weight KG - 5.94 Height - 96.50 Incl. HUB Th. Max - 16 Th. Min - 16	40207-U7600
BD0352 DF1931	NISSAN BLUEBIRD 80-83/DATSUN 62-83/SUNNY 70-82	FRONT	Diameter:245 mm Brake Disc Thickness:10 mm Minimum Thickness:8.5 mm Centering Diameter:73 mm Height:35.5 mm Number Of Holes:4 Pitch Circle Diameter:95 mm Solid Or Vented:S	40206U6700, 0 986 AB6 195, DDF378,BS7235,15527
BD0353 DF4024	NISSAN 100 NX 90-96/ALMERA I HATCHBACK 95-01/SUNNY 90- 96/CLASSIC 91-93/SENTRA 91/SENTRA 93-94	FRONT	Diameter:257 mm Brake Disc Thickness:26 mm Minimum Thickness:24 mm Centering Diameter:61 mm Height:45.5 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	4020654C01, 0 986 AB9 593, 92096700, 1815202215
BD0354 DF4000	NISSAN 100 NX 90-96/ALMERA I 95-01/SUNNY III 90-95	REAR	Diameter:258 mm Brake Disc Thickness:9 mm Minimum Thickness:8 mm Centering Diameter:68 mm Height:45 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	4320654C00, 4320654C01, 92079900, 0 986 AB9 589
BD0355 DF2574	NISSAN AVENIR 97-05/MAXIMA / MAXIMA QX IV 95-00/MAXIMA III 88-94	FRONT	Outer diameter : 280mm Brake Disc Thickness : 22mm Min. thickness : 20mm Thickness : 49mm Number of mounting bores : 5 Rim : 2-Hole	40206-2y003, 40206-88e04,DF1259, DDF600,C31074ABE, DF789

BD0356 DF4983S	INFINITI EX 07-/G SERIES 07-/M SERIES 05-/Q60 CONVERTIBLE 13-/Q70 13-/QX50 13-;NISSAN MURANO 03-	FRONT	Diameter:320 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Centering Diameter:68 mm Height:49 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	40206EG000, 402067Y000, 40206CA000, 40206CA010, 40206EG000, D0206ZA500
BD0357 DF4353	INFINITI EX 07-/FX 02-/G SERIES 02/M SERIES 05-/Q SERIES 13-;NISSAN ELGRAND 00-/MURANO 03-/QUEST 03-	REAR	Diameter:308 mm Brake Disc Thickness:16 mm Minimum Thickness:14 mm Centering Diameter:68 mm Height:62 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	43206CA000, 43206CA000, 43206EG000
BD0358 DF1016	NISSAN KUBISTAR MPV 03-09;RENAULT 11 83-95/I 88-94/II 91-03/21 86-97/9 81-97/CLIO 90-/KANGOO 97-/MEGANE 95-08/SUPER 5 84-96/THALIA I 98-	FRONT	Diameter:238 mm Brake Disc Thickness:20.1 mm Minimum Thickness:17.7 mm Centering Diameter:61 mm Height:41 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	4020600Q0D, 4020600QAJ, 7700756572, 7701204286
BD0359 40206-UA100	NISSAN DATSUN STANZA 82-	FRONT Solid	Number of Stud Holes - 4 Outside Diameter - 250 Spigot Diameter - 73 Net Weight KG - 4.4 Height - 46.5 Th. Max - 11 Th. Min - 11	40206-UA100
BD0360 6001155	NISSAN MICRA IV 10-/NOTE 12-	FRONT	Diameter:260 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:61 mm Height:44 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	18211, 6001155, 24012202771, ADN143154, 0986479090, 402061HA0A
BD0361 DDF2134C	GAC GONOW XING LANG BUS 13-16;NISSAN NVO 10-	FRONT	Diameter:257 mm Brake Disc Thickness:26 mm Minimum Thickness:24 mm Centering Diameter:68 mm Height:53.7 mm Number Of Holes:4 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	402063LG0A, 40206JX00A
BD0362 40207-P6500	NISSAN SKYLINE 82-87	REAR Solid	Number of Stud Holes - 4 Outside Diameter - 268.5 Spigot Diameter - 68 Height - 68.5 Th. Max - 9 Th. Min - 9	40207-P6500

BD0363 DDF260	INFINITI G20 90-97 NISSAN 200 SX 88-95/ALMERA II 00-/PINTARA 89-92/PRAIRIE 88-02;NISSAN BLUEBIRD 00-05-/LIVINA HATCHBACK 10-/SUNNY 03-07/TIIDA 05-	FRONT	Diameter:257 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:68 mm Height:49.2 mm Number Of Holes:4 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	40206-71E01, 40206-93J01
BD0364 561649B	NISSAN MAXIMA II 88-95	REAR	Diameter [mm]:258 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:9 Height [mm]:46 Rim Hole Number:5 Brake Disc Type:Solid	43206-88E03, 24.0110-0244.1
BD0365 561515B	NISSAN 280 ZX,ZXT 78-84/BLUEBIRD 80-83/SILVIA 79-83	REAR	Bolt Hole Circle ? [mm]:68 Height [mm]:47 Diameter [mm]:257 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:9	43206-N9501, 43206-N9502, 43206-N9500
BD0366 DDF1960C	NISSAN PIXO 09-;SUZUKI ALTO 09-	FRONT	Outer diameter : 231mm Centering Diameter : 60mm Bolt Hole Circle Diameter : 100mm Brake Disc Thickness : 20mm Min. thickness : 18mm Number of mounting bores : 2 Thickness : 51mm Rim : 4-Hole	55311-M68-K00, 0 986 479 778, MDC2167
BD0367 562809BC	NISSANPATROL GR II WAGON 97-	FRONT	Diameter [mm]:305 Brake Disc Thickness [mm]:32 Minimum thickness [mm]:30 Height [mm]:47 Rim Hole Number:6 Brake Disc Type:Vented	40206-VB000, 40206-VB001
BD0368 561523B	FORD MAVERICK 93-98/MAVERICK 01-;NISSAN TERRANO 86-/PICK UP 85-98/PATHFINDER 87-04	FRONT	Diameter [mm]:277 Brake Disc Thickness [mm]:26 Minimum thickness [mm]:24 Height [mm]:39 Rim Hole Number:6 Brake Disc Type:Vented	DR6455, 1954434, 40206-31G00, 40206-0F001
BD0369 6001101	NISSANCHERRY II 78-83	FRONT	Diameter [mm]:239 Height [mm]:38,8 Weight [kg]:6,34 Brake Disc Type:Solid Brake Disc Thickness [mm]:9,6	40206M5600, 561163B, 0986478798
BD0370 ADN143153	NISSAN PATHFINDER 05-/NAVARA 04-	FRONT	Diameter [mm]:320 Brake Disc Type:Vented Minimum thickness [mm]:26 Hole Arrangement / Number:6H Centering Diameter [mm]:68 Overall Height [mm]:38,5	DR7010, 402063X00B, 402065X00A, 402065X01A, 40206-5X01A, 40206EB320

BD0371 DF7954	NISSAN SYLPHY 12-/TIIDA 11- /TEANA 08-	FRONT	Brake Disc Type:Vented Diameter [mm]:279,6 Brake Disc Thickness [mm]:24 Minimum thickness [mm]:22 Number of Holes:5 Centering Diameter [mm]:68	402061TT0A, 402063ST0A, 402063DA0A, 402063TS0A
BD0372 270201	DACIA LOGAN 04-/SANDERO 08- ;LADA LARGUS 12-;NISSAN KUBISTAR 03-;RENAULT CLIO 90-/TWINGO 93- /19 88-03/MEGANE 95-06/KANGOO 97-/THALIA I 98-/LOGAN I 04- /SANDERO/STEPWAY I 07-	FRONT	Diameter [mm]:259 Brake Disc Thickness [mm]:20,6 Minimum thickness [mm]:17,7 Height [mm]:41 Rim Hole Number:4 Brake Disc Type:Vented	6001548578,TB217749, 7701206339,DF2586, 40206-00QAA,203910, 7701 204 304,BG2625, 986478124
BD0373 270222	DACIA LOGAN 07-/SANDERO 08- ;LADA LARGUS 12-;NISSAN MICRA 03-/NOTE 06-;RENAULT MEGANE II 02-/MODUS / GRAND MODUS 04/CLIO 05-/LOGAN 07-	FRONT	Diameter [mm]:260 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:20 Height [mm]:44 Rim Hole Number:4 Brake Disc Type:Vented	7701207795,17541, 40206- AX600,986479103, 7701 207 795, 24.0122-0216.1, TB219162,DDF1201
BD0374 370228	HAIMA S5 14-;NISSAN JUKE 10- /QASHQAI 06-/TIIDA 10-/X-TRAIL 07-14/SENTRA 10/SENTRA 08/TRUCK ROGUE 08-10;RENAULT KOLEOS I 08-;VENUCIA T70 15-	FRONT	Diameter:296 mm Brake Disc Thickness:26 mm Minimum Thickness:24 mm Centering Diameter:68 mm Height:44 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	40206JG00A,17889, 40206JE20A,TB219023, 202272, 92167400, DF4964
BD0375 VKBD1013	NISSAN PRIMASTAR 01-;OPEL VIVARO A 01 -;RENAULT TRAFIC II 01 -;VAUXHALL VIVARO A 01 -14	REAR	Rim Hole Number: 5 Diameter: 280 mm Height: 102 mm Brake Disc Thickness: 12 mm with integrated wheel bearing	43210-00Q0M, 43210-00QAC, 44 08 277,91159917, 77 01 206 849, 44 08 277,91159917
BD0601 3258DS	HONDA ACCORD III SERIES 85-89/CIVIC IV SERIES 87 -93/CIVIC VI SERIES 94- 01/CONCERTO SERIES 89-96/CRX II 87- 92/INTEGRA HATCHBACK 85-93/PRELUDE III 86-96;MG ZR 01-05;ROVER 200 SERIES 89-00/25 99-05/400 SERIES 93-00/45 SERIES 00-05/COUPE 96-99	REAR	Height:48.1 mm Diameter:238.5 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Number Of Holes:4 Solid Or Vented:S	42510SE0000, 42510SE0010,EGP1254, GBD90817,3258, 0986478350, 141439
BD0602 3287DS	ACURA CL 97;HONDA ACCORD 90- 97/EX-R 91/EX-R 95-97	FRONT	Height:34 mm Diameter:260 mm Centering Diameter:92 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:23 mm Minimum Thickness:21 mm Number Of Holes:4 Solid Or Vented:V	45251SM4000,3287, 45251SM4010,DRF450, 45251SM4020,51117, 45251SN7E40, GBD90836,DF2024, 0986AB9849
BD0603 3295DS	HONDA CITY SALOON 08-/CIVIC SERIES 87- /CRX SERIES 87-98/FIT SERIES 07-/FREED I 08-16/INSIGHT 09-/INTEGRA 93-01;LOTUS ELISE 95-01;MG EXPRESS BOX 03-05/MG Z SERIES 01-05;ROVER 200 SERIES 89-00/25 99-05/400 SERIES 93-00/45 SERIES 00- 05/COUPE 96-99/STREETWISE 03-05	FRONT	Height:44.7 mm Diameter:262 mm Centering Diameter:64.1 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:21 mm Minimum Thickness:19 mm Number Of Holes:4 Solid Or Vented:V	3295,141471, 45251S06000, 45251SK7A00, 0986478174, DSK668

BD0604 3296DS	ACURA LEGEND SERIES 87-96;HONDA CR-V I 95-02/HR-V 99-/INTEGRA COUPE 93-01/LEGEND III 96-04/PRELUDE V 96-01/SHUTTLE 94-04	FRONT	Height:47.1 mm Diameter:282 mm Centering Diameter:70.2 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:23 mm Minimum Thickness:21 mm Number Of Holes:5 Solid Or Vented:V	45251S2HN00,3296, 45251SP0000,18A441, 45251SZ3000,24671E, 45251SZ3E00, 5862030550, 0986478667
BD0605 31029DS	HONDA CIVIC V SERIES 91-96/CIVIC VI SERIES 95-01	FRONT	Diameter:240 mm Centering Diameter:61 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:21 mm Minimum Thickness:19 mm Number Of Holes:4 Solid Or Vented:V	45251SH0A00,DDF447, 45251SH3A00,0952858 0, TB217310,0986AB9841, 16117,PRT1581
BD0606 31227DS	HONDA PRELUDE V 96-01	REAR	Height:42.2 mm Diameter:259.7 mm Centering Diameter:64 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:9 mm Minimum Thickness:8 mm Number Of Holes:5 Solid Or Vented:S	42510S30A00,16908, 145159,ADH24370, 08952910
BD0607 31243DS	ACURA CL COUPE 96-03;HONDA ACCORD VI 97-03/ACCORD VI COUPE 97-03/ACCORD VI HATCHBACK 99-02	FRONT	Height:47 mm Diameter:260 mm Centering Diameter:64.2 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:23 mm Minimum Thickness:21 mm Number Of Holes:4 Solid Or Vented:V	45251S84A00,18A1558, 45251S84A01,31243, 145229,PRT5229, DI953680,BV8387
BD0608 31244DS	ACURA CL COUPE 96-03;HONDA ACCORD VI COUPE 97-03/ACCORD VI 99-02	REAR	Height:48.1 mm Diameter:260 mm Centering Diameter:64.1 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:9 mm Minimum Thickness:8 mm Number Of Holes:4 Solid Or Vented:S	42510S1SE00 42510S84A50,18A1556, 42510S84A52,31244, 24010901451,BG3983,
BD0609 31245DS	ACURA LEGEND III 96-;HONDA ACCORD VI 97-03/ACCORD VI COUPE 97-03	REAR	Height:48.1 mm Diameter:260 mm Centering Diameter:64.1 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:9 mm Minimum Thickness:8 mm Number Of Holes:5 Solid Or Vented:S	42510S0D000,17585, 42510S0DA00,18A1514, 42510S87000,31245, 42510S87A00,145233
BD0610 31257DS	HONDA ACCORD VI COUPE 97-03/ACCORD VII 03-12/ACCORD VII TOURER 03-08/ACCORD VI 99-02	FRONT	Height:47 mm Diameter:282 mm Centering Diameter:64 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:23 mm Minimum Thickness:21 mm Number Of Holes:5 Solid Or Vented:V	45251S87A00,18A1562, 45251SDCA00,31257, 45251TA0A00,145232, 45251TA0A01,PRT5232, 45251-TA5-A00, 0986479A99

BD0611 31275DS	ACURA CL COUPE 96-03/TL 98-03; HONDA ACCORD VI 97-03/ACCORD VII 03-12/ LEGEND III 96-04	REAR	Height:67.3 mm Diameter:289.6 mm Centering Diameter:58.2 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:10 mm Minimum Thickness:8.5 mm Number Of Holes:5 Solid Or Vented:S	45251S0X000,18A1095, 45251S4XJ00,31275, 45251SEAJ01,145287, 45251SEPA11,BS8418, 45251TA6A00
BD0612 31286DS	ACURA TL 99-03	REAR	Height:58.9 mm Diameter:282.2 mm Centering Diameter:64.3 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:9.1 mm Minimum Thickness:7.6 mm Number Of Holes:5 Solid Or Vented:S	42510S0KA00,18A1100, 31286,145290, 08886885,12040047
BD0613 31302DS	ACURA CL 01-03	REAR	Diameter:282.2 mm Brake Disc Thickness:9 mm Minimum Thickness:7.5 mm Centering Diameter:64.2 mm Height:65.3 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	42510S3MA00, 18A1444,31302, 145337,12040052, 96988,BD126057
BD0614 31311DS	HONDA CIVIC VII HATCHBACK 99-06/ CIVIC VIII SALOON 05-/ STREAM 01-	FRONT	Height:47.1 mm Diameter:261.7 mm Centering Diameter:64 mm Pitch Circle Diameter:114 mm Brake Disc Thickness:21 mm Minimum Thickness:19 mm Number Of Holes:5 Solid Or Vented:V	45251S6M000,18A1319 , 45251S7AJ10,25021, 45251SZT030,PRT5397, 45251SZT040,DSK2618, 24012107021
BD0615 31315DS	ACURA TSX 04-08; HONDA ACCORD 03-07	REAR	Diameter:260 mm Brake Disc Thickness:9 mm Minimum Thickness:8 mm Centering Diameter:64 mm Height:48.8 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	42510SDAA00,31315, 145405,08B43910, 12040055,980138, DF7168,BD126082
BD0617 31347DS	HONDA CIVIC VII HATCHBACK 99-06/ CR-V 04-	FRONT	Height:47.2 mm Diameter:300 mm Centering Diameter:64.1 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Number Of Holes:5 Solid Or Vented:V	45251S6MA10,18A1695 , 45251S6NA10,31347, 45251SPAH50,562231B, 24012501731, 0986479534
BD0618 31479DS	HONDA ACCORD VIII 08-/ ACCORD VIII ESTATE 08-	REAR	Height:48.8 mm Diameter:281.6 mm Centering Diameter:64.1 mm Pitch Circle Diameter:114.1 mm Brake Disc Thickness:9 mm Minimum Thickness:8 mm Number Of Holes:5 Solid Or Vented:S	42510SFY000,17973, 42510TA0A00,18A2546, 42510TA0A01,31479, 42510TC0T00,09936304 , 24010901691

BD0619 42510-TA0-A00	ACURA TSX 09-10;HONDA ACCORD 08-10/ACCORD HYBRID 05-07	REAR	Heigh:48.8 mm Diameter:281.6 mm Centering Diameter:64.1 mm Pitch Circle Diameter:114.1 mm Brake Disc Thickness:9 mm Minimum Thickness:8 mm	08B27110, 42510SFY000, 42510TA0A00, 42510TA0A01, 42510TC0T00
BD0620 45251-SDC-A00	HONDA ACCORD 03-08/ACCORD 98-01/ACCORD HYBRID 05/CIVIC 07-08/TRUCK ELEMENT 03-09	FRONT	Height:47 mm Diameter:282 mm Centering Diameter:64 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:23 mm Minimum Thickness:21 mm Number Of Holes:5 Solid Or Vented:V	0942941, 45251S87A00, 45251SDCA00, 45251T2FA00, 45251TA5A00, 96711
BD0621 BR901454	ACURA TSX 04-08 ;HONDA ACCORD 03-07	REAR	Bolt Hole Circle Diameter: 114 mm Outer diameter: 281 mm Num. of holes: 5 Thickness/Strength: 442 mm Min. thickness: 10.5 mm Brake Disc Thickness: 12 mm Centering Diameter: 62.1 mm	42431-78010, BR901454
BD0622 45251-SDC- AOO	HONDA ACCORD 98-01 /ACCORD 03-08 /ACCORD HYBRID 05/CIVIC 07-08/TRUCK ELEMENT 03-09	FRONT	Height:47 mm Diameter:282 mm Centering Diameter:64 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:23 mm Minimum Thickness:21 mm Number Of Holes:5 Solid Or Vented:V	45251S87A00, 45251SDCA00, 45251TA0A00, 45251TA0A01, 45251TA5A00
BD0623 45251-SNA- OOO	ACURA RSX 02-06 /SPORT COUPE 02-06 ;HONDA CIVIC 06-10 /CIVIC HYBRID 06-08 /CIVIC SI 03-05	FRONT	Height:47.1 mm Diameter:261.7 mm Centering Diameter:64 mm Pitch Circle Diameter:114 mm Brake Disc Thickness:21 mm Minimum Thickness:19 mm Number Of Holes:5 Solid Or Vented:V	45251S6M000, 45251S7AJ10, 45251SNA000, 45251SNA010, 45251SNEA00, 45251SZT000, 45251SZT010
BD0624 51712-1GOOO	HONDA ACCORD 12/ACCORD VII TOURER 03-08/ACCORD VIII ESTATE 08	FRONT	Height:47.2 mm Diameter:300 mm Centering Diameter:64.2 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Number Of Holes:5 Solid Or Vented:V	51712-1G000,17724, 177240E,31432, DSK2511
BD0625 DF3021	HONDA CITY SALOON 08-/CIVIC 87-/CRX 87-98/FREED I 08-16/INTEGRA 93-/JAZZ 07-;LOTUS ELISE 95-01;MG EXPRESS BOX 03-05/Z SERIES 01-;ROVER 200 90-00/25 HATCHBACK 99-06/400 93-00/45 00- 05/COUPE 96-99/STREETWISE HATCHBACK 03-05	FRONT	Diameter:262 mm Brake Disc Thickness:21 mm Minimum Thickness:19 mm Centering Diameter:64.1 mm Height:44.7 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	45251-SCC-900, 45251-SK7-A10, 45251-SK7-J00

BD0626 DDF447	HONDA CIVIC SERIES 90-01/CRX 90/CX 90-91/DEL SOL 93-97	FRONT	Diameter:240 mm Brake Disc Thickness:21 mm Minimum Thickness:19 mm Centering Diameter:61 mm Height:44.8 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	45251-SH3-A00, 0 986 AB9 841, DI955183, 09.5285.75, DF1436
BD0627 DF4191	HONDA CIVIC SERIES 91-01/CRX III 92-98/JAZZ II 01-08	REAR	Diameter:239 mm Brake Disc Thickness:9 mm Minimum Thickness:8 mm Centering Diameter:61 mm Height:47.6 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	42510-SR3-000, 42510-SR3-A10, 42510-SR3-J00, 42510-SR3-G00
BD0628 DF4152	HONDA JAZZ II 01-08/LOGO 99-02	FRONT	Diameter:240 mm Brake Disc Thickness:21 mm Minimum Thickness:19 mm Centering Diameter:61 mm Height:39.2 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	45251-saa-g11, 45251-SAA-G10, 0 986 479 033, DI956095
BD0629 DF4028	ACURA LEGEND 87-91;HONDA CR- V I 95-02/HR-V 99-/INTEGRA COUPE 93-01/LEGEND III 96- 04/PRELUDE V 96-01/SHUTTLE 94- 04	FRONT	Diameter:282 mm Brake Disc Thickness:23 mm Minimum Thickness:21 mm Centering Diameter:70.2 mm Height:47.1 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	45251-SP0-000, 45251-S2H-N00, 0 986 478 667
BD0630 DF4456	HONDA CIVIC VIII 05-/FR-V 04- /STREAM 05-;KIA PRIDE 90-11	FRONT	Diameter:282 mm Brake Disc Thickness:23 mm Minimum Thickness:21 mm Centering Diameter:64.2 mm Height:47.2 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	45251S7AE10, 45251S7AE11, 45251SMGE31, 45251SMGG10, 45251SMGG11
BD0631 9177	ACURA LEGEND SERIES 87- 96;HONDA CR-V I 95-02/HR-V 99- /INTEGRA COUPE 93-01/LEGEND III 96-04/PRELUDE V 96- 01/SHUTTLE 94-04	FRONT	Diameter:282 mm Brake Disc Thickness:23 mm Minimum Thickness:21 mm Centering Diameter:70.2 mm Height:47.1 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	45251-SP0-000, 09.6893.10, 6040281, 0986478667
BD0632 DF1815	HONDA CIVIC 83-95/CRX I 83- 87/INSIGHT 00-06;ROVER 0 SALOON 84-89	FRONT	Diameter:231 mm Brake Disc Thickness:17 mm Minimum Thickness:15 mm Centering Diameter:61 mm Height:44 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	45251-SB2-930, 45251-SB2-931, 31155210007

BD0633 92164303	ACURA CSX 06-11/ILX 13-14;HONDA CIVIC 05-	REAR	Diameter:260 mm Brake Disc Thickness:9 mm Minimum Thickness:8 mm Centering Diameter:64.2 mm Height:42.2 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	42510SMGE20, 42510SNA000, 42510SNA001, 42510SNEA00, 42510TR3A00
BD0634 42510-SWW-G01	HONDA CR-V 06-	REAR	Diameter:302 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:64.1 mm Height:61 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	42510SWWG01, 42510T1GG00, 42510T1GG01
BD0635 DF4432S	HONDA ACCORD VII 03-12	FRONT	Diameter:300 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:64.2 mm Height:47.2 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	45251SEAE30, 24.0125-0174.1, 0986479227, 92140900
BD0636 92046500	HONDA CIVIC 83-93/CRX I 83-87/INSIGHT 00-06;ROVER 0 SALOON 84-89	FRONT	Diameter:231 mm Brake Disc Thickness:17 mm Minimum Thickness:15 mm Centering Diameter:61 mm Height:44 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	45251SB2750, 45251SB2751, 45251SB2752, 45251SB2930, 45251SB2931, 45251SB2932
BD0637 DF1440	HONDA ACCORD III 85-89/CIVIC 87-01/CONCERTO 89-96/CRX II 87-92/INTEGRA HATCHBACK 85-93/PRELUDE III 86-96;MG MG ZR 01-05;ROVER 0 CONVERTIBLE 89-00/25 HATCHBACK 99-06/400 90-00/45 00-05/COUPE 96-99	REAR	Diameter:238.5 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:61 mm Height:48.1 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	42510-SEO-000, 42510-SH3-G00, 431602041870, MDC644,MDC 766
BD0638 DF7195	HONDA CIVIC 99-/STREAM 01-	FRONT	Diameter:261.7 mm Brake Disc Thickness:21 mm Minimum Thickness:19 mm Centering Diameter:64 mm Height:47.1 mm Number Of Holes:5 Pitch Circle Diameter:114 mm Solid Or Vented:V	45251S6M000, 45251SNA000, 45251SNA010, 45251SZT020, 45251SZT030, 45251SZT040
BD0639 DF4857S	HONDA CR-V III 06-/CR-V IV 13-	FRONT	Height : 47.2mm Diameter : 293mm Centering Diameter : 64.2mm Brake Disc Thickness : 28mm Min. thickness : 26mm Num. of holes : 5 Tightening Torque : 108Nm	45251SWAA00, 45251SWAA20, 45251SWWG01, 45251T1EG00, 45251T1EG01

BD0640 DF7170	HONDA CR-V II 01-07/CROSSROAD 07-10/STREAM 05-	REAR	Outer diameter : 282mm Centering Diameter : 64mm Brake Disc Thickness : 9mm Bolt Hole Circle Diameter : 114.3mm Min. thickness : 7.5mm Thickness : 58mm Number of mounting bores : 5 Rim : 5-Hole	42510-S9A-000, 42510-S9A-N00, 42510-SCA-E00, 42510-SMC-N00, 42510-SMC-N01, 42510-SMC-N02
BD0641 DF1810	HONDA CIVIC 83-93/CRX I 83-87;ROVER 0 SALOON 84-89	FRONT	Diameter:231 mm Brake Disc Thickness:12 mm Minimum Thickness:10 mm Centering Diameter:61 mm Height:44 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	45251SB2010, 45251SB2020, 45251SB2030, DPB3169, GBD90827
BD0642 45251-QB2-780	HONDA 150I 160I 89-	FRONT Ventilated	Number of Stud Holes - 4 Outside Diameter - 241.8 Spigot Diameter - 61.05 Net Weight KG - 3.88 Height - 45 Th. Max - 17 Th. Min - 17	45251-QB2-780
BD0643 562703BC	HONDA ACCORD VIII 08-	FRONT	Diameter [mm]:320 Brake Disc Thickness [mm]:32 Minimum thickness [mm]:30 Height [mm]:47,2 Rim Hole Number:5 Brake Disc Type:Vented	45251TL0G51, 45251-TL0-G50
BD0644 DR6735	HONDA SA4 CIVIC 80-83	REAR Solid	Number of Stud Holes - 4 Outside Diameter - 214.8 Spigot Diameter - 61.05 Net Weight KG - 3.55 Height - 50.5 Th. Max - 10 Th. Min - 10	45251-SA0-102
BD0645 ADH243115	HONDA JAZZ III 07-/CITY 08-	REAR	Diameter [mm]:239 Brake Disc Thickness [mm]:9 Minimum thickness [mm]:8 Height [mm]:33 Rim Hole Number:4 Brake Disc Type:Solid	42510TG0T00, 42510TG5H00, 42510TF0000
BD0901 31052DS	FORD USA PROBE II 92-98;MAZDA 626 IV SERIES 91-98/626 V SERIES 97-02/MX-6 91-97/PREMACY 99-05/XEDOS 6 92-99/3 SALOON 06-14	FRONT	Height:48.4 mm Diameter:258 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:24 mm Minimum Thickness:22 mm Number Of Holes:5 Solid Or Vented:V	3395510,3958455, 815222210V,141845, F32Z1125A,DDF496, GA5Y3325XD,TB217511, 0986478227

BD0902 31325DS	MAZDA 323 F VI 98-04/323 S VI 98-04/6 ESTATE 07-13/6 HATCHBACK 02-13/6 SALOON 02-13/6 STATION WAGON 02- 07/626 V STATION WAGON 98-02/MX-5 III 05-14/PREMACY 99-05	REAR	Height:40 mm Diameter:280 mm Centering Diameter:72 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Number Of Holes:5 Solid Or Vented:S	6E5Z2C026AA, GK2Y26251E, GK2Y26251F, GK2Y26251G, GK2Y26251H,BS7703, 18A1493,31325, 562416B,0986479131
BD0903 31363DS	MAZDA 3 03-14/3 SALOON 99-/5 05-	FRONT	Height:48.5 mm Diameter:300 mm Centering Diameter:72 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Number Of Holes:5 Solid Or Vented:V	BP6Y3325XD,17637, BP6Y3325XE,18A1759, BP6Y3325XF,31363, C26Y3325XA,DR6100, C26Y3325XB,145603
BD0904 31373DS	MAZDA 3 03-14/3 HATCHBACK 11- /SALOON 99-/5 05-/PREMACY 99-05	FRONT	Height:48.5 mm Diameter:278 mm Centering Diameter:72 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Number Of Holes:5 Solid Or Vented:V	BP4Y3325XB,17636, BP4Y3325XC,18A1720, BP4Y3325XD,31373, C24Y3325XB,24957E, C24Y3325XC,6003311, C24Y3325XD
BD0905 54006DS	FORD USA PROBE II 92-98;MAZDA 626 IV 91-98/626 IV HATCHBACK 91- 98/626 V 97-02/626 V HATCHBACK 97-02/626 V STATION WAGON 98- 02/MX-6 91-97/PREMACY 99- 05/XEDOS 6 92-99	REAR	Height:40 mm Diameter:261 mm Centering Diameter:72 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Number Of Holes:5 Solid Or Vented:S	3415598,4146391, 18021835,F32Z2C026A, GOYN26251,16090, GOYN26251A,AC2208D, GA3Y26251,54006, GA4Y26251,DSK500, GA5Y26251
BD0906 54097DS	FORD TRUCK EXPLORER 01-02/TRUCK EXPLORER SPORT 01-05/TRUCK RANGER 03-10/TRUCK SPORT TRAC 01-05;MAZDA TRUCK B-2300 04/TRUCK B-2300 08/TRUCK B-3000 04-07/TRUCK B-4000 04-08	FRONT	Height:66 mm Diameter:305.1 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:26 mm Minimum Thickness:24.5 mm Number Of Holes:5 Solid Or Vented:V	1F6033251A,18A1247, 1L5Z1125AA,145341, 3L2Z1125AA,09897585, 3L5Z1125AA,12065082
BD0907 54098DS	FORD TRUCK EXPLORER 01-02/TRUCK EXPLORER SPORT 01-05/TRUCK RANGER 03-10/TRUCK SPORT TRAC 01-05;MAZDA TRUCK B-2300 04/TRUCK B-2300 08/TRUCK B-3000 04-07/TRUCK B-4000 04-08	FRONT	Height:66 mm Diameter:305.1 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:26 mm Minimum Thickness:24.5 mm Number Of Holes:5 Solid Or Vented:V	1L2Z2C026AA,145358, 2U2Z1V125CA,PRT5358, 4L2Z2C026AA,08897410 , 5L2Z2C026A,18A1426, 6L2Z2C026A,12065090
BD0908 54142DS	FORD FUSION 06-10;LINCOLN MKZ 07-10/ZEPHYR 06;MAZDA MAZDA6 06-10;MERCURY MILAN 06-10	FRONT	Height:48.5 mm Diameter:298.5 mm Centering Diameter:72 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Number Of Holes:5 Solid Or Vented:V	9E5Z1125A,18A2351, 9E5Z1125B,145668, GP7Y3325XA,PRT5668, GP7Y3325XB

BD0909 88NB-33251	MAZDA B-SERIE 82-99/B-SERIE PLATFORM/CHASSIS 91-96/E-SERIE BOX 80-84/E-SERIE BOX 91-03	FRONT	Diameter : 256mm Centering Diameter : 86mm Brake Disc Thickness : 20mm Min. thickness : 18mm Brake Disc Type : Vented Num. of holes : 6 Depth : 20mm Mounting Type : Bolted	ADM54318,0986478802 1.2619.2.4,09.5057.10, 952520,6413.10, 6413.10,92079600, DF1422,DF1422T, GBD788,186665
BD0910 363-2137	FORD BANTAM 97 – 03;MAZDA 323 SERIES 82	FRONT	brake rotor	3632137, 0 986 479 R12
BD0911 DF6034S	FORD RANGER 97-12;MAZDA B- SERIE 98-06/BT-50 PICKUP 06-15	FRONT	Diameter:288.7 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Centering Diameter:98 mm Height:70.3 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	UR61-33251, 3M3U-1125AB, 6M34-1027AA
BD0912 DF4036	FORD FIESTA SERIES 96-10/FOCUS SERIES 98-07/FUSION 02-12/KA 96-08/PUMA 97-02/STREET KA 03- 05;MAZDA 121 III 96-03/2 03-07	FRONT	Diameter:258 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:63.5 mm Height:43.4 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:V	98AB-1125BE, 132-0585, DRF1072, 92096200, 186560
BD0913 DF7237	FORD RANGER 97-06;MAZDA/B- SERIE 98-06	FRONT	Diameter:274 mm Brake Disc Thickness:24 mm Minimum Thickness:22 mm Centering Diameter:93 mm Height:24 mm Number Of Holes:6 Pitch Circle Diameter:116 mm Solid Or Vented:V	UN13-33251, 3902839, 0 986 AB6 088, 92136300
BD0914 DF4384	MAZDA 3 03-14/3 SALOON 99-/5 05-/PREMACY 99-05	FRONT	Diameter:278 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:72 mm Height:48.5 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	C24Y-3325XB, C24Y-3325XC, BP4Y-3325XB
BD0915 DDF602	MAZDA B-SERIE 85-99	FRONT	Diameter:271.8 mm Brake Disc Thickness:22.1 mm Minimum Thickness:20.1 mm Centering Diameter:93.2 mm Height:24.6 mm Number Of Holes:6 Pitch Circle Diameter:116 mm Solid Or Vented:V	UC86-3325X, 09.5511.10, 92235800, 1815203221

BD0916 92096203	FORD FIESTA SERIES 96-10]/FOCUS SERIES 98-07/FUSION 02-12/KA 96-08/PUMA 97-02/STREET KA 03- 05;MAZDA 121 III 96-03/2 03-07	FRONT	Diameter:258 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:63.5 mm Height:43.4 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:V	98AX-1125BF, 98AB-1128BE, 0 986 478 892
BD0917 DF4419	MAZDA 3 03-14/3 SALOON 99-	REAR	Diameter:265 mm Brake Disc Thickness:11 mm Minimum Thickness:9 mm Centering Diameter:72 mm Height:40.7 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	C24Y-26251B, C24Y-26251C, BP4Y-26251B
BD0918 DF2668	MAZDA 121 II 90-97	FRONT	Diameter:234.5 mm Brake Disc Thickness:12 mm Minimum Thickness:10 mm Centering Diameter:55 mm Height:45 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	DB0Y33251, DB0Y33251B, DB0Y33251C
BD0919 DF4328	MAZDA 323 98-04/6 02-/626 V STATION WAGON 98-02/PREMACY 99-05	FRONT	Diameter:273.5 mm Brake Disc Thickness:24 mm Minimum Thickness:22 mm Centering Diameter:72 mm Height:47.5 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	G25Y3325XA, GF3Y-33-25X, GF3Y3325X, GF3Y-33-25XA, GF3Y3325XA
BD0920 DF4442	BESTURN B50 09-/B70 06-/X80 13- ;HONGQI BESTURN B50 09- 15/BESTURN B70 06-;MAZDA 323 98-04/6 02-/626 V STATION WAGON 98-02/MX-5 III 05- 14/PREMACY 99-05	REAR	Diameter:280 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:72 mm Height:40 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	G25Y26251, G25Y26251A, GF3Y26251, GF3Y26251A, GFY26251, N12326251, N12326251A
BD0921 DF4120	MAZDA 323 98-04/FAMILY 323 03- 06	FRONT	Diameter:235 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:55 mm Height:46 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	B26Y3325XA, BJ0Y3325X, 24.0122-0207.1, 0 986 478 787
BD0922 DF4385	MAZDA 3 99-/5 05-	FRONT	Diameter:300 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:72 mm Height:48.5 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	BP6Y3325XD, BP6Y3325XE, BP6Y3325XF, C26Y3325XA, C26Y3325XB, C26Y3325XC

BD0923 92166300	MAZDA 6 02-08	FRONT	Diameter:320 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:72 mm Height:46 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	G31Y-3325XA, G31Y-3325XB, GP9Y-3325X
BD0924 DDF651	MAZDA 323 III 85-93	REAR	Diameter:222 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:50.3 mm Height:66.5 mm Number Of Holes:4 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	BF6826251, BF6826251A, E7GZ2C026A
BD0925 DF2703	MAZDA 323 87-00/MX-3 91-98/MX-5 89-05	REAR	Diameter:251 mm Brake Disc Thickness:9 mm Minimum Thickness:8 mm Centering Diameter:55 mm Height:34.5 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	BB4C224251B, BB4C224251C, BB4C26251, BB4C26251B, BB4C26251C, BB8V224251
BD0926 DF1998	MAZDA 626 II 82-90	FRONT	Diameter:250 mm Brake Disc Thickness:20 mm Minimum Thickness:18.5 mm Centering Diameter:75 mm Height:35 mm Number Of Holes:4 Pitch Circle Diameter:94 mm Solid Or Vented:V	G09133251, G09133251A, G09133251B, GB4033251A, GF3133251, GF3133251A, G09133251C
BD0927 DF2702	MAZDA 323 SERIES 87-03/MX-3 91-98/DX 92/GT 90-91/GT 93/PRECEDIA 95/PROTEGE 90-95/PROTEGE 97/S 95	FRONT	Diameter:257 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:55 mm Height:45 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	B5303325XB, B5303325XD, B5303325XE, BB7E3325XA, BB7E3325XC
BD0928 DF2704	FORD PROBE 92-98;MAZDA 626 91-02/MX-6 91-97/PREMACY 99-05/XEDOS 6 92-99/5 02/MX-6 93-97/SPEED 03/PROTEGE 01-03/SE 02-03/3 SALOON 06-14	FRONT	Diameter:258 mm Brake Disc Thickness:24 mm Minimum Thickness:22 mm Centering Diameter:72 mm Height:48.4 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	GA4Y-3325X, GA2Y-3325X, GA5Y-3325X
BD0929 DF2705	FORD PROBE II 92-98;MAZDA 626 91-02/MX-6 91-97/PREMACY 99-05/XEDOS 6 92-99	REAR	Diameter:261 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:72 mm Height:40 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	GA4Y-26251, GA5Y-26251, GA3Y-26251

BD0930 ADM54384	MAZDA 3 99-/5 05-	REAR	Diameter [mm]:280 Brake Disc Thickness [mm]:11 Minimum thickness [mm]:10 Height [mm]:41 Rim Hole Number:5 Brake Disc Type:Solid	BP6Y-26251E, C25Y-26251C
BD0931 C43041ABE	MAZDA 6 02-08	REAR	Diameter:314 mm Brake Disc Thickness:11 mm Minimum Thickness:9 mm Centering Diameter:72 mm Height:41 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	G31Y-26251, GP9Y-26251
BD0932 DDF1222	FORD C-MAX 07-10/FOCUS C-MAX 03-07/FOCUS 04-;MAZDA 3 06-;VOLVO C30 06-13/C70 II CONVERTIBLE 06-13/S40 03-12/V50 03-12	FRONT	Diameter:278 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:63.5 mm Height:48.5 mm Number Of Holes:5 Pitch Circle Diameter:108 mm Solid Or Vented:V	274509, 31362411, 31262718
BD0933 DDF1546C	MAZDA 3 03-14	REAR	Height : 40.8mm Diameter : 280mm Centering Diameter : 72mm Bolt Hole Circle Diameter : 110mm Brake Disc Thickness : 11mm Min. thickness : 9mm Num. of holes : 5 Thread Size : 13.7	BP6Y-26251A, BP6Y-26251B, C25Y-26251A, C25Y-26251B
BD0934 561513 B	FORD ESCORT 90-/ORION 90-96/FIESTA 89-/KA 96-08/PUMA 97-02/BANTAM PICKUP 01-/DIKON II SALOON 99-;AUSTRALIA LIKA HATCHBACK 99-03;MAZDA 121 III 96-03	FRONT	Diameter [mm]:239,5 Brake Disc Thickness [mm]:20 Minimum thickness [mm]:18 Brake Disc Type:Internally Vented Wheel Hub Diameter [mm]:63,5 Number of Holes:4	4084226, 93FX 1125-SA, YS6W 1125-AA, YS6W 1125-CA, YS6W 1125-CB
BD0935 478 1580	MAZDA 626 II 82-87	FRONT	Diameter [mm]:229 Brake Disc Thickness [mm]:14 Minimum thickness [mm]:12,5 Height [mm]:34,5 Rim Hole Number:4 Brake Disc Type:Solid	8733-33-251A, G030-33-251, G030-33-251A, 8733-33-251, G030-33-251B
BD0936 562860BC	MAZDA MX-5 III 05-/3 08-	REAR	Diameter [mm]:289 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:20,5 Height [mm]:45 Rim Hole Number:5 Brake Disc Type:Vented	N12Y-33-25XA, NF4Y-33-25X, N12Y3325X

BD0937 ADM54379C	FORD RANGER 98-12;MAZDA E-SERIE 84-04/B-SERIE 85-06/BT-50 06-	FRONT	Diameter [mm]:256 Brake Disc Thickness [mm]:24 Minimum thickness [mm]:22 Height [mm]:24,5 Rim Hole Number:6 Brake Disc Type:Vented	DR7068,4883102, XM341027AA, 3902826,6M341027CA, UH7133251,UH81-33- 251, UR66-33-251
BD0938 020204	FORD FIESTA 96-10/FOCUS 98- 07/FUSION 02-12/KA 96-08/PUMA 97-02/STREET KA 03-05;MAZDA 121 III 96-03/2 03-07	FRONT	Diameter:258 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:63.5 mm Height:43.4 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:V	1323620,98AB1125BD, 2S611125AA,DD633325 X, 17007,986478892, TB217274,DDF1072, 92096203,
BD0939 020216	FORD C-MAX 07-10/FOCUS 03- ;MAZDA 3 06-	REAR	Diameter:265 mm Brake Disc Thickness:10.9 mm Minimum Thickness:9 mm Centering Diameter:63.5 mm Height:40.7 mm Number Of Holes:5 Pitch Circle Diameter:108 mm Solid Or Vented:S	1223540,1468946, 3M512A315AD, 7M512A315FA, 1575733,1501061, 17583,986479169, 24.0111-0155.1, TB218034,DF4372
BD0940 31460	MAZDA CX-7 06-/TRUCK CX-7 08- 10/8 MPV 10-	FRONT	Diameter:295.7 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Centering Diameter:72.1 mm Height:48.3 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	L206-33-25X, L206-33-25XA, LT11-33-251,31460, PRT5897,DDF1768, DF4958S
BD0941 24.0125- 0188.1	MAZD A6 02-	FRONT	Diameter [mm]:299 Height [mm]:48,5 Brake Disc Type:Vented Brake Disc Thickness [mm]:25 Minimum thickness [mm]:23 Outer diameter [mm]:299	G33Y-33-25X, G33Y3325XA
BD1101 5399DS	MITSUBISHI LANCER VII 00- 13/LANCER VII ESTATE 03-08/SPACE RUNNER 99-03	FRONT	Height:45.5 mm Diameter:276 mm Centering Diameter:69 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:26 mm Minimum Thickness:24.4 mm Number Of Holes:5 Solid Or Vented:V	4615A054,MR493550, MR493551,MR510966, MR510967,17434, 18A1109,5399, 145455
BD1102 31002DS	MITSUBISHI SPACE RUNNER 99- 03/SPACE WAGON 98-04	FRONT	Height:45.2 mm Diameter:275.8 mm Centering Diameter:69.1 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:24.1 mm Minimum Thickness:22.4 mm Number Of Holes:5 Solid Or Vented:V	MR389726,171310E, MR389727,18A1658, MR449817,24949E, MR449818,562285B, 0986479035

BD1103 31109DS	HYUNDAI SANTAMO 98-02;KIA JOICE 00-;MITSUBISHI SANTAMO 99-04/SPACE RUNNER 91-99/SPACE WAGON 91-98	FRONT	Height:45.3 mm Diameter:256 mm Centering Diameter:69 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:24 mm Minimum Thickness:22.4 mm Number Of Holes:4 Solid Or Vented:V	51712M2010,31109, MB668886,AC2493D, MB950569,141881, MB950570,17669, ADC44350
BD1104 31147DS	MITSUBISHI ECLIPSE II 94-99/LANCER VII 00-13/LANCER VII ESTATE 03-08/OUTLANDER I 01-06/OUTLANDER II 06-12/SPACE RUNNER 99-03	REAR	Height:60.3 mm Diameter:262 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Number Of Holes:5 Solid Or Vented:S	MB895200,17432,3114 7, MB928716,8A1264, 24011007041,145047, 145047FMR
BD1105 31251DS	CHRYSLER SEBRING 95-05;DODGE AVENGER 95-00;MITSUBISHI ECLIPSE 95-99	FRONT	Height:45.2 mm Diameter:256 mm Centering Diameter:69.1 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:24.1 mm Minimum Thickness:22.4 mm Number Of Holes:5	MB928997,MR334997, MR449329,31251, MR449330,18A892, MR955127,12046042
BD1106 53038DS	CHRYSLER SEBRING 06-10/SEBRING CONVERTIBLE 07-10;CITROEN C4 AIRCROSS 10-;DODGE AVENGER 07-14/CALIBER 06/06-;JEEP COMPASS 06-/PATRIOT 07-;MITSUBISHI ASX 10-/ASX VAN 10-/OUTLANDER II 06-12/OUTLANDER III 12-/OUTLANDER 05-;PEUGEOT 4008 12-	FRONT	Height:46 mm Diameter:294 mm Centering Diameter:69.1 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:26 mm Minimum Thickness:24.4 mm Number Of Holes:5 Solid Or Vented:V	15105514AA,17881, 1607500580,145706, 1610623080, 4615A075,4615A117, 4615A178,5105514AA, ADA104309
BD1107 53043DS	CHRYSLER SEBRING 06-10/SEBRING CONVERTIBLE 07-10;DODGE AVENGER 07/JOURNEY 08-;JEEP PATRIOT 07-;MITSUBISHI ASX 10-	REAR	Height:60.2 mm Diameter:302 mm Centering Diameter:80 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8.5 mm Number Of Holes:5 Solid Or Vented:S	04743999AA,17971, 4615A010,18A2470, 4615A121,DSK2639, 4743999AA,6109904, 4743999AB,145896, 24011003611
BD1108 MR-407116	CHANGFENG KYLIN 08-13/PAJERO CLOSED OFF-ROAD VEHICLE 04-06;MITSUBISHI PAJERO CLASSIC 02-/PAJERO III CANVAS TOP 00-06/PAJERO IV 06	FRONT	Height:46.4 mm Diameter:290 mm Centering Diameter:94 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:26 mm Minimum Thickness:24.4 mm Number Of Holes:6 Solid Or Vented:V	96975R, MR407116, PRT5378,MR407289
BD1109 MR-418067	CHANGFENG PAJERO CLOSED OFF-ROAD VEHICLE 04-06;MITSUBISHI PAJERO REAR 01-/PAJERO CLASSIC 02/PAJERO III CANVAS TOP 00-06/PAJERO IV 06-	REAR	Height:72.3 mm Diameter:300 mm Centering Diameter:94 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:22 mm Minimum Thickness:20.4 mm Number Of Holes:6 Solid Or Vented:V	MR418067,96983, 0832856,BD126237

BD1110 MB238-495	MITSUBISHI L 300 / DELICA II BOX 80-87/L 300 / DELICA II BU 80-87/L 300 / DELICA II PLATFORM/CHASSIS 80-	FRONT	Diameter:255.5 mm Brake Disc Thickness:20 mm Minimum Thickness:18.4 mm Centering Diameter:84 mm Height:33.5 mm Number Of Holes:5 Pitch Circle Diameter:104 mm Solid Or Vented:V	MB238-495, 0 986 AB9 855, 09.5632.10, 92047400, DF2609
BD1111 DF4920	FIAT FULLBACK PICKUP 16-;MITSUBISHI L 200 / TRITON 04- /PAJERO SPORT I 96-/PAJERO SPORT II 08-	FRONT	Diameter:294 mm Brake Disc Thickness:28 mm Minimum Thickness:26.4 mm Centering Diameter:94 mm Height:46.4 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	MN102-276, 4615-A147, 0 986 479 704, DDF1818
BD1112 DF1416	MITSUBISHI L 200 83-96	FRONT	Diameter:258.1 mm Brake Disc Thickness:22.1 mm Minimum Thickness:20.3 mm Centering Diameter:84.1 mm Height:33.5 mm Number Of Holes:6 Pitch Circle Diameter:104 mm Solid Or Vented:V	MB407-031, 561485B, 92095000, 1815203023
BD1113 DF1954	MITSUBISHI COLT 78-92/CORDIA 82-89/GALANT III 83-90/LANCER 83-94/SPACE WAGON 84-92/TREDIA 82-88	FRONT	Diameter:242 mm Brake Disc Thickness:18 mm Minimum Thickness:16.4 mm Centering Diameter:86 mm Height:34 mm Number Of Holes:4 Pitch Circle Diameter:104 mm Solid Or Vented:V	MB238615,MB316677, MB238615,MB316677, MB238615,MB316677, MB238615
BD1114 DF4054	MITSUBISHI CARISMA 95-06;VOLVO S40 I 95-04/V40 ESTATE 95-04	FRONT	Diameter:281 mm Brake Disc Thickness:23.9 mm Minimum Thickness:21.5 mm Centering Diameter:69 mm Height:45.7 mm Number Of Holes:4 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	J3305053,204839, 30818027, 308180272, M818027, BDR1738.20, BDRS173825
BD1115 DF3031	DONGNAN DELICIA BUS 97-03;HYUNDAI GALLOPER II 97-03;MITSUBISHI L 0 83-96/L 300 80-13/PAJERO I 82-91	FRONT	Diameter:277 mm Brake Disc Thickness:22 mm Minimum Thickness:20.4 mm Centering Diameter:87 mm Height:45 mm Number Of Holes:6 Pitch Circle Diameter:108 mm Solid Or Vented:V	MB407-039, MB407-038, MN116-706
BD1116 DF2634	MITSUBISHI L 200 83-96/L 300 80-13/PAJERO I CANVAS TOP 82-90	FRONT	Diameter:255 mm Brake Disc Thickness:20 mm Minimum Thickness:18.4 mm Centering Diameter:87 mm Height:45 mm Number Of Holes:6 Pitch Circle Diameter:108 mm Solid Or Vented:V	MB151-387, 09.5871.10

BD1117 DDF1642	CITROEN C-CROSSER 07- ;MITSUBISHI LANCER VIII 07- /OUTLANDER 01-;PEUGEOT 4007 07-	FRONT	Diameter:294 mm Brake Disc Thickness:24.2 mm Minimum Thickness:22 mm Centering Diameter:69 mm Height:45.6 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	MR205-215, MR128-659, 4615-A006
BD1118 DK6174	MITSUBISHI PAJERO 99-	FRONT	Diameter [mm]:290 Brake Disc Thickness [mm]:26 Minimum thickness [mm]:24 Height [mm]:46,5 Rim Hole Number:6 Brake Disc Type:Vented	MR 407116, 4615A061, MR 407289
BD1119 562380B	MITSUBISHI PAJERO 90- /GALLOPER 98-03/400 94-07	REAR	Diameter [mm]:315 Brake Disc Thickness [mm]:18 Minimum thickness [mm]:16,4 Height [mm]:84 Rim Hole Number:6 Brake Disc Type:Solid	DR6379, MB 618797
BD1120 30872926	MITSUBISHI SPACE WAGON 91- 98/GALANT IV 87-93/CARISMA 95- 06/SPACE STAR 98-04/FTO COUPE 94- 01;PROTON IMPIAN 01-;VOLVO S40 I 95-04/V40 95-04	FRONT	Supersedes:17435 Diameter [mm]:256 Brake Disc Thickness [mm]:24 Minimum thickness [mm]:22,4 Height [mm]:45,6 Rim Hole Number:4 Brake Disc Type:Vented	DR6985,MR 205584, MR 205585,MR 475330, MR128153,MR 389722, MB 928994,PW 820578, 308729268,30872926
BD11213087294	MITSUBISHI CARISMA 95-05/SPACE STAR 98-04;PROTON IMPIAN 01-;VOLVO S40 95- /V40 95-04	REAR	Diameter [mm]:260 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:8,4 Height [mm]:41 Rim Hole Number:4 Brake Disc Type:S	DR6986,MR 913846, MB699288, MR 249356, MB699289, PW820195, 30872940, 308729409
BD1122 DF8045	MITSUBISHI SPACE STAR 12- /MIRAGE 13-/EK 13-	FRONT	Diameter:229 mm Brake Disc Thickness:17 mm Minimum Thickness:15.4 mm Centering Diameter:64 mm Height:41.7 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	4615A105, 4615A175
BD1331 31043DS	SUBARU FORESTER 97-12/IMPREZA SERIES 92-09/LEGACY I SERIES 89- 94/LEGACY II SERIES 94-99/LEGACY III SERIES 98-03	REAR	Height:67.5 mm Diameter:266 mm Centering Diameter:58 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:10 mm Minimum Thickness:8.5 mm Number Of Holes:5 Solid Or Vented:S	26310AA040,16139, 26310AA050,AC2232D, 26310AA051,6107701, 26700FE010,141474, 26700FE030
BD1332 31273DS	SUBARU LEGACY 99-04/OUTBACK 01- 04/SEDAN 01-04/SPORT 01 /SPORT 03-04/WAGON 01-04/TRUCK BAJA 03- 06	REAR	Height:67.3 mm Diameter:289.6 mm Centering Diameter:58.2 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:10 mm Minimum Thickness:8.5 mm Number Of Holes:5 Solid Or Vented:S	26700AE04A,18A1115, 26700AE04B,31273, PRT5298,12147017

BD1333 34203DS	SUBARU FORESTER 02-12/IMPREZA ESTATE 92-08/IMPREZA HATCHBACK 02-07/IMPREZA SALOON 92- 09/OUTBACK 98-10	FRONT	Height:56.7 mm Diameter:294 mm Centering Diameter:58 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:24 mm Minimum Thickness:22 mm Number Of Holes:5 Solid Or Vented:V	26300AE02A,17020, 26300SA000,18A1340, 26300SA001,31407, 26310AC040,24818V, 26310AC041
BD1334 54186DS	OPEL AGILA 00-07;SUBARU JUSTY III 03-;SUZUKI IGNIS II 03-/WAGON R+ MPV 00-;VAUXHALL AGILA MK I 00-08	FRONT	Height:49 mm Diameter:253 mm Centering Diameter:60 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:17 mm Minimum Thickness:15 mm Number Of Holes:4 Solid Or Vented:V	4706749,17540, 4707288,24962E, 5531184E01,DSK2265, 5531186G02,562308B, 93176389,24011701061 93179462,0986479370
BD1335 26310AA050	SAAB 9-2X 05-06;SUBARU FORESTER 98-08/IMPREZA 93- 07/LEGACY 90-99	REAR	Height:65.8 mm Diameter:266 mm Centering Diameter:58 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:10 mm Minimum Thickness:8.5 mm Solid Or Vented:S	26310AA040, 26310AA051, 26700FE010,26700FE03 0, 26700FE080, 26710AC020, 32006222, 32009802
BD1336 DF6407	DAIHATSU MATERIA 06-/SIRION 05-;SUBARU JUSTY IV 07-	FRONT	Diameter:254 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:55 mm Height:42 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	43512B1030, 43512B1030000, 43512B1031, 43512B1030
BD1337 DDF678	SUBARU FORESTER 97- 12/IMPREZA 93-09/LEGACY 89-03	REAR	Diameter:266 mm Brake Disc Thickness:10 mm Minimum Thickness:8.5 mm Centering Diameter:58 mm Height:67.5 mm Number Of Holes:5 Pitch Circle Diameter:100 mm Solid Or Vented:S	26310AA040, 26310AA050, 26310AA051, 26700FE010, 26700FE080
BD1338 561666B	SUBARU 94-03/IMPREZA 92-	FRONT	Diameter [mm]:260 Brake Disc Thickness [mm]:24 Minimum thickness [mm]:22 Height [mm]:57 Rim Hole Number:5 Brake Disc Type:Vented	26310-AA021,26310- AA031,26300AE091,263 00-AE090,26310-AA032, 26300AE040
BD1391 55211-65J01	SUZUKIGRAND VITARA II 05-	FRONT	Height:49 mm Diameter:294.4 mm Centering Diameter:62 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:24.9 mm Minimum Thickness:23.1 mm Number Of Holes:5 Solid Or Vented:V	5521165J00, 5521165J01, PRT5879

BD1392 DF7405	SUZUKI ALIVIO 15-/SWIFT 05- /SPLASH 11-	FRONT	Diameter:251.9 mm Brake Disc Thickness:20 mm Minimum Thickness:18 mm Centering Diameter:60 mm Height:39.9 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	55311-58M00-000, 55311-58M50, 55311-63J00, V553110
BD1393 DF2588	GEO TRACKER 88-98;SUZUKI JIMNY 98-/SAMURAI 84- 04/VITARA 88-02/X-90 95-97	FRONT	Diameter:290 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:107 mm Height:46.2 mm Number Of Holes:5 Pitch Circle Diameter:139.5 mm Solid Or Vented:S	96058796,96058796, 5521160A00, 5521156B01, 55211-60A00, 5521160A01, 55511-60A00, 96058796,9998560A00
BD1394 561424B	SANTANA SAMURAI 86-95;SUZUKI SJ 410 CABRIO 81-88/SAMURAI 88-04/SJ 413 84-90/SJ 410 79-88	FRONT	Diameter [mm]:290 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:9 Height [mm]:46 Rim Hole Number:5 Brake Disc Type:Solid	55211-80-000, 24.0110-0192.1
BD1501 55047DS	CHEVROLET/GMC TRUCK BLAZER 98- 05/JIMMY 98-99/PICKUP 97-98/S10 01- 02/S10 04/S10,T10 97-99/S15,T15 97- 99/SONOMA 97-99;GMC TRUCK ENVOY 00-01/JIMMY 00-05/SONOMA 02- 04;ISUZU TRUCK HOMBRE 98- 00;OLDSMOBILE TRUCK BRAVADA 97-01	FRONT	Height:54.7 mm Diameter:274.8 mm Pitch Circle Diameter:120.7 mm Brake Disc Thickness:29 mm Minimum Thickness:27.5 mm Number Of Holes:5 Solid Or Vented:V	15733699, 18060691, 8157336990
BD1502 55069DS	BUICK TRUCK RAINIER 03- 05;CHEVROLET/GMC TRUCK TRAIL BLAZER 02-05;GMC TRUCK ENVOY 02- 05 /TRUCK ENVOY DENALI 05 ;ISUZU TRUCK ASCENDER 05;OLDSMOBILE TRUCK BRAVADA 02-04	FRONT	Height:54.3 mm Diameter:305 mm Pitch Circle Diameter:127 mm Brake Disc Thickness:29 mm Minimum Thickness:27.5 mm Number Of Holes:6 Solid Or Vented:V	18060664,18A1119, 145304,09B61610, 12166051
BD1503 55073DS	BUICK TRUCK RAINIER 03-07 ;GMC TRUCK ENVOY 02-09/TRUCK ENVOY DENALI 05-09 ;ISUZU TRUCK ASCENDER 03-06 /TRUCK ASCENDER 08;OLDSMOBILE TRUCK BRAVADA 02- 0;SAAB TRUCK 9-7X 05-08	REAR	Height:85 mm Diameter:325.1 mm Pitch Circle Diameter:127 mm Brake Disc Thickness:19.9 mm Minimum Thickness:18.5 mm Number Of Holes:6 Solid Or Vented:V	15134671, 15158975, 8151346710, 8151589750
BD1504 55079DS	BUICK TRUCK RAINIER 03-07 ;CHEVROLET/GMC TRUCK SSR 03-06/TRAIL BLAZER 02-06/TRAIL BLAZE 08 ;GMC TRUCK ENVOY 02-09/ENVOY DENALI 05-09 ;ISUZU TRUCK ASCENDER 03- 06;OLDSMOBILE TRUCK BRAVADA 02- 04;SAAB TRUCK 9-7X 05-07	FRONT	Height:54.4 mm Diameter:325 mm Pitch Circle Diameter:127 mm Brake Disc Thickness:29 mm Minimum Thickness:27.5 mm Number Of Holes:6 Solid Or Vented:V	18060665,18A1421, 8180606650,09910310, 12066053

BD1505 55090DS	CHEVROLET/GMC TRUCK COLORADO 04-08 ;GMC TRUCK CANYON 04- 08;ISUZU TRUCK I-280 06-08	FRONT	Height:39.9 mm Diameter:280.2 mm Centering Diameter:92.2 mm Pitch Circle Diameter:112 mm Brake Disc Thickness:26.9 mm Minimum Thickness:25.7 mm Number Of Holes:6 Solid Or Vented:V	89040374,1770901, 8890403740,145509, 09B59210,12166056
BD1506 DR6588	ISUZU KB 04-	FRONT Ventilated	Number of Stud Holes :6 Outside Diameter:280 Spigot Diameter:88 Net Weight KG:6.84 Height:40 Th. Max:25 Th. Min:25	936-066-10, 936-156-42
BD1507 DF3049	ISUZU TROOPER I SERIES 83- 91;OPEL CAMPO 87-02/FRONTERA A SERIES 92-98;VAUXHALL BRAVA PICKUP 88-02/FRONTERA MK I SERIES 91-98	FRONT	Diameter:257 mm Brake Disc Thickness:22 mm Minimum Thickness:20.6 mm Centering Diameter:88 mm Height:36 mm Number Of Holes:6 Pitch Circle Diameter:109 mm Solid Or Vented:V	894-172-376-1, 894-372-435-0, 0 986 478 596, 92075800
BD1508 TXD0052	ISUZU TROOPER 89	FRONT	Height : 36mm Diameter : 250mm Centering Diameter : 88mm Bolt Hole Circle Diameter : 109mm Brake Disc Thickness : 22mm Min. thickness : 20mm Hole Pitch / Number : 06/06	894-338-745-0, 0 986 479 R43, 92264403, 98200 2644 0 1
BD1509 DDF385	ISUZU CAMPO 85-90/GEMINI 90- 93	FRONT	Overall Height : 36mm Diameter : 257mm Centering Diameter : 88mm Brake Disc Thickness : 22mm Min. thickness : 20.6mm Num. of holes : 6 Brake Disc Type : Vented	935-892-43, 941-723-76, 0 986 478 596, DF3049
BD1510 DF3047	ISUZU TROOPER I OPEN OFF-ROAD VEHICLE 83-91	FRONT	Diameter:251.5 mm Brake Disc Thickness:18 mm Minimum Thickness:16.6 mm Centering Diameter:80 mm Height:33.5 mm Number Of Holes:6 Pitch Circle Diameter:102 mm Solid Or Vented:V	894-113628-1, 894-226-829-1, 0 986 AB9 871, 92095700
BD1511 DR6456	ISUZU KB 98-	FRONT Ventilated	Number of Stud Holes - 6 Outside Diameter - 280 Spigot Diameter - 88 Net Weight KG - 6.3 Height - 37 Th. Max - 22 Th. Min - 22	935-995-55

BD1512 BD2467	ISUZU KB 04-	FRONT	Height : 40.1mm Diameter : 256mm Bolt Hole Circle Diameter : 109mm Brake Disc Thickness : 26mm Min. thickness : 24mm Num. of holes : 6 Brake Disc Type : Vented Wheel Hub Diameter : 88.2mm	0986479V62,BD2467, 936-066-09
BD1513 DF2795	ISUZU TROOPER 91-04;OPEL FRONTERA 92-02/MONTEREY 91-99;VAUXHALL FRONTERA MK 91-04/MONTEREY 91-99	FRONT	Diameter:280 mm Brake Disc Thickness:26 mm Minimum Thickness:24.6 mm Centering Diameter:88 mm Height:36 mm Number Of Holes:6 Pitch Circle Diameter:109 mm Solid Or Vented:V	8970340353, 8970460800, 569051, 97034035, 97034035
BD1514 DF4030	ISUZU TROOPER 91-04;OPEL FRONTERA 92-02/MONTEREY 91-99;VAUXHALL FRONTERA MK 91-04/MONTEREY 91-99	REAR	Diameter:313.5 mm Brake Disc Thickness:18 mm Minimum Thickness:16.6 mm Centering Diameter:101 mm Height:80.2 mm Number Of Holes:6 Pitch Circle Diameter:139.6 mm Solid Or Vented:V	8943754251, 8970340361, 8970460811, 569104,569106, 91151563,97034036, 91151563
BD1515 3233	ISUZU TROOPER 83-91/GEMINI 84-93/CAMPO 77-91/D-MAX 02-/ELF 85-03;OPEL FRONT ERA 92-98/CAMPO 87-;VAUXHALL BRAVA 88-02/FRONTERA MK I 91-98	FRONT	Diameter [mm]:257 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:20,6 Height [mm]:36,5 Rim Hole Number:6 Brake Disc Type:Vented	53707, 8-94172-376-1, 8-94372-435-0, 8-94361-927-1, 94172376, 596210, 569801, 94172376
BD1516 580019	BUICK TRUCK RAINIER 03-05;CHEVROLET GMC TRUCK TRAIL BLAZER 02-05;ISUZU TRUCK ASCENDER 05;OLDSMOBILE TRUCK BRAVADA 02-04	FRONT	Diameter:305 mm Brake Disc Thickness:29 mm Minimum Thickness:27.5 mm Centering Diameter:79.2 mm Height:54.3 mm Number Of Holes:6 Pitch Circle Diameter:127 mm Solid Or Vented:V	18060664, 55069, 8180606640,10155069
BD1517 580029	BUICK TRUCK RAINIER 03-07;CHEVROLET GMC TRUCK SSR 03-06/TRAIL BLAZER 02-09;ISUZU TRUCK ASCENDER 03-08;OLDSMOBILE TRUCK BRAVADA 02-04;SAAB TRUCK 9-7X 05-08	REAR	Diameter:325.1 mm Brake Disc Thickness:20 mm Minimum Thickness:18.5 mm Centering Diameter:78.6 mm Height:85 mm Number Of Holes:6 Pitch Circle Diameter:127 mm Solid Or Vented:V	15134671,55073 15158975, 8151346710, 8151589750
BD1518 580023	BUICK TRUCK RAINIER 03-07;CHEVROLET GMC TRUCK SSR 03-06/TRAIL BLAZER 02-06;ISUZU TRUCK ASCENDER 03-06;OLDSMOBILE TRUCK BRAVADA 02-04;SAAB TRUCK 9-7X 05-07	FRONT	Diameter:325 mm Brake Disc Thickness:29 mm Minimum Thickness:27.5 mm Centering Diameter:79 mm Height:54.4 mm Number Of Holes:6 Pitch Circle Diameter:127 mm Solid Or Vented:V	18060665,55079, 8180606650,145342, 9180606650,PRT5342

BD1519 18A862	CHEVROLET GMC TRUCK BLAZER 98-05/GMC TRUCK JIMMY 97-99/GMC TRUCK S10 01-02/GMC TRUCK S10 04/GMC TRUCK S10/T10 97-99/GMC TRUCK S15/T15 97-99/GMC TRUCK SONOMA 97-99;ISUZU TRUCK HOMBRE 98-00;OLDSMOBILE TRUCK BRAVADA 97-01	FRONT	Diameter:274.8 mm Brake Disc Thickness:29 mm Minimum Thickness:27.5 mm Centering Diameter:70.7 mm Height:54.7 mm Number Of Holes:5 Pitch Circle Diameter:120.7 mm Solid Or Vented:V	15733699,18060691, 8-15733-699-0, 55047,145182, PRT5182,BS8329
BD1520 55069	BUICK TRUCK RAINIER 03-05;CHEVROLET GMC TRUCK TRAIL BLAZER 02-05;ISUZU TRUCK ASCENDER 05;OLDSMOBILE TRUCK BRAVADA 02-04	FRONT	Diameter:305 mm Brake Disc Thickness:29 mm Minimum Thickness:27.5 mm Centering Diameter:79.2 mm Height:54.3 mm Number Of Holes:6 Pitch Circle Diameter:127 mm Solid Or Vented:V	18060664,145304, 8-18060-664-0, 580019,55069, DS2674B01
BD1521 55073	BUICK TRUCK RAINIER 03-07;CHEVROLET GMC TRUCK SSR 03-06/GMC TRUCK TRAIL BLAZER 02-09;ISUZU TRUCK ASCENDER 03-06/TRUCK ASCENDER 08;OLDSMOBILE TRUCK BRAVADA 02-04;SAAB TRUCK 9-7X 05-08	REAR	Diameter:325.1 mm Brake Disc Thickness:20 mm Minimum Thickness:18.5 mm Centering Diameter:78.6 mm Height:85 mm Number Of Holes:6 Pitch Circle Diameter:127 mm Solid Or Vented:V	15134671,145314, 15158975,580029, 8-15134-671-0, 8-15158-975-0, BD126590
BD1552 DF4887	DAIHATSU CUORE VI 03-/MOVE 97-02/SIRION 98-/YRV 01-	FRONT	Diameter:234 mm Brake Disc Thickness:16 mm Minimum Thickness:15 mm Centering Diameter:55.1 mm Height:40.9 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	43512-97202 43512-B1050 DF4887
BD1553 478 753D	DAIHATSUCHARADE II 83-87	FRONT	Diameter [mm]:208 Brake Disc Thickness [mm]:11 Minimum thickness [mm]:9 Height [mm]:28 Rim Hole Number:4 Brake Disc Type:Solid	43512-87703 43512-87704
BD1554 561367B	DAIHATSU CUORE IV 94-99/CUORE II 85-90/SPARCAR 82-86/HIJET 86-90	FRONT	Diameter [mm]:211 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:9 Height [mm]:35,5 Rim Hole Number:4 Brake Disc Type:Solid	43512-87221, 43512-87216, 43512-87509
BD1555 561707B	DAIHATSU CHARADE IV 93-00/APPLAUSE I 89-00/CHARADE III 87-/GRAN MOVE 96-	FRONT	Diameter [mm]:234 Brake Disc Thickness [mm]:18 Minimum thickness [mm]:17 Height [mm]:47 Rim Hole Number:4 Brake Disc Type:Vented	43512-87718, 4351287723000, 43512-87710, 4351287718000, 43512-87725, 4351287710000

BD1556 16931	DAIHATSU MOVE 94-99	FRONT	Diameter:234 mm Brake Disc Thickness:16 mm Minimum Thickness:14 mm Centering Diameter:70 mm Height:37 mm Number Of Holes:4 Pitch Circle Diameter:88 mm Solid Or Vented:V	4351287220, 4351287222, 4351287220000, 4351287222000
BD1557 562853BC	DAIHATSU TERIOS 05-	FRONT	Diameter [mm]:287 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:20 Height [mm]:38 Rim Hole Number:5 Brake Disc Type:Vented	43512B4010, 43512B4010000
BD1801 31336DS	HYUNDAI HIGHWAY VAN 00-04/IX35 09-/SANTA FÉ SERIES 00-/TRAJET 00- 08/TUCSON 04-;KIA SPORTAGE SERIES 04-	REAR	Height:61 mm Diameter:284 mm Centering Diameter:76 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Number Of Holes:5 Solid Or Vented:S	584113A300,17200, C40506ABE,18A1662, 31336,DR6482, 09931150, 24011002861
BD1802 31337DS	HYUNDAI COUPE 01-09/SONATA V 04-12/TIBURON COUPE 01- 08/TUCSON 04-;KIA CARENS III 06- /MAGENTIS 05-/SPORTAGE 04-	FRONT	Height:47.4 mm Diameter:280 mm Centering Diameter:69 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:26 mm Minimum Thickness:24.4 mm Number Of Holes:5 Solid Or Vented:V	517120Q000,18A1632, 517123K010,31337, 517123K050,24933, DSK2251,145831, 24012601281
BD1803 31339DS	HYUNDAI COUPE 01-09/SONATA V 04-12/TIBURON COUPE 01- 08/TUCSON 04-;KIA CARENS III 06- /MAGENTIS 05-/SPORTAGE 04-	REAR	Height:61 mm Diameter:262 mm Centering Diameter:75.9 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Number Of Holes:5 Solid Or Vented:S	584110A010,17208, 5841139300,18A1663, 5841139600,31339, 584113K300,14944, 24011003181
BD1804 31424DS	HYUNDAI GRANDEUR 03-/SONATA V 04-12;KIA K5 10-	REAR	Height:54.4 mm Diameter:283.7 mm Centering Diameter:75.9 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Number Of Holes:5 Solid Or Vented:S	584110A100,584113K1 00,584113K110,584113 K150,584113S100,18A2 369,15042,2401100367 1
BD1805 31427DS	HYUNDAI SONATA 06-14/TUCSON 10- 13/VELOSTAR 13-13;KIA FORTE 10- 14/FORTE 5 12-12/OPTIMA 11- 14/SPORTAGE 11-14	FRONT	Height:47.2 mm Diameter:300 mm Centering Diameter:69 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26.4 mm Number Of Holes:5 Solid Or Vented:V	517120Z000,18A2419, 517121M500,31427, 517123K100,54665, 24012802561,698810, 517123K150,YH20374, 517123K160,980460, 517123Q000

BD1806 31583DS	HYUNDAI I30 07-11/I30 ESTATE 07-12/I30 HATCHBACK 09-14/IX35 09-; KIA CEE'D HATCHBACK 06-12/CEE'D SW 07-12/PRO CEE'D 08-13/SPORTAGE 09-	REAR	Height:61.1 mm Diameter:262 mm Centering Diameter:76 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Number Of Holes:5 Solid Or Vented:S	584111H300,17910, 31583,DR6335, DR6664, 610KK14,24011003321, PRT6019,0986479508
BD1807 58411-0U300	HYUNDAI ACCENT IV SERIES 10- /I20 SERIES 14- /I30 11- /VERNA SERIES 10-; KIA RIO III SERIES 11- /K2 SALOON 11-	REAR	Height:44 mm Diameter:262 mm Centering Diameter:62.5 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Number Of Holes:4 Solid Or Vented:S	584110U300, 584110U300, PRT6147, 08C17210
BD1808 584113A300	HYUNDAI SANTA FE 01-06/TUCSON 05-15; KIA SPORTAGE 05-16	REAR	Height:61 mm Diameter:284 mm Centering Diameter:76 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Number Of Holes:5 Solid Or Vented:S	0943416, 0943416K, 584113A300, A31339
BD1809 51712-1RO00	HYUNDAI ACCENT IV 10/ACCENT IV SALOON 10/VERNA HATCHBACK 10- /VERNA SALOON 10- ; KIA RIO III 11- /RIO III SALOON 10- /K2 SALOON 11-	FRONT	Height:43.7 mm Diameter:256 mm Centering Diameter:62.2 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Number Of Holes:4 Solid Or Vented:V	517120U000,18338, 517121R000, 517121W200, 517121W250, ADG043177
BD1810 51712-2H000	HYUNDAI ELANTRA 07-10	FRONT	Height:47.5 mm Diameter:275 mm Centering Diameter:69 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:26 mm Minimum Thickness:24 mm Number Of Holes:5 Solid Or Vented:V	517122H000, 517122L000
BD1811 51712-2P700	HYUNDAI GRAND SANTA FÉ 13- /SANTA FÉ II 05-12/SANTA FÉ III 12; KIA SORENTO II 09-	FRONT	Height:49 mm Diameter:321 mm Centering Diameter:69 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26.4 mm Number Of Holes:5 Solid Or Vented:V	51712-2B700, 51712-2P700, 51712-2W700, 25362,24.0128-0248.1
BD1812 51712-2T000	HYUNDAI AZERA 11- /I40 12- /I40 CW 11-	FRONT	Height:47.2 mm Diameter:320 mm Centering Diameter:69 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26.4 mm Number Of Holes:5 Solid Or Vented:V	517122T000,146127, 517122T100, 517124C000, 24.0128-0258.1, 0986479A21

BD1813 51712-2W000	HYUNDAI SANTA FE 13-18/SANTA FE XL 19;KIA SORENTO 14-18	FRONT	Height:49.1 mm Diameter:320 mm Centering Diameter:69 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26.4 mm Number Of Holes:5 Solid Or Vented:V	517122W000, 517124Z000
BD1814 51712-3K050	HYUNDAI COUPE 01-09/SONATA V 04-12/TIBURON COUPE 01-08/TUCSON 04-;KIA CARENS III 06- / MAGENTIS 05-/SPORTAGE 04-	FRONT	Height:47.4 mm Diameter:280 mm Centering Diameter:69 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:26 mm Minimum Thickness:24.4 mm Number Of Holes:5 Solid Or Vented:V	517121F000, 517121F300, 517122C000, 517122E300, 517123K050
BD1815 51712-3K110	HYUNDAI SONATA 06-14/TUCSON 10-13/VELOSTAR 13-13;KIA FORTE 10-14/FORTE5 12-12/OPTIMA 11-14/SPORTAGE 11-1	FRONT	Height:47.2 mm Diameter:300 mm Centering Diameter:69 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26.4 mm Number Of Holes:5 Solid Or Vented:V	517123K100, 517123K110, 517123Q000
BD1816 51712-3X000	HYUNDAI ELANTRA SALOON 10- /VELOSTER 11- ;KIA CEE'D SPORTSWAGON 12-/CEE'D 12- /PRO CEE'D 13-	FRONT	Height:44.5 mm Diameter:280 mm Centering Diameter:69 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:23 mm Minimum Thickness:21.4 mm Number Of Holes:5 Solid Or Vented:V	517123X000, 51712A7000,PRT6148
BD1817 51712-25061	HYUNDAI ACCENT II 99-05/ACCENT II SALOON 99-06;KIA QIANLIMA 02-07	FRONT	Height:52.1 mm Diameter:241 mm Centering Diameter:62.2 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:19 mm Minimum Thickness:17 mm Number Of Holes:4 Solid Or Vented:V	5171225061,BD126200 E, PRT5498,0832980
BD1818 58411-1G000	HYUNDAI ACCENT III 05-10/I10 07-16/I 08-;KIA RIO II 05-/RIO II SALOON 05-	REAR	Height : 57.7 mm Inner Brake Drum Height : 40.1 mm Diameter : 243.1 mm Drum Diameter : 203.3 mm Center Diameter : 62.6 mm Pitch Circle Diameter : 100 mm Num. of holes : 4	584111G000, PDR0818, BD126473E
BD1819 58411-1H300	HYUNDAI I30 07-11/I30 ESTATE 07-12/IX35 09-/I30 HATCHBACK 09-14;KIA CEE'D HATCHBACK 06-12/CEE'D SW 07-12/PRO CEE'D 08-13/SPORTAGE 09-	REAR	Height:61.1 mm Diameter:262 mm Centering Diameter:76 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Number Of Holes:5 Solid Or Vented:S	584111H100, 584111H300, BD180317E

BD1820 58411-2H300	HYUNDAI ELANTRA SALOON 05-11/MISTRA 13-/SONATA 11-;KIA K4 14-/K5 11-	REAR	Height:61.2 mm Diameter:262 mm Centering Diameter:76 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Number Of Holes:5 Solid Or Vented:S	584112H300, PRT5976, BD180016E
BD1821 58411-2P000	HYUNDAI GRAND SANTA FÉ 13- /SANTA FÉ II 05-12/SANTA FÉ III 12- /SANTA FÉ 12-	REAR	Height:71.5 mm Diameter:302 mm Centering Diameter:69 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:11 mm Minimum Thickness:9.4 mm Number Of Holes:5 Solid Or Vented:S	PRT6037 ,BD180392E 58411-2P000
BD1822 58411-3K300	HYUNDAI SONATA 05-10/TUCSON 05-09/XG300 01/XG350 02-05;KIA MAGENTIS 06-10/OPTIMA 06-10/SPORTAGE 05-10	REAR	Height:61 mm Diameter:262 mm Centering Diameter:75.9 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Number Of Holes:5 Solid Or Vented:S	584110A000, 584110A010, 5841139600, 584113K300
BD1823 58411-3S000	HYUNDAI ELANTRA SALOON 05-11/SONATA VI 09-15/MISTRA 13-/SONATA 11-	REAR	Height:61.2 mm Diameter:262 mm Centering Diameter:76 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Number Of Holes:5 Solid Or Vented:S	584112H300, 584113S000, 18A2456
BD1824 58411-3S100	HYUNDAI AZERA 13-17/SONATA 06-19;KIA CADENZA 14-16/OPTIMA 11-17	REAR	Height:54.4 mm Diameter:283.7 mm Centering Diameter:75.9 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Number Of Holes:5 Solid Or Vented:S	584110A100, 584110A110, 584113K100, 584113K110, 584113Q000, 584113S100
BD1825 58411-3X300	HYUNDAI ELANTRA 11-19/KONA 18-19/VELOSTER 12-17;KIA FORTE 14-17/FORTE5 14-17/SOUL 14-17	REAR	Height:45 mm Diameter:262 mm Centering Diameter:76 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Number Of Holes:5 Solid Or Vented:S	584113X300, 584113Y300, PRT6149
BD1826 517121G000	HYUNDAI ACCENT III 05-10/ACCENT III SALOON 05-10/I 08-15/ACCENT 06-13;KIA RIO II 05- /RIO II SALOON 05-/RIO 07-14	FRONT	Height:46.8 mm Diameter:256 mm Centering Diameter:62 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm	517121G000,PRT5756, BD126461E,0833057

BD1827 DDF1658	HYUNDAI H-1 / STAREX MPV 97-/H-1 BOX 97-08/H-1 CARGO 08-	FRONT	Diameter:274 mm Brake Disc Thickness:26 mm Minimum Thickness:23 mm Centering Diameter:87 mm Height:44.3 mm Number Of Holes:5 Pitch Circle Diameter:108 mm Solid Or Vented:V	LBW930-049, 0 986 479 579, 09.B030.10, DDF1658,BD-1016
BD1828 DR6587	HYUNDAI H1 PICK-UP LIBERO 06- /H1 STAREX 97-07/H100 TRUCK 04-/PORTER 03-16	FRONT	Diameter 274mm Height 4.31mm Number of holes 5 Centering Diameter 55mm Min. Thickness 24.4mm Brake Disc Thickness 26mm	58129-4A200, DR6587, 51712-4F000
BD1829 17643	HYUNDAI I10 07-;KIA PICANTO 04-	FRONT	Diameter:241 mm Brake Disc Thickness:18 mm Minimum Thickness:16 mm Centering Diameter:62.2 mm Height:49 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	51712-07500, 51712-0X500, 0 986 479 286, 17643
BD1830 DF4458	HYUNDAI I10 07-;KIA PICANTO 04-	FRONT	Diameter:241 mm Brake Disc Thickness:18 mm Minimum Thickness:16 mm Centering Diameter:62.2 mm Height:49 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	21712-0X500, 21712-07500, 0 986 479 286, ADGO43143
BD1831 DF3119	HYUNDAI H-1 / STAREX MPV 97- /H-1 BU 97-/H100 BOX 93- 04/H100 BUS 93-04	FRONT	Diameter:253 mm Brake Disc Thickness:20 mm Minimum Thickness:18.4 mm Centering Diameter:84 mm Height:28.6 mm Number Of Holes:5 Pitch Circle Diameter:104 mm Solid Or Vented:V	58129-44010, 0 986 AB6 144, 92093700
BD1832 297617	HYUNDAI COUPE 96-02/LANTRA I 90-95/LANTRA II 95-00/LANTRA II ESTATE 95-00	FRONT	Diameter:257 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:86 mm Height:34 mm Number Of Holes:4 Pitch Circle Diameter:104 mm Solid Or Vented:V	51712-28300, 0 986 AB9 880, 0 986 BB4 347, DF1428,186617
BD1833 DF7363	HYUNDAI GETZ 02-10	FRONT	Diameter:241 mm Brake Disc Thickness:19 mm Minimum Thickness:17 mm Centering Diameter:62.2 mm Height:47.8 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	51712-1C000, 0 986 479 206, 09.9998.10, DDF1529

BD1834 DF4409	HYUNDAI GETZ 02-10	FRONT	Diameter:256 mm Brake Disc Thickness:19 mm Minimum Thickness:17 mm Centering Diameter:62.2 mm Height:47.9 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	51712-1C050, 0 986 AB6 156, 09.9541.11,DF4409
BD1835 DF4283	HYUNDAI COUPE 01-09/SONATA V 04-12/TIBURON COUPE 01- 08/TUCSON 04-;KIA CARENS III MPV 06-/MAGENTIS 05/SPORTAGE 04-	FRONT	Diameter:280 mm Brake Disc Thickness:26 mm Minimum Thickness:24.4 mm Centering Diameter:69 mm Height:47.4 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	51712-2E300, 0 986 AB6 098, DI956505, 09.9574.11
BD1836 92146800	HYUNDAI ATOS 97-/ATOS PRIME 97-	FRONT	Diameter:234 mm Brake Disc Thickness:18 mm Minimum Thickness:16 mm Centering Diameter:62.2 mm Height:50.7 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	51712-02501, 51712-02550, 355 112-761, 92146800
BD1837 DF1958	HYUNDAI ACCENT 94-00/PONY 89- 95/S COUPE 90-96	FRONT	Diameter:242 mm Brake Disc Thickness:19 mm Minimum Thickness:17.7 mm Centering Diameter:86 mm Height:41 mm Number Of Holes:4 Pitch Circle Diameter:104 mm Solid Or Vented:V	51712-24100, 0 986 478 674, DDF389
BD1838 DF4865S	HYUNDAI I30 07-14/IX 10-/IX25 14-;KIA CEE'D 06-12/PRO CEE'D 08-13/SOUL 09-/VENGA 10-	FRONT	Diameter:280 mm Brake Disc Thickness:26 mm Minimum Thickness:24.4 mm Centering Diameter:69 mm Height:47.2 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	517121H000, 517121H100, 517122L000, 517121H000, 517121H100, 517122K100, 517122L000
BD1839 DF4122	HYUNDAI COUPE 96-02/ELANTRA 00-/LANTRA SERIES 90-00	REAR	Diameter:258 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:76 mm Height:40.4 mm Number Of Holes:4 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	5841129300, 5841129310, 0 986 479 484, 92117100
BD1840 DF4803	HYUNDAI ACCENT 05-13/GETZ 02- 10/I 08-;KIA RIO 05-	REAR	Diameter:262 mm Brake Disc Thickness:10.2 mm Minimum Thickness:8.4 mm Centering Diameter:62.5 mm Height:64 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	584111C800, 584111C800, 0 986 479 371

BD1841 DF6350	HYUNDAI H-1 08-	REAR	Diameter:324 mm Brake Disc Thickness:18 mm Minimum Thickness:16.4 mm Centering Diameter:96.3 mm Height:82.6 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	58411-4H300, 09.B612.10, DDF2112C, 92203900
BD1842 51712-3K160 51712-2Y000	HYUNDAI I40 11-/IX35 09- /SONATA 04-14/TUCSON 04- /VELOSTAR 13-13;KIA CARENS IV 13-/OPTIMA 10-/SPORTAGE 04- /FORTE 10-14/FORTE5 12	FRONT	Diameter:300 mm Brake Disc Thickness:28 mm Minimum Thickness:26.4 mm Centering Diameter:69 mm Height:47.2 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	517122Y000, 517123K100, 517123K110, 517123K150, 517123K160, 517122Y000
BD1843 DDF2111C	HYUNDAI H-1 08-	FRONT	Diameter:300 mm Brake Disc Thickness:30 mm Minimum Thickness:28 mm Centering Diameter:96.2 mm Height:52.5 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	517124H500, BS 8969,92203800, DF6446
BD1844 DF4158	HYUNDAI COUPE 96-02/LANTRA II 95-00/SONATA IV 98-05	FRONT	Diameter:257 mm Brake Disc Thickness:24 mm Minimum Thickness:22.4 mm Centering Diameter:69 mm Height:45.5 mm Number Of Holes:4 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	BS8690,09A25810, DDF1577,DIH18, D1617,NBD1139, WN1505,203411, 5171238100, 54308PRO
BD1845 DF4496	HYUNDAI ACCENT II 99-06;KIA QIANLIMA 02-07	FRONT	Diameter:241 mm Brake Disc Thickness:19 mm Minimum Thickness:17 mm Centering Diameter:62.2 mm Height:52.1 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	5171225060, 24.0119-0114.1, 92128500, 23-0955
BD1846 DF4281	HYUNDAI SONATA 04-12/TUCSON 04-/XG 98-05;KIA MAGENTIS 05- /SPORTAGE 04-	REAR	Diameter:262 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Centering Diameter:75.9 mm Height:61 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	58411-39600, 58411-39300, J3310315, 37155230008
BD1847 DF4801	HYUNDAI I10 07-;KIA PICANTO 04-	REAR	Diameter:234 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:62.5 mm Height:37.5 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	584110X500, 5841107300, 5841107500

BD1848 DDF1618	HYUNDAI I30 07-14/IX35 09-;KIA CEE'D 06-12/PRO CEE'D 08- 13/SPORTAGE 09-	REAR	Diameter:262 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:76 mm Height:61.1 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	584111H100, 584111H300, 584111H100, 584111H300
BD1849 DDF1270	HYUNDAI ELANTRA 00-/MATRIX 01-10	FRONT	Diameter:257 mm Brake Disc Thickness:24 mm Minimum Thickness:22.1 mm Centering Diameter:69 mm Height:46.7 mm Number Of Holes:4 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	517122D300, 517122D310
BD1850 DDF2089C	HYUNDAI ACCENT 10-/VERNA 10- ;KIA RIO 10-/K2 SALOON 11-	FRONT	Diameter:256 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:62.2 mm Height:43.7 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	517120U000, 517121W250, 517120U000, 517121R000, 517121W250
BD1851 DI956754	HYUNDAI SONATA IV 98-05;KIA MAGENTIS 01-	FRONT	Diameter [mm]:257 Brake Disc Thickness [mm]:24,7 Minimum thickness [mm]:22 Height [mm]:47,5 Rim Hole Number:4 Brake Disc Type:Vented	51712-3C000, 51712-38300, 51712-3C100, 24.0125-0177.1
BD1852 410286	HYUNDAI TRAJET 00-08/HIGH WAY VAN 00-/SANTA FÉ I 00- 06/TUCSON 04-10/IX35 09-;KIA SPORTAGE 04-	REAR	Diameter [mm]:284 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:8,5 Height [mm]:61 Rim Hole Number:5 Brake Disc Type:Solid	DR6482 58411-3A300 584113A300
BD1853 DSK 2321	HYUNDAI TERRACAN 01-06	FRONT	Diameter [mm]:280 Brake Disc Thickness [mm]:27 Minimum thickness [mm]:25,4 Height [mm]:43 Rim Hole Number:6 Brake Disc Type:Vented	51712-H1000, 24.0127-0100.1
BD1854 562550BC	HYUNDAI I30 07-/VELOSTER 11- ;KIA CEE'D 12-/PRO CEE'D 13- /SOUL II 14-	FRONT	Diameter [mm]:300 Brake Disc Thickness [mm]:28 Minimum thickness [mm]:26 Height [mm]:47,5 Rim Hole Number:5 Brake Disc Type:Vented	51712-2L500, 24.0128-0234.1

BD1855 562144B	HYUNDAI ATOS 98-	FRONT	Diameter [mm]:230 Brake Disc Thickness [mm]:11 Minimum thickness [mm]:9,4 Height [mm]:44 Rim Hole Number:4 Brake Disc Type:Solid	DR6852, 51712-02000, 51712-02100, 51712-02110
BD1856 562419B	HYUNDAI LANTRA 90-06/COUPE 96-02	REAR	Diameter [mm]:258 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:8 Height [mm]:40 Rim Hole Number:4 Brake Disc Type:Solid	58411-29310, 58411-29300, 58411-28300
BD1857 562429BC	HYUNDAI I10 07-;KIA PICANTO 04-	REAR	Diameter [mm]:234 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:9 Height [mm]:37,5 Rim Hole Number:4 Brake Disc Type:Solid	58411-0X500, 58411-07300, 58411-07500
BD1858 DR962454	HYUNDAI ACCENT II 99-	REAR	Height : 62.7 mm Inner Brake Drum Height : 45.1 mm Diameter : 221.2 mm Drum Diameter : 180.0 mm Center Diameter : 62.6 mm Pitch Circle Diameter : 100 mm Number Of Holes : 04/06	58411-25201, 58411-25010
BD1859 562273BC	HYUNDAI ACCENT II 99-	FRONT	Diameter [mm]:241 Brake Disc Thickness [mm]:19 Minimum thickness [mm]:17,7 Height [mm]:52,5 Rim Hole Number:4 Brake Disc Type:Vented	51712-25060, 5171225061
BD1860 ADG04366	HYUNDAI SONATA IV 98- 05/ELANTRA 00-06	FRONT	Diameter [mm]:280 Brake Disc Thickness [mm]:26 Minimum thickness [mm]:24 Height [mm]:47 Rim Hole Number:4 Brake Disc Type:Vented	51712-3D300, 51712-3D100
BD1861 ADG04352	HYUNDAI SONATA IV 98-05;KIA MAGENTIS 01-	FRONT	Diameter [mm]:257 Brake Disc Thickness [mm]:24,7 Minimum thickness [mm]:22 Height [mm]:47,5 Rim Hole Number:4 Brake Disc Type:Vented	51712-3C000, 51712-38300, 51712-3C100

BD1862 58411-38350	HYUNDAI SONATA EF 02-	REAR	Height: 61 mm Bolt Hole Circle Diameter: 114 mm Num. of holes: 4 Bore Diameter: 13 mm Diameter: 262 mm Min. thickness: 8.4 mm Brake Disc Thickness: 10 mm Centering Diameter: 76 mm	5841138350, 5841138310, 584113C000
BD1863 DF7866	HYUNDAI H-1 CARGO 08-	FRONT	Brake Disc Type:Vented Brake Disc Thickness [mm]:30 Diameter [mm]:300 Bolt Hole Circle ? [mm]:139,7 Number of Holes:6 Centering Diameter [mm]:96,3	517124H500, 517124H000
BD1864 DDF1787	HYUNDAI SONATA V 05-10	REAR	Brake Disc Type:Solid Diameter [mm]:284 Brake Disc Thickness [mm]:10 Number of Holes:5 Height [mm]:54,3	584113S100, 584110A100, 584110A110, 584113K110
BD1865 562552BC	HYUNDAI XG 98-05/TUCSON 04-10/SONATA V 05-10;KIA SPORTAGE 04-/MAGENTIS 05-	REAR	Diameter [mm]:262 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:9 Height [mm]:61 Rim Hole Number:5 Brake Disc Type:Solid	58411-39600, 58411-3K300, 58411-39300, 58411-39600
BD1866 ADG043177	HYUNDAI ACCENT IV 10-;KIA RIO III 10-	FRONT	Diameter [mm]:256 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:20 Height [mm]:43,8 Rim Hole Number:4 Hub Diameter 1 [mm]:62	517121W250, 517120U000, 517121W200, 517121W200, 517121R000
BD1867 J3300532	HYUNDAI I30 07-/GRAND EUR 11-;KIA CEE'D 12-/PRO CEE'D 13-/SOUL II 14-	FRONT	Diameter [mm]:300 Brake Disc Thickness [mm]:28 Minimum thickness [mm]:26,4 Brake Disc Type:Internally Vented Wheel Hub Diameter [mm]:69 Number of Holes:5	51712 2L500, 51712 3V000, 51712 2L500
BD1868 562428B	HYUNDAI I10 07-/PICANTO 04-	FRONT	Diameter [mm]:241 Brake Disc Thickness [mm]:18 Minimum thickness [mm]:16 Height [mm]:48,9 Brake Disc Type:Internally Vented Wheel Hub Diameter [mm]:62,3	51712 07000, 51712 0X500, 51712 0X500, 51712 07000, 51712 07500
BD1869 562625BC	HYUNDAI I30 07-12/IX20 10-;KIA CEE'D 06-12/PRO CEE'D 08-13/SOUL 09-/VENGA 10-/CERATO 09-	FRONT	Diameter [mm]:280 Brake Disc Thickness [mm]:26 Minimum thickness [mm]:24 Height [mm]:47,4 Rim Hole Number:5 Brake Disc Type:Vented	51712-1H000, 51712-1H100, 517121M000, 51712-1H000, 517121H100

BD1870 562778BC	HYUNDAI SANTA FÉ 05-/GRAND SANTA FÉ 13-;KIA SORENTO 09-	FRONT	Diameter [mm]:320 Brake Disc Thickness [mm]:28 Minimum thickness [mm]:26 Height [mm]:50 Rim Hole Number:5 Brake Disc Type:Vented	517122W700, 51712-2B700, 517122P700, 51712-2P700, 517122W700
BD1871562551B	HYUNDAI GETZ 02-/ACCENT III 05- 10/I10 07-/I20 08-;KIA RIO II 05-	REAR	Diameter [mm]:262 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:8,5 Height [mm]:63,8 Rim Hole Number:4 Brake Disc Type:Solid	58411-1C800, 58411-AC800, 58411-AC800, 58411-1C800
BD1872 51712-1G000 31432	HYUNDAI ACCENT 05-/I10 07-/I20 08-;KIA RIO 05-	FRONT	Height:46.8 mm Diameter:256 mm Centering Diameter:62 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Number Of Holes:4 Solid Or Vented:V	51712-1G000,DSK 2511, 24.0122-0260.1, ADG043120, 562554BC, 0986BB4289
BD1873 51712-2H000 31453	HYUNDAI ELANTRA SALOON 05-11	FRONT	Height:47.5 mm Diameter:275 mm Centering Diameter:69 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:26 mm Minimum Thickness:24 mm Number Of Holes:5 Solid Or Vented:V	517122H000,562817BC, 24.0126-0157.1, 0986479R26,32688, DDF2004C
BD1874 31337	HYUNDAI COUPE 96-09/SONATA 05-/TUCSON 04-10;KIA SPORTAGE 04-/MAGENTIS 05- /CARENS III 06-	FRONT	Height:47.4 mm Diameter:280 mm Centering Diameter:69 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:26 mm Minimum Thickness:24.4 mm Number Of Holes:5 Solid Or Vented:V	517122C000,17640, 517122E300,AC2888D, K517123K010,
BD1875 31584	HYUNDAI VELOSTER 11-/ELANTRA 10-;KIA CEE'D 12-/PRO CEE'D 13-	FRONT	Height:44.3 mm Diameter:280 mm Centering Diameter:69 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:23 mm Minimum Thickness:21 mm Number Of Holes:5 Solid Or Vented:V	517123X000,DSK2948, 517122V000,DI957036, ADG043175,BG456, 0986479U82,BD-5182
BD1876 31427	HYUNDAI TUCSON 04-10/SONATA V 05-10/IX35 09-/I40 11-;KIA SPORTAGE 04-/OPTIMA 10- /CARENS IV 13-	FRONT	Height:47.2 mm Diameter:300 mm Centering Diameter:69 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26.4 mm Number Of Holes:5 Solid Or Vented:V	51712- 3K150,517123K160, 517120Z000,517123K16 0, 517122Y000,DSK 2604, 24.0128-0256.1, ADG043158

BD1877 17834	HYUNDAI SANTA FÉ 05-/GRAND SANTA FÉ 13-;KIA SORENTO 09-	FRONT	Height:49 mm Diameter:321 mm Centering Diameter:69 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26.4 mm Number Of Holes:5 Solid Or Vented:V	517122W700,600HH19, 517122P700, 24012802481, 562844BC,09B61410, 0986479786
BD1878 31424	HYUNDAI GRANDEUR 05-/IX35 09- ;KIA OPIRUS 03-/OPTIMA 10-	REAR	Height:54.4 mm Diameter:283.7 mm Centering Diameter:75.9 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Number Of Holes:5 Solid Or Vented:S	584113L010, 584113L000, 584113S100, 24.0110-0336.1, ADG043155, 0986479A45
BD1879 0986479A16	HYUNDAI VELOSTER 11-/ELANTRA 10-/I30 11-;KIA CERATO 09-/CEE'D 12-/PRO CEE'D 13-/SOUL II 14-	REAR	Height:45 mm Diameter:262 mm Centering Diameter:76 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Number Of Holes:5 Solid Or Vented:S	584113X300,410368, 58411A6300, 58411A6300, 24.0110-0379.1, 0986479A16
BD1880 35114	HYUNDAI ACCENT III 05-10/I10 07- /I20 08-;KIA RIO 05-	REAR	Height:57.7 mm Inner Brake Drum Height:40.1 mm Diameter:243.1 mm Drum Diameter:203.3 mm Center Diameter:62.6 mm Pitch Circle Diameter:100 mm Number Of Holes:4	584111G000,DR962453, J3400315,7D0724, N3400522,253413
BD1881 58411-0U000	HYUNDAI ACCENT IV 10-	REAR	Height:53.5 mm Inner Brake Drum Height:36 mm Diameter:252 mm Drum Diameter:203 mm Center Diameter:63 mm Pitch Circle Diameter:100 mm Number Of Holes:4	584110u000,N3400524, 58411-0U000, TO216049
BD1882 290101	HYUNDAI H100 93-04/GRACE 93- 04/PORTER 94-04	REAR	Diameter [mm]:253 Brake Disc Thickness [mm]:20 Minimum thickness [mm]:18 Height [mm]:28,6 Rim Hole Number:5 Brake Disc Type:Vented	5841125010,203404, 58129-44010,92093700, 986478664,DF3119
BD1883 290202	HYUNDAI ACCENT II 99-	FRONT	Diameter [mm]:241 Brake Disc Thickness [mm]:19 Minimum thickness [mm]:17,7 Height [mm]:52,5 Rim Hole Number:4 Brake Disc Type:Vented	51712-25060,17578, 24.0119-0114.1, 986479377,TB217753, DDF1632,92128500, DF4496

BD1884 290203	HYUNDAI COUPE 01-09/TUCSON 04-10/TIBURON 01-08;KIA CARENS 02-/SPORTAGE 04-/MAGENTIS 05-	FRONT	Diameter: 280 mm Brake Disc Thickness: 26 mm Minimum Thickness: 24.4 mm Centering Diameter: 69 mm Height: 47.4 mm Number Of Holes: 5 Pitch Circle Diameter:114.3 mm Solid Or Vented: V	517122C000,17640, 517123K050,TB217755 986479368,DF4283
BD1885 290204	HYUNDAI GETZ 02-	Fitting Position:FRONT	Bolt Hole Circle ? [mm]:12,6 Brake Disc Type:Vented Brake Disc Thickness [mm]:19 Diameter [mm]:256 Minimum thickness [mm]:17	51712-1C050,17550, 24.0119-0116.1, TB217754,DDF1636, 203418,92144700, DF4409,297878
BD1886 290205	HYUNDAI SANTA FÉ I 01-06	FRONT	Diameter [mm]:294 Brake Disc Thickness [mm]:26 Minimum thickness [mm]:24,4 Height [mm]:46 Rim Hole Number:5 Brake Disc Type:Vented	51712-26100,17197, 24.0126-0127.1, 986479434,TB219081, 203415
BD1887 290206	HYUNDAI SONATA IV 98- 05/ELANTRA 00-06	FRONT	Diameter [mm]:280 Brake Disc Thickness [mm]:26 Minimum thickness [mm]:24 Height [mm]:47 Rim Hole Number:4 Brake Disc Type:Vented	51712-3D300,17548, 24.0126-0129.1, 5171238300,DDF1522, 92136600,DF4710 986479229
BD1888 290208	HYUNDAI GETZ 02-	Fitting Position:FRONT	Bolt Hole Circle ? [mm]:12,5 Brake Disc Type:Vented Brake Disc Thickness [mm]:19 Minimum thickness [mm]:17 Diameter [mm]:241	517121C000,203419, SD1090,TB219079, K000219,CCA-036, 197263
BD1889 290209	HYUNDAI TRAJET 00-08/SANTA FÉ I 00-06	Fitting Position:FRONT	Bolt Hole Circle ? [mm]:12,5 Brake Disc Type:Vented Hub Diameter [mm]:152,35 Brake Disc Thickness [mm]:26 Diameter [mm]:276	517123B000,TB217758, DF4291,197270
BD1890 290210	HYUNDAI SANTA FÉ II 05-	REAR	Diameter [mm]:302 Height [mm]:72 Weight [g]:13,06 Brake Disc Thickness [mm]:11 Minimum thickness [mm]:9,5	58411-2B000,SD1082, 58411-0W000,BG4136, TB218159,K010849
BD1891 290212	HYUNDAI H-1 / STAREX 97- HYUNDAI H-1 97-07 HYUNDAI PORTER 94-04	FRONT	Diameter [mm]:254 Brake Disc Thickness [mm]:24 Minimum thickness [mm]:22 Height [mm]:40 Rim Hole Number:5 Brake Disc Type:Vented	58129-4A000,17035, 24.0124- 0220.1,TB217612, 986478663,DDF1404, MB895464,DF4102
BD1892 290213	HYUNDAI SONATA IV 98- 05/MATRIX 01-10;KIA MAGENTIS 01-	REAR	Diameter [mm]:263 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:9 Height [mm]:62 Rim Hole Number:4 Brake Disc Type:Solid	58411-38310,17207, 58411-3C000,TB215384 24.0110-0317.1, 986479125,DDF1448, 92130900,DF4286

BD1893 290214	HYUNDAI GETZ 02-/ACCENT III 05-10/I10 07-/I20 08-;KIA RIO II 05-	REAR	Diameter [mm]:262 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:8,5 Height [mm]:63,8 Rim Hole Number:4 Brake Disc Type:Solid	58411-1C800,17693, 24.0110-0312.1, 986479371,TB218158, DDF1794,92161303, DF4803
BD1894 290215	HYUNDAI XG 98-05/TUCSON 04-10/SONATA V 05-10;KIA SPORTAGE 04-/MAGENTIS 05-	REAR	Diameter [mm]:262 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:9 Height [mm]:61 Rim Hole Number:5 Brake Disc Type:Solid	58411-39600,17208, 24.0110-0318.1, 986479345,TB215383, DDF1447,203424, 92156803,DF4281
BD1895 290216	HAWTAI BOLIGER 11-;HYUNDAI TRAJET 00-08/HIGHWAY VAN 00-/SANTA FÉ I 00-/TUCSON 04-/IX35 09-;KIA SPORTAGE 04-	REAR	Diameter [mm]:284 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:8,5 Height [mm]:61 Rim Hole Number:5 Brake Disc Type:Solid	58411-3A300,17200, 24.0110- 0286.1,986479126, TB218046,DDF1493, 203414,92134000
BD1896 290217	HYUNDAI ACCENT IV 10-;KIA RIO III 11-	FRONT	Diameter [mm]:256 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:20 Height [mm]:43,8 Rim Hole Number:4 Hub Diameter 1 [mm]:62	517121W250,18338, 517120U000,98647936 7, TB219302,K2026V, 92237903,DF6198
BD1897 290218	HYUNDAI H-1 08-	FRONT	Brake Disc Type:Vented Number of Holes:6 Diameter [mm]:300 Centering Diameter [mm]:96,3 Height [mm]:52,5 Brake Disc Thickness [mm]:30	51712-4H500,203436, DF 6446,92203800, BD-5127
BD1898 290219	HYUNDAI ELANTRA SALOON 05-11	FRONT	Diameter [mm]:275 Brake Disc Thickness [mm]:26 Minimum thickness [mm]:24 Height [mm]:47,4 Brake Disc Type:Internally Vented Wheel Hub Diameter [mm]:69	51712-2H000, 0 986 479 R26, 24.0126-0157.1, DF 4922,32688
BD1899 290221	HYUNDAI ACCENT IV 10-/I20 14-/I30 11-/VERNA 10-;KIA RIO III 11-/K2 SALOON 11-	REAR	Diameter:262 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Centering Diameter:62.5 mm Height:44 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	584110U300,TB218131, 203539,DF 7928, BG4564
BD2101 DR6424	KIA K2500 01-/K2700 99-	FRONT	Diameter:261 mm Brake Disc Thickness:24 mm Minimum Thickness:22 mm Centering Diameter:86 mm Height:24 mm Number Of Holes:6 Pitch Circle Diameter:108 mm Solid Or Vented:V	OK60A-33251, OK60A-33251A, 0 986 479 R16

BD2102 DF7682	KIA RIO ESTATE 00-05	FRONT	Height : 50mm Diameter : 234mm Centering Diameter : 55mm Brake Disc Thickness : 22mm Min. thickness : 20mm Num. of holes : 4	KDX74-43251, 51712-FD200, 60-0K-008
BD2103 DF4020	KIA SEPHIA 95-01/SHUMA 96-01	FRONT	Diameter:243 mm Brake Disc Thickness:20 mm Minimum Thickness:18 mm Centering Diameter:57 mm Height:43.5 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	OK20A33251, OK20A33251A, OK20A33251B, OK2A133251, OK2A43323Z, OK2AA33251A, OK2AA33251B
BD2104 DDF1629	KIA CARNIVAL II 99-07	FRONT	Diameter:274 mm Brake Disc Thickness:28.3 mm Minimum Thickness:26 mm Centering Diameter:72 mm Height:50.6 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	OK58B33251, 24.0128-0211.1, 92146900
BD2105 DDF1528	KIA CERATO 04-/SPECTRA 04-09	FRONT	Diameter:275 mm Brake Disc Thickness:26 mm Minimum Thickness:24 mm Centering Diameter:68.8 mm Height:47.4 mm Number Of Holes:4 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	517122F100, 0 986 479 369
BD2106 DF7171	KIA CARNIVAL I 98-01/CARNIVAL II 99-07	FRONT	Diameter:274 mm Brake Disc Thickness:26.2 mm Minimum Thickness:24 mm Centering Diameter:72 mm Height:48.5 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	OK55A33251, OK55B33251, OK55A33251, OK55B33251
BD2107 562556BC	KIA RIO 00-05	FRONT	Diameter [mm]:235 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:20 Height [mm]:46 Rim Hole Number:4 Brake Disc Type:Vented	DR6503, KDX74-33-251, MDX74-33-251
BD2108 428227	KIA SORENTO I 02-	FRONT	Diameter [mm]:302 Brake Disc Thickness [mm]:28 Minimum thickness [mm]:26 Height [mm]:54 Rim Hole Number:5 Brake Disc Type:Vented	DR6506, 51712-3E500, 51712-3E000, 51712-3E300
BD2109 ADG04369	KIA SORENTO I 02-	REAR	Diameter [mm]:315 Brake Disc Thickness [mm]:20 Minimum thickness [mm]:18 Height [mm]:87,5 Rim Hole Number:5 Brake Disc Type:Vented	58411-3E300, 24.0120-0202.1, DI956473

BD2110 562841BC	ASIA MOTOR SRETONA 95-00;KIA SPORTAGE 94-04/RETONA 99-	FRONT	Diameter [mm]:284 Height [mm]:51 Weight [kg]:12,84 Brake Disc Type:Vented Brake Disc Thickness [mm]:24	DR6976, OK01133251C, OK01A33251D, OK01A33251C, OK01A3325XB
BD2111 ADG04351	KIA SHUMA 96-04	FRONT	Diameter [mm]:258 Brake Disc Thickness [mm]:24 Minimum thickness [mm]:22 Height [mm]:48,5 Rim Hole Number:4 Brake Disc Type:Vented	OK2N1-33-251, OK2N2-33-251
BD2112 329336B	KIA SEPHIA 92-00/SHUMA 96-04/CERATO 01-04	REAR	Inner Br. Drum Diam. [mm]:200 Height [mm]:59 Inner Brake Drum Height [mm]:41,5 Rim Hole Number:4 Hub Diameter 1 [mm]:57 Weight [kg]:4,32	OK201-26-251A, OK201-26-251B
BD2113 340210	KIA SHUMA II 01-04/SEPHIA 99-00/SPECTRA 00-04	FRONT	Diameter:257.8 mm Brake Disc Thickness:24 mm Minimum Thickness:22 mm Height:48.5 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	OK2N133251,17935 OK2N233251,TB219099, OK2N133251,92131100, 24.0124-0185.1, DF4703
BD2114 340212	KIA RIO 00-05	FRONT	Diameter:254 mm Brake Disc Thickness:24 mm Minimum Thickness:22 mm Centering Diameter:55 mm Height:50.7 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	51712-FD300,17425, 24.0124-0187.1, 986479231,TB219249, 203516,92147000, DF4410
BD2115 340213	KIA SORENTO I 02-	REAR	Diameter:315 mm Brake Disc Thickness:20 mm Minimum Thickness:18.4 mm Centering Diameter:96.3 mm Height:87.5 mm Number Of Holes:5 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	58411-3E500,DF4394, 92147400,313520, 92205000, ADG043146, TB217757
BD2201 DF1609	DAEWOO KALOS 02-/LANOS 97-/NEXIA 95-08;OPEL ASTRA 91-05/COMBO 94-01/CORSA 82-02/KADETT 79-93/VECTRA A 88-95;VAUXHALL ASTRA 79-01/ASTRAVAN MK III 91-98/CAVALIER MK 81-95/COMBO MK I 94-01/CORSA 98-00/CORSAVAN MK I 94-00/NOVA HATCHBACK 83-93;BUICK SAIL 01-05;CHEVROLET AVEO 11-/ KALOS 05-	FRONT	Diameter:236 mm Brake Disc Thickness:20 mm Minimum Thickness:17 mm Centering Diameter:60 mm Height:41 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	90121445, 569031, 569054, 0986478192
BD2202 92039200	DAEWOO ESPERO 91-99/LANOS SERIES 97-/NEXIA SERIES 95-08;OPEL ASCONA C SERIES 81-88/ASTRA F SERIES 91-05/CALIBRA A 89-97/KADETT E SERIES 84-93/VECTRA SERIES 88-03;VAUXHALL ASTRA MK SERIES 84-01/ASTRAVAN MK III 91-98/CALIBRA 90-97/CAVALIER MK SERIES 81-95/VECTRA SERIES 95-03	FRONT	Diameter:256 mm Brake Disc Thickness:24 mm Minimum Thickness:21 mm Centering Diameter:60 mm Height:41 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	96179110, 569042, 90295087, 0 986 478 327, DI955015

BD2203 DF4439	CHEVROLET AVEO / KALOS HATCHBACK 03-/KALOS 05-/SPARK 09-;DAEWOO KALOS 02-	FRONT	Diameter:236 mm Brake Disc Thickness:20 mm Minimum Thickness:18 mm Centering Diameter:59 mm Height:41 mm Number Of Holes:6 Pitch Circle Diameter:100 mm Solid Or Vented:V	965-74633, 964-71274, 0 986 478 192, 197350
BD2204 DF1625	DAEWOO ESPERO 91-99/LANOS 97- /NEXIA 95-08;OPEL ASCONA C 81- 88/ASTRA F 91-05/CALIBRA A 89- 97/KADETT E 84-93/VECTRA A 88- 95/VECTRA B 95-03;VAUXHALL ASTRA MK SERIES/CALIBRA/CAVALIER MK II/VECTRA 84-03	FRONT	Diameter:256 mm Brake Disc Thickness:24 mm Minimum Thickness:21 mm Centering Diameter:60 mm Height:41 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	90250546, 93182282, 569042, 0 986 478 327
BD2205 DF4123	CHEVROLET MATIZ 05-/SPARK 05- ;DAEWOO MATIZ 98-	FRONT	Diameter:236 mm Brake Disc Thickness:12.6 mm Minimum Thickness:9.7 mm Centering Diameter:86 mm Height:35.4 mm Number Of Holes:4 Pitch Circle Diameter:102 mm Solid Or Vented:S	962-84392, 963-20531, 986 478 712, 89014100
BD2206 DDF1279	CHEVROLET AVEO / KALOS 03- /KALOS 05-/SPARK 09-;DAEWOO KALOS 02-	FRONT	Diameter:236 mm Brake Disc Thickness:20 mm Minimum Thickness:18 mm Centering Diameter:59 mm Height:41 mm Number Of Holes:6 Pitch Circle Diameter:100 mm Solid Or Vented:V	964-71274, 92133400, 0 986 478 192, DF4439
BD2207 DF4812	BUICK EXCELLE 03-;CHEVROLET EPICA 05-/LACETTI 03-/NUBIRA 05- 11/REZZO MPV 05-;DAEWOO EVANDA 02-/LACETTI 02- /MAGNUS 99-/NUBIRA 97-/REZZO 00-	FRONT	Diameter:256 mm Brake Disc Thickness:24 mm Minimum Thickness:21 mm Centering Diameter:60 mm Height:46.8 mm Number Of Holes:4 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	96264591, 96328338, 96549782, 96264591, 96328338, 96549782
BD2208 J3300406	DAEWOO REXTON 02- ;SSANGYONG REXTON 02-	FRONT	Diameter [mm]:296 Brake Disc Thickness [mm]:24 Minimum thickness [mm]:22 Height [mm]:55 Brake Disc Type:Vented Hub Diameter 1 [mm]:96	4144108000, 41441-08000
BD2209 562740BC	CHEVROLET LACETTI 03-/NUBIRA 05-;DAEWOO NUBIRA 03-/LACETTI 99-	REAR	Diameter [mm]:258 Brake Disc Thickness [mm]:10,5 Minimum thickness [mm]:8,5 Height [mm]:58 Rim Hole Number:4 Brake Disc Type:Solid	96549630, 96549630

BD2210 ADG043111	DAEWOO MUSSO 98-/KORANDO 99-/REXTON 02-;SSANGYONG MUSSO 93-/KORANDO 88-/REXTON 02-	FRONT	Diameter [mm]:278 Brake Disc Thickness [mm]:24 Minimum thickness [mm]:22 Height [mm]:40,5 Rim Hole Number:6 Brake Disc Type:Vented	4144-106-210, 4144-105-110, 4144-106-211
BD2211 562530BC	DAEWOO MUSSO 98-/KORANDO 99-/REXTON 02-;SSANGYONG MUSSO 93-/KORANDO 88-/GREXTON 02-	REAR	Diameter [mm]:299 Brake Disc Thickness [mm]:10,5 Minimum thickness [mm]:8,5 Height [mm]:68 Rim Hole Number:6 Brake Disc Type:Solid	4840-105-110, 4840-105-101
BD2212 424163	CHEVROLET NUBIRA ESTATE 05-;DAEWOO NUBIRA 97-/MUSSO 98-	FRONT	Diameter [mm]:256 Brake Disc Thickness [mm]:24 Minimum thickness [mm]:22 Height [mm]:47 Rim Hole Number:4 Brake Disc Type:Vented	96312559, 96300035
BD2213 524115	CHEVROLET LANOS 05-;DAEWOO ESPERO 91-99/NEXIA 95-08/LANOS 97-/NUBIRA 97-/ARANOS 95-97/CIELO 94-07;LOTUS ELAN 89-95;OPEL KADETT 84-93/ASCONA 81-88/ASTRA 91-05/CALIBRA A 90-97/VECTRA 88-03;VAUXHALL ASTRA MK 84-01/CALIBRA 90-97/CAVALIER MK 81-95/VECTRA 95-08	FRONT	Diameter [mm]:256 Brake Disc Thickness [mm]:23,9 Minimum thickness [mm]:21 Height [mm]:41 Rim Hole Number:4 Brake Disc Type:Vented	96179110, 96179110, 96179110, 569042, 569001, 90250546, 90008003, 90487402, 90295087
BD2214 ADG04364	CHEVROLET KALOS 05-/AVEO 03-/SPARK 09-;DAEWOO ALOS 02-	FRONT	Diameter [mm]:236 Brake Disc Thickness [mm]:20 Minimum thickness [mm]:17 Height [mm]:41 Rim Hole Number:4 Brake Disc Type:Vented	96574633, 96471274, 96471274, 96574633
BD2215 ADG04363	CHEVROLET LACETTI 03-/NUBIRA 05-/REZZO 05-/EVANDA 05-;DAEWOO REZZO 00-/EVANDA 02-/NUBIRA 03-/LACETTI 99-/MAGNUS 99-	FRONT	Diameter [mm]:256 Brake Disc Thickness [mm]:24 Minimum thickness [mm]:22 Height [mm]:47,5 Rim Hole Number:4 Brake Disc Type:Vented	96328338, 96549782, 96549782, 96328338,424199, 96264591
BD2216 ADG04322	CHEVROLET MATIZ 05-/SPARK 05-;DAEWOO MATIZ 98-	FRONT	Diameter [mm]:236 Brake Disc Thickness [mm]:12,6 Minimum thickness [mm]:9,7 Height [mm]:35,5 Rim Hole Number:4 Brake Disc Type:Solid	96455424, 96284392, 96254392, 96455424, 96320531
BD2217 561228B	CHEVROLET LANOS 05-;DAEWOO NEXIA 95-08/LANOS 97-/CIELO 94-07;OPEL COMBO 94-01/KADETT 79-94/CORSA 82-02/ASCONA 81-88/ASTRA 91-05/VECTRA 88-95;VAUXHALL ASTRA MK 84-01/CAVALIER MK 81-95/NOVA 83-93/CORS 92-00/COMBO MK I 94-01	FRONT	Diameter [mm]:236 Brake Disc Thickness [mm]:20 Minimum thickness [mm]:17 Height [mm]:41 Rim Hole Number:4 Brake Disc Type:Vented	90511111,90121445, 40206-U7600, 40206-U7601, 9005107,569031, 90008006, 9005107, 90511111

BD2218 31017	CHEVROLET LANOS 05-;DAEWOO NEXIA 95-08/LANOS 97-/CIELO 94-07;OPEL COMBO 94-01/KADETT 79-94/CORSA 82-02/ASCONA 81-88/ASTRA 91-05/VECTRA 88-95;VAUXHALL ASTRA 84-01/CAVALIER 81-95/NOVA 83-93/CORSA 92-00/COMBO 94-10	FRONT	Height:41 mm Diameter:236 mm Centering Diameter:60 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:20 mm Minimum Thickness:17 mm Number Of Holes:4 Solid Or Vented:V	90511111, 90121445, 40206-U7600, 9005107, 90008006, 9005107, 90511111
BD2219 561488BC	CHEVROLET LANOS 05-;DAEWOO SPERO 91-99/NEXIA 95-08/LANOS 97-/NUBIRA 97-/ARANOS 95-97/CIELO 94-07;LOTUS ELAN 89-95;OPEL KADETT 84-93/ASCONA 81-88/ASTRA 91-05/CALIBRA A 90-97/VECTRA 88-03;VAUXHALL ASTRA 84-01/CALIBRA 90-97/CAVALIER 81-95/VECTRA 95-08	FRONT	Height:41 mm Diameter:256 mm Centering Diameter:60 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:24 mm Minimum Thickness:21 mm Number Of Holes:4 Solid Or Vented:V	96179110, 96179110, 96179110, 569042, 569001, 90250546, 90008003, 90295087
BD2220 424199	CHEVROLET LACETTI 03-;/NUBIRA 05-;/REZZO 05-;/EVANDA 05-;/LACETTI 03-;DAEWOO REZZO 00-;/EVANDA 02-;/NUBIRA 03-;/LACETT 99-	FRONT	Height:46.8 mm Diameter:256 mm Centering Diameter:60 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:24 mm Minimum Thickness:21 mm Number Of Holes:4 Solid Or Vented:V	96328338, 96549782, 96549782, 96328338, 96264591, 96328338
BD2221 380210	BUICK SAIL 01-05;CHEVROLET AVEO 05-;/KALOS 05-;/LOVA 06-11/SAIL 05-;/SPARK 02-12;DAEWOO KALOS 02-;/LANOS 97-;/NEXIA 95-08;OPEL ASCONA 91-98/ASTRA 91-05/COMBO 94-01/ CORSA 82-02/VECTRA 88-95;VAUXHALL ASTRA 79-00/CAVALIER/81-95/COMBO 94-01/CORSA 94-00/NOVA 82-93	FRONT	Diameter:236 mm Brake Disc Thickness:20 mm Minimum Thickness:17 mm Centering Diameter:60 mm Height:41 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	0569031,90008006, 93429469,15770, 24.0120-0115.1, 986478192,TB217060, DF1609,92029603
BD2222 380211	DAEWOO ESPERO 91-99/LANOS 97-;/NEXIA 95-08;OPEL ASCONA 81-05/CALIBRA 89-97/KADETT 84-93/VECTRA 88-03;VAUXHALL ASTRA 84-01/CALIBRA 90-97/CAVALIER 81-95/VECTRA 95-03	FRONT	Diameter:256 mm Brake Disc Thickness:24 mm Minimum Thickness:21 mm Centering Diameter:60 mm Height:41 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	96179110,569042, 15878,24.0124-0115.1, 986478327,TB217065, TB217065,DDF206, 92039203,DF1625
BD2223 510216	CHEVROLET MATIZ 05-;/SPARK 05-;DAEWOO MATIZ 98-	FRONT	Diameter:236 mm Brake Disc Thickness:12.6 mm Minimum Thickness:9.7 mm Centering Diameter:86 mm Height:35.4 mm Number Of Holes:4 Pitch Circle Diameter:102 mm Solid Or Vented:S	96254392,96284392, 96320531,96455424, 17067,24.0113-0195.1, 986478712,17509, DDF1076,TB215860, 92100300,DF4123, 297742
BD2224 510217	BUICK EXCELLE 03-;CHEVROLET EPICA 05-;/EVANDA 05-;/LACETTI 03-;/NUBIRA 11-;/REZZO MPV 05-;DAEWOO EVANDA 02-;/LACETTI 02-;/MAGNUS 99-;/NUBIRA 97-;/REZZO 00-	FRONT	Diameter:256 mm Brake Disc Thickness:24 mm Minimum Thickness:21 mm Centering Diameter:60 mm Height:46.8 mm Number Of Holes:4 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	96549782,96328338, 96264591,17414, 24.0124- 0199.1,986479328, TB219050,DDF1257, 205010,92133600, DF7218

BD2225 510218	CHEVROLET AVEO 03-/KALOS 05- /SPARK 09-;DAEWOO KALOS 02-	FRONT	Diameter:236 mm Brake Disc Thickness:20 mm Minimum Thickness:18 mm Centering Diameter:59 mm Height:41 mm Number Of Holes:6 Pitch Circle Diameter:100 mm Solid Or Vented:V	96471274,96574633, 986478192,24.0120- 0227.1,986479840, TB219053,DDF1279, 205008,92133400, DF4439,DF7217
BD2226 510219	BUICK EXCELLE 03-;CHEVROLET AVEO / KALOS 05-/LACETTI 03- /NUBIRA 05-11;DAEWOO LACETTI 02-/NUBIRA 97-	REAR	Diameter:258 mm Brake Disc Thickness:10.6 mm Minimum Thickness:8 mm Centering Diameter:60 mm Height:57.5 mm Number Of Holes:4 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	96549630,17686, 24.0110- 0340.1,TB218165, DDF1606,D4000P, 92163000,DF7381
BD2227 030201	SSANGYONG KORANDO 10-	REAR	Diameter:262 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:67 mm Height:63 mm Number Of Holes:5 Solid Or Vented:S	4840134000,61-0S-S04, 4840134001,DP-S04, 18227
BD2228 030202	SSANGYONG KORANDO 10-	FRONT	Diameter:298 mm Brake Disc Thickness:26 mm Minimum Thickness:24 mm Centering Diameter:67 mm Height:46 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	4144134000, 4144134001,BG4809C, 4144134002,DSK2994, DDF2091C,562984JC, N3300408
BD4001 34144DS	SKODA FABIA I COMBI 00-07/FABIA 08-15;VW BORA SERIES 01-08/CITY GOLF 96-02/GOLF IV 01-09/LAVIDA 08-12/POLO SERIES 02-12;ZHONGHUA H530 11-/JUNJIE SERIES 06-	REAR	Height:39.5 mm Diameter:232 mm Centering Diameter:65 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:9 mm Minimum Thickness:7 mm Number Of Holes:5 Solid Or Vented:S	1J0615601,16883, 1J0615601C,18A1566, 34144,14699E,DSK274, 24010901231
BD4002 34168DS	AUDI A3 96-03;SEAT CORDOBA 02- 09/IBIZA III 02-09/LEON 99-12/TOLEDO II 98-06;SKODA FABIA SERIES 99- 15/OCTAVIA SERIES 96-10/ROOMSTER SERIES 06-15;VW BORA SERIES 98- 08/GOLF IV SERIES 97-09/NEW BEETLE SERIES 98-10/POLO SERIES 01-	FRONT	Height:34.5 mm Diameter:288 mm Centering Diameter:65 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:25 mm Minimum Thickness:22 mm Number Of Holes:5 Solid Or Vented:V	1J0615301,16882, 1J0615301C,18A982, 1J0615301K,24847, 1J0615301R,DSK957, 1J0615301S,145278, 1J0615301C, 24012501131
BD4003 34265DS	AUDI Q7 06-15;PORSCHE CAYENNE 02-10;VOLKSWAGEN TOUAREG 02-	FRONT, Left	Height:68.5 mm Diameter:350 mm Centering Diameter:85 mm Pitch Circle Diameter:130 mm Brake Disc Thickness:34 mm Minimum Thickness:32 mm Number Of Holes:5 Solid Or Vented:V	7L6615301E,17503, 7L6615301K,18A1765, 7L8615301,DR6006, 95535140150,25049V, 95535140151, 24113401231

BD4004 34279DS	AUDI A3 SPORTBACK 04-/Q3 SERIES 11-/TT SERIES 06-14;SEAT ALHAMBRA 10-/ALTEA SERIES 04-/LEON SERIES 05-/TOLEDO SERIES 98-09;SKODA OCTAVIA SERIES 04-/SUPERB SERIES 01-15;/YET 09-;VOLKSWAGEN BEETLE SERIES 11-/CADDY III SERIES 04-15	FRONT	Height:49.9 mm Diameter:312 mm Centering Diameter:65 mm Pitch Circle Diameter:112 mm Brake Disc Thickness:25 mm Minimum Thickness:22 mm Solid Or Vented:V	1K0615301AA,17558, 5C0615301B,18A1827, 34279,X24966,DSK2338 24012501581
BD4005 34399DS	AUDI A3 SERIES 03-13;SKODA OCTAVIA II SERIES 04-13/SUPERB SERIES 08-15;VW EOS 06-15/GOLF SERIES 03-14/JETTA III 05-10/PASSAT SERIES 05-12/SCIROCCO 08-/TIGUAN 07-/TOURAN 03-/CC 10-/MAGOTAN 07-11	REAR	Height:48.3 mm Diameter:286 mm Centering Diameter:65 mm Pitch Circle Diameter:112 mm Brake Disc Thickness:12 mm Minimum Thickness:10 mm Number Of Holes:5 Solid Or Vented:S	1K0615601M,34399, 145683,0986479972, 12033099,78BD5619, WN1328
BD4006 1K0615301AA	AUDI A3 06-18/A3 SPORTBACK E-TRON 18/Q3 15-18/TT 08-18;VW BEETLE 12-16/CC 09-13/EOS 07-15/GTI 06-14/JETTA 05-14/PASSAT 06-12/PASSAT CC 09-10/TIGUAN 09-16	FRONT	Height:49.9 mm Diameter:312 mm Centering Diameter:65 mm Pitch Circle Diameter:112 mm Brake Disc Thickness:25 mm Minimum Thickness:22 mm Solid Or Vented:V	1K0615301AA, 5C0615301B, 355122592
BD4007 DR6398	AUDI A 96-18;SEAT CORDOBA 02-09/IBIZA 02-/BIZA IV 08-/LEON 99-06/TOLEDO II 98-06;SKODA FABIA 99-15/OCTAVIA 96-10/ROOMSTER 06-15;VW BORA 98-05/FOX 03-/GOLF IV 97-09/POLO 01-/CITY GOLF 96-02/OLO JINQIN 02-12	FRONT	Diameter:256 mm Brake Disc Thickness:22 mm Minimum Thickness:19 mm Centering Diameter:65 mm Height:36.6 mm Number Of Holes:5 Pitch Circle Diameter:100 mm Solid Or Vented:V	09.7011.11,X 24690, 24.0122-0151.1, 562040B, 0 986 478 853,16880, 1815204760, 1815204779
BD4008 321-615-301	AUDI 80 72-86/COUPE 80-88;SEAT CORDOBA SERIES 93-02/IBIZA II 93-02/TOLEDO I 91-99;VW CADDY I 79-92/GOLF SEWRIES 74-99/JETTA SERIES 78-03/PASSAT SERIES 73-97/POLO CLASSIC 95-09/SANTANA 81-/SCIROCCO 74-92/VENTO 91-98	FRONT	Diameter:239 mm Brake Disc Thickness:12 mm Minimum Thickness:10 mm Centering Diameter:65 mm Height:35.4 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	0986478011, 0986BB4054, DF1516,92010600, 92010603
BD4009 DRF207	SEAT AROSA 97-04/CORDOBA SERIES 93-02/IBIZA 93-02/INCA 95-03/TOLEDO I 91-99;VW CADDY 95-04/CORRADO 87-95/GOLF 83-02/JETTA II 83-92/LUPO 98-05/PASSAT 79-97/POLO 94-09/SCIROCCO 80-92/VENTO 91-98/SANTANA 95-14	FRONT	Diameter:256 mm Brake Disc Thickness:20 mm Minimum Thickness:18 mm Centering Diameter:65 mm Height:38.8 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	321-615-301D, 6N0-615-301D, 1HM-615-301E
BD4010 DF2805	AUDI A SERIES 96-18/TT SERIES 98-06;SEAT CORDOBA SERIES 93-09/IBIZA SERIES 02-/LEON,TOLEDO II 98-06/TOLEDO IV 12-;SKODA FABIA SERIES 99-/OCTAVIA SERIES 96-10/RAPID 12-/ROOMSTER SERIES 06-15;VW BORA 98-/GOLF 97-13/NEW BEETLE SERIES 98-11/POLO 95-/C-TREK 16-/CITY GOLF 96-02	REAR	Diameter:232 mm Brake Disc Thickness:9 mm Minimum Thickness:7 mm Centering Diameter:65 mm Height:39.5 mm Number Of Holes:5 Pitch Circle Diameter:100 mm Solid Or Vented:S	1J0-615-601, 1J0-615-601P, 1J0-615-601C, DDF929,92082500

BD4011 DDF175	AUDI 80 78-86/COUPE 80-88;SEAT CORDOBA SERIES 93-02/IBIZA SERIES 93-02;VW GOLF SERIES 74-99/JETTA SERIES 78-92/PASSAT SERIES 79-89/POLO 81-09/SANTANA 81-85/SCIROCCO SERIES 74-92/VENTO 91-98/GOL 03-05	FRONT	Diameter:239 mm Brake Disc Thickness:20 mm Minimum Thickness:18 mm Centering Diameter:65 mm Height:39 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	321-615-301C, 321-615-301A, 321-615-301B, 6N0-615-301G, 841-615-301
BD4012 DDF928	AUDI A3 96-06;SEAT LEON 99-06/TOLEDO SERIES 91-06;SKODA OCTAVIA SERIES 96-13;VW BORA SERIES 98-05/GOLF IV SERIES 97-09 NEW BEETLE SERIES 98-11/BORA SERIES 01-16/LAVIDA 08-12;ZHONGHUA H530 11-	FRONT	Diameter:280 mm Brake Disc Thickness:22 mm Minimum Thickness:19 mm Centering Diameter:65 mm Height:36.7 mm Number Of Holes:5 Pitch Circle Diameter:100 mm Solid Or Vented:V	1J0-615-301E, 1J0-615-301P, 0 986 478 852, 562039J
BD4013 DF4294	AUDI A3 SERIES 03-15;SEAT ALTEA SERIES 04-/LEON 99-13/TOLEDO III 04-09;SKODA OCTAVIA SERIES 04-/YETI 09-17;VW BEETLE SERIES 11-/CADDY SERIES 04-15/GOLF SERIES 04-14/JETTA SERIES 04-/SAGITAR 06-12	FRONT	Diameter:280 mm Brake Disc Thickness:22 mm Minimum Thickness:19 mm Centering Diameter:65 mm Height:49.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	1K0-615-301S, 1K0-615-301AK, 1K0-615-301AC, 09.9167.11
BD4014 DF4276	AUDI A3 SERIES 03-15;SEAT ALTEA SERIES 04-/LEON 05-13/TOLEDO III 04-09;SKODA OCTAVIA SERIES 04-;VW CADDY III SERIES 04-15/EOS 06-15/GOLF SERIES 03-13/SCIROCCO 08-17	REAR	Diameter:253 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:65 mm Height:51.6 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	1K0-615-601K, 1K0-615-601AB, 5C0-615-601, 92120900
BD4015 DF1529	SEAT CORDOBA 93-99/IBIZA II 93-02/TOLEDO I 91-99;VW CORRADO 87-95/GOLF SERIES 83-02/JETTA SERIES 78-92/PASSAT SERIES 79-97/POLO SERIES 94-09/SCIROCCO 80-92/VENTO 91-98	REAR	Diameter:226 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:39.8 mm Height:71.2 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	357-615-601, 191-615-601, 191-615-601B, 6N0-615-601, 0 986 BB4 064
BD4016 DF4464S	SEAT ALHAMBRA 10-/ALTEA SERIES,LEON SERIES 04-/TOLEDO SERIES 98-09;SKODA OCTAVIA SERIES,SUPERB SERIES 01-15/YETI 09-17;VOLKSWAGEN BEETLE SERIES 11-/CADDY III SERIES 04-15/CC,EOS 06-16/GOLF SERIES,JETTA SERIES 03-/PASSAT SERIES 05-14/SCIROCCO SERIES 08-17/SHARAN 10-/TIGUAN 07-/TOURAN SERIES 03-15;AUDI A SERIES 04-/Q3 11-18/TT SERIES 06-15	FRONT	Diameter:312 mm Brake Disc Thickness:25 mm Minimum Thickness:22 mm Centering Diameter:65 mm Height:49.9 mm Pitch Circle Diameter:112 mm Solid Or Vented:V	1K0-615-301AA, JZW-615-301H, 5C0-615-301B
BD4017 DF4271	AUDI A3 SERIES 03-15;SEAT ALTEA SERIES 04-;SKODA OCTAVIA II SERIES 04-13/SUPERB II 08-15	REAR	Diameter:256 mm Brake Disc Thickness:11.6 mm Minimum Thickness:10 mm Centering Diameter:65 mm Height:48.3 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	1K0-615-601L, 1L0-615-601AC, 0 986 479 155, DDF1276

BD4018 DF4295	AUDI A3 SERIES 03-;SEAT ALTEA SERIES 04-/LEON SERIES 05-/TOLEDO III 04-09;SKODA OCTAVIA SERIES 04-/SUPERB SERIES 01-15/YETI 09-17;VW BEETLE SERIES 11-/CADDY III SERIES 04-15/EOS 06-15/GOLF SERIES 04-/JETTA SERIES 04-/SCIROCCO 08-17/TOURAN SERIES 03-15	FRONT	Diameter:288 mm Brake Disc Thickness:25 mm Minimum Thickness:22 mm Centering Diameter:65 mm Height:49.6 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	1K0-615-301T, 1K0-615-301K, 5C0-615-301A, JWZ-615-301J
BD4019 DF4027	AUDI A3 96-06;SEAT CORDOBA 02-09/IBIZA III 02-09/LEON SERIES 99-13/TOLEDO II 98-06;SKODA FABIA SERIES 99-14/OCTAVIA SERIES 96-10/ROOMSTER 06-15/ROOMSTER PRAKTIK 07-15	FRONT	Diameter:288 mm Brake Disc Thickness:25 mm Minimum Thickness:22 mm Centering Diameter:65 mm Height:34.5 mm Number Of Holes:5 Pitch Circle Diameter:100 mm Solid Or Vented:V	1J0-615-301C, 1J0-615-301K, 1J0-615-301R, 6R0-615-301S
BD4020 DDF1232	AUDI 80 91-96/A4 00-09/COUPE 88-96;SEAT EXEO 08-/EXEO ST 09-	REAR	Diameter:245 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:68 mm Height:39.8 mm Number Of Holes:10 Pitch Circle Diameter:112 mm Solid Or Vented:S	8E0-615-601P, 8E0-615-601B, 0 986 478 986, DDF1232, 92106200
BD4021 DF4065	AUDI A3 99-03/TT 98-06	REAR	Diameter : 256mm Centering Diameter : 65mm Brake Disc Thickness : 22mm Min. thickness : 20mm Num. of holes : 5 Brake Disc Type : Vented Depth : 36mm	0 986 478 482, 09.A652.11, 92098600, DF4052,V10-40069, V10-80083, 1J0-605-301D
BD4023 DRF193	AUDI 100 76- 91/80 86-91/90 87-91;HONGQI CA SERIES SALOON 82-90	FRONT	Diameter:256 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:68 mm Height:46.5 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:V	443-615-301B, 0 986 478 018, 09.5033.10, DRF193
BD4024 92106600	AUDI A3 96-06;SEAT CORDOBA 02-09/IBIZA III 02-09/LEON 99-13/TOLEDO II 98-06;SKODA FABIA 99-14/OCTAVIA 96-10/ROOMSTER 06-15;VOLKSWAGEN BORA 98-05/GOLF IV 97-07/NEW BEETLE 98-11/POLO 01-	FRONT	Diameter:288 mm Brake Disc Thickness:25 mm Minimum Thickness:22 mm Centering Diameter:65 mm Height:34.5 mm Number Of Holes:5 Pitch Circle Diameter:100 mm Solid Or Vented:V	6R0-615-301A, 1J0-615-301, 1J0-615-301C, 1J0-615-301K, 1J0-615-301S, 1J0-615-301R
BD4025 DF4822S	MERCEDES BENZ SPRINTER 3-T 06-/SPRINTER 3,5-T 06-/SPRINTER 4,6-T 06-/SPRINTER 5-T 06-;VW CRAFTER 30-35 BUS 06-16/CRAFTER 30-50 06-16	FRONT	Diameter:300 mm Brake Disc Thickness:28 mm Minimum Thickness:25 mm Centering Diameter:85 mm Height:68.5 mm Number Of Holes:6 Pitch Circle Diameter:130 mm Solid Or Vented:V	906-421-0012, 906-421-0112, 906-421-0212

BD4026 DF4866S	AUDI A4 07-/A5 07-17	FRONT	Diameter:314 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:68 mm Height:52.4 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	8K0615301, 8W0615301G, 8W0615301T, 8K0615301, 8W0615301G, 8W0615301T
BD4027 DF4064	AUDI A3 96-06/TT 98-06 SEAT IBIZA III 02-09/LEON 99-06 SKODA OCTAVIA I 96-10 VOLKSWAGEN BORA 98-08/GOLF IV 97-09/NEW BEETLE 98-10/POLO 01-	FRONT	Diameter:312 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:65 mm Height:34.5 mm Number Of Holes:9 Pitch Circle Diameter:100 mm Solid Or Vented:V	8L0615301, 8N0615301A, 8N0615301A, 8N0615301A, 8L0615301, 8N0615301A
BD4028 DF6015S	AUDI A4 07-16/A5 07-17/Q5 08- /A4L 07-	FRONT	Diameter:320 mm Brake Disc Thickness:30 mm Minimum Thickness:28 mm Centering Diameter:68 mm Height:52.4 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	8K0615301A, 24.0130-0193.1, 09.A758.11, 92160003
BD4029 DF2806	AUDI A4 94-08/A8 94-05;SEAT EXEO 08-;VOLKSWAGEN PASSAT 96-01	FRONT	Diameter:280 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:68 mm Height:46.3 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	8E0615301B, 8E0615301D, 8E0615301P, 8E0615301B, 8E0615301D, 8E0615301P
BD4030 871065	AUDI	FRONT	brake rotor	7M0-615-301C, 7M0-615-301A, 7M0-615-301F
BD4031 DF2771	AUDI A4 94-01/0 88-99	REAR	Diameter:245 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:45.2 mm Height:83.6 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	8D0615601B, 24.1110-0210.1, 0 986 478 759, 92072100
BD4032 92121100	AUDI A3 03-15;SEAT ALTEA 04- ;SKODA OCTAVIA 04-/SUPERB II 08-15;VOLKSWAGEN CADDY 04- 15/GOLF 04-13/JETTA III 04- 10/TOURAN 03-/SAGITAR 06-12	REAR	Diameter:256 mm Brake Disc Thickness:11.6 mm Minimum Thickness:10 mm Centering Diameter:65 mm Height:48.3 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	1K0615601AC, 1K0615601AJ, 1K0615601L, 1K0615601AC, 1K0615601AJ, 1K0615601L

BD4033 DF4558	AUDI A3 03-15/Q3 11-18;MG GS 15- ;SEAT ALHAMBRA 10-/ALTEA 04- /LEON 05-13/TOLEDO III 04- 09;SKODA OCTAVIA II 04-13/SUPERB II 08-15/YETI 09-17;VW CC 11-16/EOS 06-15/GOLF 03-13/JETTA III 04- 10/PASSAT 05-/SHARAN 10-/TIGUAN 07-/TOURAN 03-10/MAGOTAN 11-	REAR	Diameter:282 mm Brake Disc Thickness:12 mm Minimum Thickness:10 mm Centering Diameter:65 mm Height:48.6 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	1K0615601AD, 1K0615601M, 5Q0615601G, 1K0615601AD, 1K0615601M
BD4034 DF4258S	AUDI A4 94-09/A6 97-05/ALLROAD 00-05;SEAT EXEO 08-	FRONT	Diameter:321 mm Brake Disc Thickness:30 mm Minimum Thickness:28 mm Centering Diameter:68 mm Height:46.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	8D0615301M, 8E0615301AD, 8D0615301M, 8E0615301AD, 8D0615301M, 8E0615301AD
BD4035 DF2626	AUDI 100 82-91/0 83- 91/QUATTRO 80-91	FRONT	Diameter:276 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:68 mm Height:46.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	447 615 301 A, 447615301A/B, 447 615 301 B, 447615301A, 447615301B, 447615301A, 447615301B
BD4036 DF1530	AUDI 100 76-95/80 86-91/90 87- 91;HONGQI CA SERIES SALOON 82- 90	FRONT	Diameter:256 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:68 mm Height:46.5 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:V	431615301A, 443615301A, 443615301B
BD4037 DF2651	AUDI 100 90-95/A6 94-05/A6L SALOON 05-12;HONGQI CENTURY STAR 99-10;SKODA SUPERB I 01- 08;VOLKSWAGEN PASSAT 96-09	REAR	Diameter:245 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:68 mm Height:64.2 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	4A0615601A, 8E0615601,DDF321, 18152047112
BD4038 DRF324	AUDI 100 90-94/A4 94-01/A6 94- 97	FRONT	Diameter:288 mm Brake Disc Thickness:15 mm Minimum Thickness:13 mm Centering Diameter:68 mm Height:46.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	4A0615301B, 24.0115-0105.1, 561547B,DDF324, 92057400,DF2650
BD4039 92120600	AUDI A3 03-15;SEAT LEON 05- 13;SKODA SUPERB II 08-15;VW EOS 06-15/GOLF 03-16/PASSAT 05-12/SCIROCCO 08- 17/MAGOTAN 07-11	FRONT	Diameter:345 mm Brake Disc Thickness:30 mm Minimum Thickness:27 mm Centering Diameter:65 mm Height:49.9 mm Number Of Holes:9 Pitch Circle Diameter:112 mm Solid Or Vented:V	1K0615301AB, 1K0615301M, 1K0615301AB, 1K0615301M, 1K0615301AB

BD4040 BS7719	AUDI A4 00-09	REAR	Diameter:255 mm Brake Disc Thickness:11.9 mm Minimum Thickness:10 mm Centering Diameter:68 mm Height:39.8 mm Number Of Holes:10 Pitch Circle Diameter:112 mm Solid Or Vented:S	8E0-615-601Q 8E0-615-601D,
BD4041 412142	MERCEDES-BENZ SPRINTER 95 - 06;VWLT 28-35 II 96-06/28-46 II 96- 06	REAR	Diameter [mm]:258 Brake Disc Thickness [mm]:12,4 Minimum thickness [mm]:10 Height [mm]:96,5 Rim Hole Number:5 Brake Disc Type:Solid	68043585AA, 901 423 06 12, 901 423 08 12, 901 423 10 12, 901 423 04 12
BD4042 562645BC	AUDI A5 07-/A4 07-/Q5 08-	REAR	Diameter [mm]:330 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:20 Height [mm]:36,3 Rim Hole Number:5 Brake Disc Type:Vented	DR6109, 8K0.615.601C, VAG 8K0.615.601C
BD4043 562043B	FORD GALAXY 95-06;SEATAL HAMBRA 96-10;VW SHARAN 95-10	FRONT	Diameter [mm]:288 Brake Disc Thickness [mm]:25 Minimum thickness [mm]:21 Height [mm]:55 Rim Hole Number:5 Brake Disc Type:Vented	7M0-615-301G, 7M0-615-301E
BD4044 562057B	FORD GALAXY 95-06;SEATA LHAMBRA 96-10;VW SHARAN 95- 10	REAR	Diameter [mm]:268 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:8 Height [mm]:46 Rim Hole Number:5 Brake Disc Type:Solid	7M0-615-601C, 24.0110-0223.1, DK6097
BD4045 425137	AUDI A6 94-05/A4 00-09;SEAT EXEO 08-;SKODA SUPERB 01- 08;VW PASSAT 96-05	FRONT	Diameter [mm]:312 Brake Disc Thickness [mm]:25 Minimum thickness [mm]:23 Height [mm]:46,5 Rim Hole Number:5 Brake Disc Type:Vented	8E0-615-301R, 8E0-615-301J
BD4046 DF4125S	AUDI 100 90-94/A6 94-97/A8 94- 05	FRONT	Diameter:314 mm Brake Disc Thickness:30 mm Minimum Thickness:28 mm Centering Diameter:68 mm Height:59.7 mm Number Of Holes:10 Pitch Circle Diameter:112 mm Solid Or Vented:V	441-615-301AA, 0 986 478 617 , DDF954
BD4047 96425R	AUDI 100 82-91/200 83-91/A8 94- 05	REAR	Diameter:245 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:68 mm Height:46.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	443-615-601B, 443-615-601A

BD4048 428169	AUDI Q7 06-15;PORSCHE CAYENNE 02-;VW TOUAREG 02-10	REAR	Diameter [mm]:358 Brake Disc Thickness [mm]:28 Minimum thickness [mm]:25,5 Height [mm]:74 Rim Hole Number:5 Brake Disc Type:Vented	7L8.615.601A, 7L8.615.601D, 7L8615601E, 955.352.401.50, 955.352.401.51
BD4049 DI956942S	AUDI A5 07-/A4 07-/Q5 08-/A7 10-/A6 11-;PORSCHE MACAN 14-	FRONT	Diameter [mm]:345 Brake Disc Thickness [mm]:30 Minimum thickness [mm]:28 Height [mm]:52,4 Rim Hole Number:5 Brake Disc Type:Vented	4G0615301, 4G0615301G, 95B615301B
BD4050 522151	AUDI A3 96-03/A2 00-05/A1 10-SEAT TOLEDO II 98-06/LEON 99-06/IBIZA 02-/CORDOBA 02-09/TOLEDO IV 12-;SKODA OCTAVIA 96-10/FABIA 99-/ROOMSTER 06-/RAPID 12-;VW GOLF 97-06/BORA 98-05/POLO 01-/FOX 03-	FRONT	Diameter [mm]:256 Brake Disc Thickness [mm]:21,9 Minimum thickness [mm]:19 Height [mm]:36,5 Rim Hole Number:5 Brake Disc Type:Vented	1J0.615.301D, 1J0.615.301L, 6R0615301, 1J0.615.301D, 1JE.615.301
BD4051 320222	AUDI 100 88-95/A4 94-09/A6 94-05/A6L SALOON 05-12;HONGQI CENTURY STAR 99-10;SEAT EXEO 08-;SKODA SUPERB I 01-08;VW PASSAT 96-09	FRONT	Diameter:288 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:68 mm Height:46.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	4A0615301C,16098, 4A0615301D, 986478546, 4A0615301E,TB217362, 8E0615301Q,DDF1706, 92057603,DF2652, 197222
BD4052 410201	AUDI A1 10-18/A2 00-05/A3 96-06 SEAT CORDOBA 02-09/IBIZA 02-/LEON 99-06/OLEDO II;SKODA FABIA 99-15/OCTAVIA96-10/ROOMSTER 06-15; VW BORA 98-05/FOX 03-/GOLF 97-09/POLO 01-/CITY GOLF 96-02;/POLO JINQIN 02-12	FRONT	Diameter:256 mm Brake Disc Thickness:22 mm Minimum Thickness:19 mm Centering Diameter:65 mm Height:36.6 mm Number Of Holes:5 Pitch Circle Diameter:100 mm Solid Or Vented:V	1J0615301L,6R0615301, 8Z0615301D,16880, 5Z0615301B,TB217150, 986478853,204758, 92082203,DF4235
BD4053 VKBD0148	AUDI 50 74-78/80 72-78	REAR	Height : 74.5mm Inner Br. Dr. Height : 38.5mm Outer Br. Sh. Diameter : 211.5mm Inner Br. Dr. Diam. : 180mm Bolt Hole Circle Ø : 100mm Rim : 4-Hole Hub Ø 1 : 39.8mm Hub Ø 2 : 50.2mm	171501615, 171501615A, 171501615B, 171501615C, 191501615B, 191.501.615B, 171 501 615
BD4054 VKBD0149	AUDI 80 75-86	REAR	Height : 81.5mm Inner Br. Dr. Height : 51mm Outer Br. Sh. Diameter : 240mm Inner Br. Dr. Diam. : 200mm Bolt Hole Circle Ø : 100mm Rim : 4-Hole Hub Ø 2 : 50.2mm Hub Ø 1 : 39.8mm	191501615A, 1H0501615A, 1H050161A, 1H0.501.615A, 115330192
BD4055 VKBD1004	SEAT CORDOBA 93-02/IBIZA II 93-02/TOLEDO I 91-99;VW CORRADO 88-95/GOLF SERIES 83-02/JETTA I 79-92/PASSAT 80-97/SANTANA 81-84/SANTANA 93-06/SCIROCCO 74-92/VENTO 91-98	REAR	Diameter: 226 mm Height: 71,3 mm Brake Disc Thickness: 10 mm with integrated wheel bearing	VKBD1004,0 986 478 331, 843016,24.0110-0275.2

BD4056 VKBD1005	SEAT TOLEDO I 91-99;VW CORRADO 88-95/GOLF III 91- 99/PASSAT 80-97/SANTANA 81- 84/SANTANA 93-06/VENTO 91-98	REAR	Diameter: 226 mm Height: 71,3 mm Brake Disc Thickness: 10 mm with integrated wheel bearing	VKBD1005,0 986 478 332, 24.0110- 0276.2,6050050, 8120 291027
BD4057 DF1721	FIAT 124 66-85/127 71-96/128 69- 84/131 74-87/PANDA 80-04/REGATA 83-95/RITMO 78-89/UNO 83-06/X 1/9 72-89;LANCIA A 112 78-86/DELTA SERIES 79-99/PRISMA 83-92/Y10 85- 95;SEAT FURA 82-86/IBIZA I,MALAGA 84-93/MARBELLA SERIES 86- 99/RONDA 82-88/TERRA 87-96	FRONT, REAR	Diameter:227 mm Brake Disc Thickness:10.8 mm Minimum Thickness:9 mm Centering Diameter:62 mm Height:45.8 mm Number Of Holes:4 Pitch Circle Diameter:98 mm Solid Or Vented:S	4385812, 0 986 478 063, DDF083, 186151
BD4058 8E0-615-301Q	HONGQI CENTURY STAR 99- 10;SEAT EXEO 08-;SKODA SUPERB I 01-08;VOLKSWAGEN PASSAT 96- 01/100 90-/A4 94-08/A6 94-05	FRONT	Diameter:288 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:68 mm Height:46.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	8E0-615-301Q, 0 986 478 546, DDF320,92057600, DF2652
BD4059 DF4253	SKODA FABIA 99-15/ROOMSTER PRAKTIK 07-15;VOLKSWAGEN FOX 03-/POLO 01-	FRONT	Diameter:239 mm Brake Disc Thickness:18 mm Minimum Thickness:16 mm Centering Diameter:65 mm Height:35 mm Number Of Holes:5 Pitch Circle Diameter:100 mm Solid Or Vented:V	6Q0615301, 6Q0615301A, 6Q0615301, 6Q0615301A
BD4060 DF2619	SEAT TOLEDO I 91- 99;VOLKSWAGEN CORRADO 87- 95/GOLF 91-99/PASSAT 88- 97/VENTO 91-98	FRONT	Diameter:280 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:65 mm Height:28.5 mm Number Of Holes:5 Pitch Circle Diameter:100 mm Solid Or Vented:RV	1H0615301A, 1H0615301, 1H0615301A
BD4061 DRF266	SEAT TOLEDO I 91- 99;VOLKSWAGEN CORRADO 87- 95/GOLF III 91-99/PASSAT 88- 97/VENTO 91-98	REAR	Diameter:226 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:39.9 mm Height:71.5 mm Number Of Holes:5 Pitch Circle Diameter:100 mm Solid Or Vented:S	357615601A, 357615601B, 357615601A, 357615601B
BD4062 55183DS	PORSCHE 944 81-91	FRONT	Height:45.2 mm Diameter:298 mm Centering Diameter:107 mm Pitch Circle Diameter:126 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Number Of Holes:5 Solid Or Vented:V	15809,95135104100, 18A677,0986478416, HP55183

BD4063 DDF426	VOLKSWAGEN TRANSPORTER IV BOX 90-03/TRANSPORTER IV BUS 90-03/TRANSPORTER IV PLATFORM/CHASSIS 90-03	FRONT	Diameter:260 mm Brake Disc Thickness:16 mm Minimum Thickness:13 mm Centering Diameter:68 mm Height:64 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	701-615-301, 701-615-301C, 92055900, 0986478547
BD4064 DF4308BPS	VOLKSWAGEN MULTIVAN V 03- 15/TOUAREG 02- 13/TRANSPORTER V BOX 03- 15/TRANSPORTER V BUS 03- 15/TRANSPORTER V PLATFORM/CHASSIS 03-15	FRONT	Diameter:308 mm Brake Disc Thickness:29.5 mm Minimum Thickness:25.5 mm Centering Diameter:76 mm Height:55.6 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	7H0-615-301D, 7E0-615-301D, 0 986 479 211, MDC1704, DF4308S
BD4065 92022000	VOLKSWAGEN TRANSPORTER III 79-92	FRONT	Diameter:278 mm Brake Disc Thickness:13 mm Minimum Thickness:11 mm Centering Diameter:45.2 mm Height:118.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	251-407-617A, 251-407-617, 986 478 136, 92153900
BD4067 DF4312	VOLKSWAGEN MULTIVAN V 03- 15/TRANSPORTER V 03-15	REAR	Diameter:294 mm Brake Disc Thickness:21.9 mm Minimum Thickness:19.5 mm Centering Diameter:76 mm Height:44.4 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	7H0-615-601B, 0 986 479 097, 09.9582.11, 92121403
BD4068 DF6482	VOLKSWAGEN AMAROK 10-	FRONT	Diameter:303 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Centering Diameter:76 mm Height:56.9 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	2H0615301A, 92228903, 0 986 479 154
BD4401 9044230312	DODGE SPRINTER 3500 03- 06;FREIGHTLINER SPRINTER 3500 02-06;MERCEDES BENZ SPRINTER SERIES 95-06;VOLKSWAGEN LT 28- 35 II SERIES 96-06	REAR	Height:93 mm Diameter:285 mm Centering Diameter:120 mm Pitch Circle Diameter:145 mm Brake Disc Thickness:21.9 mm Minimum Thickness:19 mm	27290, 2D0615601B, 5103606AA, 9044230212, 9044230312
BD4402 9064230012	MERCEDES BENZ SPRINTER SERIES 06-;VOLKSWAGEN CRAFTER 30-35 SERIES 06-16	REAR	Height:71 mm Diameter:298 mm Centering Diameter:85 mm Pitch Circle Diameter:130 mm Brake Disc Thickness:16 mm Minimum Thickness:14 mm	2E0615601A, 68013764AA, 9064230012

BD4403 DF4089	MERCEDES BENZ SPRINTER 95-06;VOLKSWAGEN LT 28-35 II 96-06/LT 28-46 II 96-06	REAR	Diameter:285 mm Brake Disc Thickness:21.9 mm Minimum Thickness:19 mm Centering Diameter:120 mm Height:93 mm Number Of Holes:6 Pitch Circle Diameter:145 mm Solid Or Vented:V	904-423-0212, 904-423-0312, 904-423-0512, 0 986 478 555
BD4404 DF2790	MERCEDES BENZ SPRINTER SERIES 95-/VARIO 96-;VOLKSWAGEN LT 28-35 II SERIES 96-06	FRONT	Diameter:275.6 mm Brake Disc Thickness:22.1 mm Minimum Thickness:19 mm Centering Diameter:85.1 mm Height:77 mm Number Of Holes:5 Pitch Circle Diameter:130 mm Solid Or Vented:V	901-421-0312, 902-421-0312, 902-421-0412, 902-421-0612, 902-421-0712, 902-421-0912
BD4405 DF4180	MERCEDES BENZ C-CLASS 93-00/C-CLASS T-MODEL 96-01/CLK 97-03/CLK CONVERTIBLE 98-02/E-CLASS 95-03/E-CLASS T-MODEL 96-03/SLK 96-11	FRONT	Diameter:288 mm Brake Disc Thickness:25 mm Minimum Thickness:22.4 mm Centering Diameter:67 mm Height:46.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	210-421-0712, 210-421-2412, 203-421-0312
BD4406 DF2812	MERCEDES BENZ C-CLASS SERIES 00-11/CLK SERIES 98-10/E-CLASS SERIES 95-03/SLK 96-04	FRONT	Diameter:300 mm Brake Disc Thickness:28 mm Minimum Thickness:25.4 mm Centering Diameter:67 mm Height:46.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	203-421-0512, 210-421-1212, 210-421-1512, 210-421-2212, 210-421-2512
BD4407 DF4947	MERCEDES BENZ C-CLASS 07-	FRONT	Diameter:288 mm Brake Disc Thickness:25 mm Minimum Thickness:22 mm Centering Diameter:67 mm Height:64.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	204-421-0012, 0 986 479 406, 197316
BD4408 92032600	MERCEDES BENZ /8 68-77/CABRIOLET 69-71/COUPE 61-85/HECKFLOSSE 59-68/KOMBI T-MODEL 77-86/PAGODE 63-71/PONTON 59-61/S-CLASS 66-91/SALOON 76-93/SL 71-89	REAR	Diameter:278.9 mm Brake Disc Thickness:10.2 mm Minimum Thickness:8.4 mm Centering Diameter:67.1 mm Height:71.6 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	126-423-0012, 115-423-0212, 115-423-0412
BD4409 DF4919S	MERCEDES BENZ SPRINTER 5-T 06-VOLKSWAGEN CRAFTER 30-35 BUS 06-16/CRAFTER 30-50 06-16	REAR	Diameter:303 mm Brake Disc Thickness:28 mm Minimum Thickness:25 mm Centering Diameter:120 mm Height:93 mm Number Of Holes:6 Pitch Circle Diameter:145 mm Solid Or Vented:V	906-423-0112, 0 986 479 296, 230880, 93143400

BD4410 DF4823S	MERCEDES BENZ SPRINTER 3-T 06- /3,5-T 06-;VOLKSWAGEN CRAFTER 30-35 BUS 06-16/CRAFTER 30-50 BOX 06-16	REAR	Diameter:298 mm Brake Disc Thickness:16 mm Minimum Thickness:14 mm Centering Diameter:85 mm Height:71 mm Number Of Holes:6 Pitch Circle Diameter:130 mm Solid Or Vented:S	9064230012, 9104230000, 9104230100, A9064230012, A9104230000, A9104230100, 2E0615601A
BD4411 DF4356	MERCEDES BENZ VIANO 03-	REAR	Diameter:296 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:67 mm Height:57.7 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	639-423-01-12, DDF1234, 6364230012, 6364230112
BD4412 DF1573	MERCEDES BENZ /8 68-77/COUPE 77-85/KOMBI T-MODEL 77-86/S- CLASS 72-91/SALOON 76-85/SL COUPE 72-85	FRONT	Diameter:278 mm Brake Disc Thickness:12.6 mm Minimum Thickness:10.6 mm Centering Diameter:80 mm Height:63.3 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	1144210012, 1154211412, 1234200072, 1234210012, A1144210012, A1154211412, A1234200072
BD4413 DF4513	CHRYSLER CROSSFIRE 03- 08;MERCEDES BENZ C-CLASS 93- 11/CLK 97-10/E-CLASS 95-03/SLK 96-11	REAR	Diameter:277.9 mm Brake Disc Thickness:9.1 mm Minimum Thickness:7.4 mm Centering Diameter:67.1 mm Height:55.6 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	5098065AA, 5098066AA, 2034230012, 2034230112, 2104230412, 2104230912
BD4414 DDF1220C	MERCEDES BENZ A-CLASS 04-12/B- CLASS 05-11	FRONT	Diameter:276 mm Brake Disc Thickness:22 mm Minimum Thickness:19.4 mm Centering Diameter:67 mm Height:44.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	169-421-0112, 169-421-0812, 92131903
BD4415 DF6534	DACIA LOGAN 12-/SANDERO II 12- ;RENAULT CLIO IV 12-/LOGAN II ESTATE 13-/LOGAN/STEPWAY II 12-/SANDERO/STEPWAY II 13- ;SMART FORFOUR HATCHBACK 14-	FRONT	Diameter:258 mm Brake Disc Thickness:22 mm Minimum Thickness:19.8 mm Centering Diameter:61 mm Height:44 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	402063149R, 402062212R, 402063149R, 402066839R, 402067615R, 4534200100
BD4416 FCR229A	MERCEDES BENZ G-CLASS 79- /SPRINTER 95-06;VOLKSWAGEN LT 96-06	REAR	Diameter:272 mm Brake Disc Thickness:16 mm Minimum Thickness:14 mm Centering Diameter:85 mm Height:96.7 mm Number Of Holes:5 Pitch Circle Diameter:130 mm Solid Or Vented:S	902-423-0112, 902-423-0312, 902-423-0412, 902-423-0512

BD4417 DF4863S	MERCEDES BENZ C-CLASS 07-14/E- CLASS 09-	FRONT	Diameter:295 mm Brake Disc Thickness:28 mm Minimum Thickness:25.4 mm Centering Diameter:67 mm Height:64.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	204-421-0712, 204-421-2512, 212-421-1312
BD4418 DF1586	MERCEDES BENZ S-CLASS 79-91	FRONT	Diameter:300 mm Brake Disc Thickness:28 mm Minimum Thickness:25.4 mm Centering Diameter:80 mm Height:68.3 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	126-421-0412, 126-421-0512, 360406005700
BD4419 DF2653BP	MERCEDES BENZ C-CLASS 93-00	REAR	Diameter:258 mm Brake Disc Thickness:9 mm Minimum Thickness:7.3 mm Centering Diameter:67 mm Height:55.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	202-423-0012, 201-423-0912, 201-423-1112, 201-423-1212
BD4420 DF1585	MERCEDES BENZ 0 82-93/COUPE 87-93/E-CLASS 93-98/KOMBI T- MODEL 85-93/SALOON 84-93/SL 71-89	FRONT	Diameter:284 mm Brake Disc Thickness:22 mm Minimum Thickness:19.4 mm Centering Diameter:67 mm Height:43.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	129-421-0312, 124-421-1612, 124-421-2712
BD4421 DDF819	CHRYSLER CROSSFIRE 03- 08;MERCEDES BENZ C-CLASS 93- 11/CLC-CLASS 08-11/CLK 97-10/E- CLASS 95-03/SLK 96-11	REAR	Diameter:277.9 mm Brake Disc Thickness:9.1 mm Minimum Thickness:7.4 mm Centering Diameter:67.1 mm Height:55.6 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	203-423-0112, 203-423-0012, 210-423-0412, 210-423-0912, 124-423-0412, 124-423-0512
BD4422 DF1583	MERCEDES BENZ 0 82-93/COUPE 87-93/E-CLASS 93-97/SALOON 84- 93	REAR	Diameter:258 mm Brake Disc Thickness:9 mm Minimum Thickness:7.3 mm Centering Diameter:67 mm Height:55.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	2014230912, 2014231112, 2014231212, A2014230912, A2014231112, A2014231212
BD4423 DF4035	MERCEDES BENZ A-CLASS 97-04	FRONT	Diameter:260 mm Brake Disc Thickness:22 mm Minimum Thickness:19.4 mm Centering Diameter:67 mm Height:40.4 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	1684210212, 1684210812, A1684210212, A1684210812

BD4424 92131500	MERCEDES BENZ SPRINTER 95- ,SPRINTER 2-T 95-06/SPRINTER 3-T 95-06/SPRINTER 4-T 95-06/SPRINTER 5T 01-06/SPRINTER DUMPTRUCK 01- /VARIO 96-;VOLKSWAGEN LT 28-35 II/LT 28-46 II/LT 28-46 II 96- 06	FRONT	Diameter:275.6 mm Brake Disc Thickness:22.1 mm Minimum Thickness:19 mm Centering Diameter:85.1 mm Height:77 mm Number Of Holes:5 Pitch Circle Diameter:130 mm Solid Or Vented:V	901-421-0312, 902-421-0312, 902-421-0612, 902-421-0912
BD4425 93123400	MERCEDES BENZ VIANO 03-/VITO 03-	FRONT	Diameter:300 mm Brake Disc Thickness:28 mm Minimum Thickness:25 mm Centering Diameter:67 mm Height:58.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	447-421-0512, 639-421-0012, 639-421-0212, 639-421-0312
BD4426 PRT1676	MERCEDES BENZ CABRIOLET 91- 93/COUPE 87-93/E-CLASS 93- 98/KOMBI T-MODEL 85- 93/SALOON 84-93	REAR	Diameter:277.9 mm Brake Disc Thickness:9.1 mm Minimum Thickness:7.4 mm Centering Diameter:67.1 mm Height:53.6 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	124-423-0512, 210-423-0412, 203-423-0012
BD4427 DDF1582	MERCEDES BENZ C-CLASS 00- 11/SLK 04-11	FRONT	Diameter:330 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Centering Diameter:67 mm Height:46.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	2034211312, A2034211312
BD4428 DDF1689	MERCEDES BENZ C SERIES 07-	REAR	Diameter:278 mm Brake Disc Thickness:9 mm Minimum Thickness:7.3 mm Centering Diameter:67 mm Height:57.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	0004231312, 2044230512, A0004231312, A2044230512
BD4429 DDF181C	MERCEDES BENZ 190 82- 93/COUPE 87-93/E-CLASS 93- 98/KOMBI T-MODEL 85- 93/SALOON 84-93/SL 71-89	FRONT	Diameter:284 mm Brake Disc Thickness:22 mm Minimum Thickness:19.4 mm Centering Diameter:67 mm Height:43.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	124-421-1612, 124-421-2712, 129-421-0312
BD4430 562149J	MERCEDES BENZ A-CLASS 97- 04/VANEO 02-05	REAR	Diameter:258 mm Brake Disc Thickness:8 mm Minimum Thickness:7 mm Centering Diameter:67 mm Height:55.3 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:S	168-423-0212, DDF1362

BD4431 54059	MERCEDES BENZ C-CLASS 00-11/CLC-CLASS 08-11/CLK 02-10	FRONT	Diameter:288 mm Brake Disc Thickness:25 mm Minimum Thickness:22.4 mm Centering Diameter:67 mm Height:46.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:V	203-421-0312 210-421-0712 210-421-2412
BD4432 DSK 721	MERCEDES-BENZ VITO BUS 96-03/V-CLASS 96-03	REAR	Diameter [mm]:280 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:8 Height [mm]:65 Rim Hole Number:5 Brake Disc Type:Solid	BT8298, 638 423 01 12
BD4433 DSK 682	MERCEDES-BENZ VITO BUS 96-03/V-CLASS 96-03	FRONT	Diameter [mm]:276 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:19 Height [mm]:60 Rim Hole Number:5 Brake Disc Type:Vented	BT8302, 638 421 01 12
BD4434 561332B	MERCEDES-BENZ COUPE 87-93/SALOON 84-93/KOMBI ESTATE 85-93/E-CLASS 93-96	FRONT	Diameter [mm]:284 Brake Disc Thickness [mm]:12 Minimum thickness [mm]:10 Height [mm]:46,5 Rim Hole Number:5 Brake Disc Type:Solid	DR6149, 124 421 13 12
BD4435 562213B	MERCEDES-BENZ E-CLASS 02-/E-CLASS T-MODEL 03-	REAR	Diameter [mm]:300 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:9 Height [mm]:68 Rim Hole Number:5 Brake Disc Type:Solid	DR6172, 0004231012, 211 423 07 12
BD4436 478 061D	MERCEDES-BENZ S-CLASS 79-91/SL 71-89	FRONT	Diameter [mm]:278 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:19,4 Height [mm]:68,5 Rim Hole Number:5 Brake Disc Type:Vented	DR6774, 126 420 00 05, 126 420 01 72, 126 421 00 12
BD4437 422132	MERCEDES-BENZ C-CLASS 93-07	FRONT	Diameter [mm]:284 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:19,4 Height [mm]:43,5 Rim Hole Number:5 Brake Disc Type:Vented	DR6813, 202 421 07 12, 202 421 09 12
BD4438 562245BC	MERCEDES-BENZ A-CLASS 94-04	FRONT	Diameter [mm]:276 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:19,4 Height [mm]:35,5 Rim Hole Number:5 Brake Disc Type:Vented	DR6895, 168 421 06 12, 1684210712

BD4439 561571B	MERCEDES-BENZ SALOON 84- 93/S-CLASS 91-98	FRONT	Diameter [mm]:310 Brake Disc Thickness [mm]:28 Minimum thickness [mm]:25,4 Height [mm]:82 Rim Hole Number:5 Brake Disc Type:Vented	140 421 03 12, 24.0128-0127.1, DI955161
BD4440 A0004211112	MERCEDES BENZ C-CLASS 07-/E- CLASS 09-	FRONT	Diameter:322 mm Brake Disc Thickness:32 mm Minimum Thickness:30 mm Centering Diameter:67 mm Height:64.5 mm Number Of Holes:5 Pitch Circle Diameter:112 mm Solid Or Vented:P/V	0004211112, 0004213012, 2044211012, A0004213012, A2044211012, 986479408, DF4862S,92163403
BD4441 VKBD1018	MERCEDES-BENZ CITAN 12 - ;RENAULT KANGOO / GRAND KANGOO/KANGOO BE BOP/KANGOO 08-	REAR	Rim Hole Number: 5 Diameter: 274 mm Width: 48 mm Height: 88,2 mm Brake Disc Thickness: 11 mm Inner diameter: 30 mm Outer diameter: 62 mm	VKBD 1018, DF6043BS, 8200381148
BD4601 34004DS	BMW 3 90-05/3 COMPACT 94-05/3 CONVERTIBLE 93-07/3 COUPE 92- 06/3 TOURING 95-05/23 COUPE 97- 03/23 ROADSTER 95-03/24 ROADSTER 03-09	FRONT	Height:51.5 mm Diameter:286 mm Centering Diameter:79 mm Pitch Circle Diameter:120 mm Brake Disc Thickness:22 mm Minimum Thickness:20.4 mm Number Of Holes:5 Solid Or Vented:V	34111160674,18A977, 34116855153,34004, 34116864060,DSK918, 24032201151
BD4602 34007DS	BMW 3 90-05/3 COMPACT 01-05/3 CONVERTIBLE 93-99/3 COUPE 92-06/ TOURING 95-99/24 ROADSTER 03-09	REAR	Height:60 mm Diameter:280 mm Centering Diameter:75 mm Pitch Circle Diameter:120 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Number Of Holes:5 Solid Or Vented:S	34211158936,18A1118, 34211162289,18A607, 34211165457,34007, 34216864051,DSK536, 24011002021
BD4603 34161DS	BMW 5 95-03/5 TOURING 96-04	FRONT	Height:76.3 mm Diameter:296 mm Centering Diameter:79 mm Pitch Circle Diameter:120 mm Brake Disc Thickness:22 mm Minimum Thickness:20.4 mm Number Of Holes:5 Solid Or Vented:V	34111163013,16332, 34111163081, C3B012ABE,AC2406D, 34111164839,34161, 34116767061
BD4604 34228DS	BMW 3 SERIES 90-07	REAR	Height:60.3 mm Diameter:276 mm Centering Diameter:75 mm Pitch Circle Diameter:120 mm Brake Disc Thickness:19 mm Minimum Thickness:17.4 mm Number Of Holes:5 Solid Or Vented:V	34211162315,16339, 34211165211,18A1617, 34216855155,34228, 34216864903,DSK681, 24011901071

BD4605 34231DS	MINI MINI 01-06/MINI CONVERTIBLE 04-07	FRONT	Height:44.2 mm Diameter:276 mm Centering Diameter:64.2 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:22 mm Minimum Thickness:20.4 mm Number Of Holes:4 Solid Or Vented:V	34111502891,18A1612, 34116774984,34231, 24220,DSK2060, 24012202041
BD4606 34232DS	MINI CLUBMAN 06-14/MINI 01- 13/MINI CLUBVAN 12-14/MINI CONVERTIBLE 04-15/MINI COUPE 10- 15/MINI ROADSTER 11-15	REAR	Height:44.1 mm Diameter:259 mm Centering Diameter:64.2 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Number Of Holes:4 Solid Or Vented:S	34211503070,18A2623, 34216774987,34232, 24011002711,145446, DSK2063,0986478601
BD4607 92055600	BMW 3 90-05/3 COMPACT 94- 05/3 CONVERTIBLE 93-07/3 COUPE91-06/3 TOURING 94-05/Z3 COUPE 97-03/Z3 ROADSTER 95- 03/Z4 ROADSTER 03-09	FRONT	Diameter:286 mm Brake Disc Thickness:22 mm Minimum Thickness:20.4 mm Centering Diameter:79 mm Height:51.5 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34-11-1-162-282, 34-11-1-164-431, 34-11-1-165-455, 34-11-6-794-301, 34-11-6-855-153, 34-11-6-864-060
BD4608 DDF1507	BMW 1 06-11/3 04-11/3 CONVERTIBLE 06-13/3 COUPE 05- 13	REAR	Diameter:300 mm Brake Disc Thickness:20 mm Minimum Thickness:18.4 mm Centering Diameter:75 mm Height:66 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34-21-6-764-651, 34-21-6-855-007, 0 986 AB6 412
BD4609 DF4459	BMW 1 06-13/1 CONVERTIBLE 08- 13/1 COUPE 06-13/3 04-11/3 CONVERTIBLE 06-13/3 COUPE 05- 13/3 TOURING 04-12/Z4 ROADSTER 09-	FRONT	Diameter:300 mm Brake Disc Thickness:24 mm Minimum Thickness:22.4 mm Centering Diameter:79 mm Height:73.3 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34-11-6-772-669, 34-11-6-764-643, 34-11-6-854-998, 34-11-6-783-752
BD4610 DF2767	BMW 3 90-05/3 COMPACT 01- 05/3 CONVERTIBLE 93-07/3 COUPE 91-06/3 TOURING 94-05	REAR	Diameter:276 mm Brake Disc Thickness:19 mm Minimum Thickness:17.4 mm Centering Diameter:75 mm Height:60.3 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34-21-1-165-211, 34-21-1-162-315, 34-21-6-855-155, 0 986 478 642
BD4611 DF4449	BMW 1 06-13/1 CONVERTIBLE 08- 13/1 COUPE 06-13/3 04-11	FRONT	Diameter:292 mm Brake Disc Thickness:22 mm Minimum Thickness:20.4 mm Centering Diameter:79 mm Height:73.3 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34-11-6-764-641, 34-11-6-854-997, 0 986 479 214, DDF1229

BD4612 DF2550	BMW 3 82-94/Z1 ROADSTER88-91	FRONT	Diameter:260 mm Brake Disc Thickness:22 mm Minimum Thickness:20.4 mm Centering Diameter:66 mm Height:35 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	34-11-1-154-750, 34-11-1-154-749, 34-11-1-160-915
BD4613 DR6366	BMW 318I/328I/E36 92-	REAR	brake rotor	34-21-1-160-983
BD4614 DF4451	BMW 1 06-13/3 04-13	REAR	Diameter:296 mm Brake Disc Thickness:10.4 mm Minimum Thickness:8.9 mm Centering Diameter:75 mm Height:65.5 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:S	34-21-6-764-649, 34-21-6-769-271, 34-21-6-855-002
BD4615 92055503	BMW 3 90-00/Z3 ROADSTER 95-03	FRONT	Diameter:286 mm Brake Disc Thickness:12 mm Minimum Thickness:10.4 mm Centering Diameter:79 mm Height:51.5 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:S	34-11-6-757-750, 34-11-1-160-673, 34-11-6-757-751
BD4616 DF4055	BMW 3 98-07/Z3 95-03/Z4 ROADSTE 03-09	FRONT	Diameter:300 mm Brake Disc Thickness:22 mm Minimum Thickness:20.4 mm Centering Diameter:79 mm Height:51.8 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34-11-6-855-152, 0 986 478 571, DRF1066, DF4055
BD4617 DF4198	MINI MINI 01-15	REAR	Diameter:259 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Centering Diameter:64.2 mm Height:44.1 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	34-21-1-503-070, 0 986 478 601, 08.9163.11, 92107600
BD4618 DF1569	BMW 3 82-92	FRONT	Diameter:260 mm Brake Disc Thickness:12.7 mm Minimum Thickness:11.1 mm Centering Diameter:66 mm Height:35 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	34111154747, 34116752434, 24111301671

BD4619 DDF1271	BMW X3 03-11	FRONT	Diameter:325 mm Brake Disc Thickness:25 mm Minimum Thickness:23.4 mm Centering Diameter:75 mm Height:62.2 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34-11-3-400-151, 0 986 479 348, DF4392S,92141500
BD4620 DF4448	BMW 1 06-11	REAR	Diameter:280 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Centering Diameter:75 mm Height:65.5 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:S	34-21-6-855-001, 34-21-6-764-647, 351068050500 , 3155233063
BD4621 DF6143S	BMW 1 10-/3 11-/4 13-	FRONT	Diameter:300 mm Brake Disc Thickness:22 mm Minimum Thickness:20.4 mm Centering Diameter:79 mm Height:73 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34-11-6-792-217, 24.0122-0278.1 , 0 986 479 A18 , 92238503
BD4622 DF1561	BMW 3 75-94	REAR	Diameter:258 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Centering Diameter:62 mm Height:60 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	34211119581, 34211122282, 34216755407, 34216755408
BD4623 DF4069	BMW 3 SERIES 98-07	REAR	Diameter:294 mm Brake Disc Thickness:18.9 mm Minimum Thickness:17.4 mm Centering Diameter:75 mm Height:59.7 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34-21-6-855-154, 34-21-1-165-563, 34-21-6-864-056
BD4624 DF4447	BMW 1 06-/2 12-	FRONT	Diameter:284 mm Brake Disc Thickness:22 mm Minimum Thickness:20.4 mm Centering Diameter:79 mm Height:73.3 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34-11-6-764-629, 34-11-6-854-996 , 34-11-6-792-215
BD4625DF4807S	BMW 1 SERIES 10-/2 COUPE 12-/3 SERIES 04-/4 SERIES 13-/X1 09-	FRONT	Diameter:312 mm Brake Disc Thickness:24 mm Minimum Thickness:22.4 mm Centering Diameter:79 mm Height:73.7 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34116774875, 34116783755, 34116792219, 34116855006, 34116855659, 34116855692

BD4626 DF4388	BMW X3 03-11	REAR	Diameter:320 mm Brake Disc Thickness:22 mm Minimum Thickness:20.4 mm Centering Diameter:75 mm Height:79.7 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34-21-3-332-217, 562327B, 0986479166, 980399
BD4627 DF4802	BMW 1 06-13/3 04-13/X1 09-	REAR	Diameter:300 mm Brake Disc Thickness:20 mm Minimum Thickness:18.4 mm Centering Diameter:75 mm Height:66 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34-21-6-764-653, 34-21-6-864-901, 34-21-6-855-008
BD4628 DF2556	BMW 5 87-97/7 86-94	FRONT	Diameter:302 mm Brake Disc Thickness:22 mm Minimum Thickness:19.6 mm Centering Diameter:79 mm Height:76 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34111158040, 34111159897, 34111160849, 34111160936, 34116756534
BD4629 DF2556BP	BMW 5 87-97/7 86-94	FRONT	Diameter:302 mm Brake Disc Thickness:22 mm Minimum Thickness:19.6 mm Centering Diameter:79 mm Height:76 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34-11-1-160-936, 34-11-1-157-503, 34-11-1-159-897
BD4630 DF4197	MINI MINI 01-07	FRONT	Diameter:276 mm Brake Disc Thickness:22 mm Minimum Thickness:20.4 mm Centering Diameter:64.2 mm Height:44.2 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	34111502891, 24.1122-0204.1, 0 986 478 606, DRF1127
BD4631 DF4189	BMW X5 00-07	REAR	Diameter:324 mm Brake Disc Thickness:12 mm Minimum Thickness:10.4 mm Centering Diameter:75 mm Height:80.2 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:S	34211164911, 34216765458, 34216794299, 34216859678
BD4632 DF4212	BMW 3 98-07	REAR	Diameter:320 mm Brake Disc Thickness:22 mm Minimum Thickness:20.4 mm Centering Diameter:75 mm Height:60.5 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34-20-1-166-073, 34-21-6-855-157, DDF1280 , DS2914A01

BD4633 DF2557	BMW 5 87-97	REAR	Diameter:300 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Centering Diameter:75 mm Height:61 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:S	34211156668, 34211162305, 34216756537
BD4634 DF2783	ALPINA B10 96-04;BMW 5 95-04	REAR	Diameter:298 mm Brake Disc Thickness:20 mm Minimum Thickness:18.4 mm Centering Diameter:75 mm Height:61 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34-11-1-164-840, 34-11-1-163-153, 34-11-1-164-175, 34-21-6-767-060
BD4635 DF4460	BMW 1 06-13/3 04-13/X1 09-15	FRONT	Diameter:330 mm Brake Disc Thickness:24 mm Minimum Thickness:22.4 mm Centering Diameter:79 mm Height:73.3 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34116764645, 34116854999, 54378,V711, 980484,697510, 92137800,DF4460, DF4460S,BD180116, YH20346
BD4636 DF2552	BMW 7 77-88	REAR	Diameter:284 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Centering Diameter:75 mm Height:68 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:S	34211152221, 34211163149, 34211163150
BD4637 DF4854S	BMW X5 06-18/X6 07-14	REAR	Diameter:320 mm Brake Disc Thickness:20 mm Minimum Thickness:18.4 mm Centering Diameter:75 mm Height:78.5 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34216771970, 34216793247, 34216868940
BD4638 DF2769	BMW 5 95-04	FRONT	Diameter:296 mm Brake Disc Thickness:22 mm Minimum Thickness:20.4 mm Centering Diameter:79 mm Height:76.3 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34-11-1-164-839, 34-11-1-163-013, 34-11-1-163-081, 34-11-6-767-061
BD4639 18134	BMW 1 10-	REAR	Diameter:290 mm Brake Disc Thickness:11 mm Minimum Thickness:9.4 mm Centering Diameter:75 mm Height:66 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:S	18134, 562905BC, 34216792225, BS9054, 34-21-6-792-225, 6145000

BD4640 436104	BMW X5 00-06	FRONT	Diameter [mm]:356 Brake Disc Thickness [mm]:36 Minimum thickness [mm]:34,4 Height [mm]:62,2 Rim Hole Number:5 Brake Disc Type:Vented	34 11 6 756 847, 24.0136-0104.1, D1956474S
BD4641 562355B	BMW X5 00-06	REAR	Diameter [mm]:324 Brake Disc Thickness [mm]:20 Minimum thickness [mm]:18 Height [mm]:80,3 Rim Hole Number:5 Brake Disc Type:Vented	34 21 6 756 849, 24.0120-0191.1
BD4642 DSK 2499	MINI MINI 01-/MINI CLUBMAN 07-	FRONT	Diameter [mm]:294 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:20 Height [mm]:44,3 Rim Hole Number:4 Brake Disc Type:Vented	DR6092, 34116858652, 34 11 6 774 986
BD4643 DDF1174	BMW 3 98-07/Z4 03-09	FRONT	Diameter:325 mm Brake Disc Thickness:24.9 mm Minimum Thickness:23.4 mm Centering Diameter:79 mm Height:52.6 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	34-10-1-166-07, 34-11-6-769-305, 34-11-6-855-156, 34-11-6-864-047
BD4644 428101	BMW 5 87-97/7 86-94	FRONT	Diameter [mm]:302 Brake Disc Thickness [mm]:28 Minimum thickness [mm]:26,4 Height [mm]:76 Rim Hole Number:5 Brake Disc Type:Vented	DR6363, 34111155322, 34 11 1 157 391, 34 11 1 158 038, 34 11 6 756 090
BD4645 561186B	ALPINA B6 78-83;BMW 5 80-87	FRONT	Diameter [mm]:284 Brake Disc Thickness [mm]:21,9 Minimum thickness [mm]:20,4 Height [mm]:76 Rim Hole Number:5 Brake Disc Type:Vented	34111151656, 34111151655, 34 11 1 151 655, 34 11 1 163 136, 34 11 1 151 656
BD4646 561122B	BMW 5 72-81	FRONT	Diameter [mm]:280 Brake Disc Thickness [mm]:12,6 Minimum thickness [mm]:11,1 Height [mm]:78 Rim Hole Number:5 Brake Disc Type:Solid	34 11 1 116 947, 34 11 1 152 295, 34 11 1 156 124, 34 11 1 156 128
BD4647 0 986 478 320	BMW 7 86-94	REAR	Diameter [mm]:300 Brake Disc Thickness [mm]:19,9 Minimum thickness [mm]:18,4 Height [mm]:68,5 Rim Hole Number:5 Brake Disc Type:Vented	34 21 1 162 967, 34 21 1 163 138, 34 21 1 155 501
BD4648 DR7149	BMW 3 11-/4 13-	REAR	Diameter [mm]:330 Brake Disc Thickness [mm]:20 Minimum thickness [mm]:18,4 Height [mm]:66 Rim Hole Number:5 Brake Disc Type:Vented	DR7149, 34216864899, 34216792233

BD4649 5118	ALPINA B6 78-83;BMW 5 80-87/6 76-90	REAR	Diameter:284 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Centering Diameter:75.2 mm Height:61 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:S	34211121387, 34211152571, 34 21 1 162 968, 34 21 1 121 387, 24.1110-0174.1, 561162B,478 044D
BD4801 55039DS	BUICK CENTURY 99-02/GL8 I MPV 00- 16/LACROSSE 06-09/REGAL I 02- 08;CHEVROLET TRANS SPORT 96- 05;OPEL SINTRA 96-99;PONTIAC TRANS SPORT 97-99;VAUXHALL SINTRA 96-99	REAR	Height:50.2 mm Diameter:278 mm Centering Diameter:70.7 mm Pitch Circle Diameter:117.8 mm Brake Disc Thickness:11 mm Minimum Thickness:9 mm Number Of Holes:5 Solid Or Vented:S	569107,0569107, 569110,9195294, 18021354,18060232, 90542180
BD4802 55179DS	BUICK REGAL II 08-;OPEL INSIGNIA A 08-17/INSIGNIA A SALOON 08- 17/INSIGNIA A SPORTS TOURER 08- 17;SAAB 9-5 10-12	REAR	Diameter:315 mm Brake Disc Thickness:23 mm Minimum Thickness:21.5 mm Centering Diameter:67.4 mm Height:48 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	569062,0569062,56912 8,13501290,13501303, 13501314,13502199
BD4803 9127967	OPEL COMBO SERIES 01-/CORSA SERIES 00-12/MERIVA A MPV 03- 10/TIGRA TWINTOP 04-10;VAUXHALL COMBO MK II BOX BODY / ESTATE 01- 12/CORSA MK II 00-06/CORSAVAN MK II 00-06/MERIVA MK I 03- 10/TIGRA TWINTOP 04-09	FRONT	Diameter:260 mm Brake Disc Thickness:24 mm Minimum Thickness:21 mm Centering Diameter:60 mm Height:41 mm Number Of Holes:6 Pitch Circle Diameter:100 mm Solid Or Vented:V	24796,24.0124-0166.1, 562196B,0 986 478 730, BS 8422,09.8601.75, DI956124,BG3569C, DDF1131,562196J, 1815209903
BD4804 17710	FIAT GRANDE PUNTO 05-;OPEL CORSA D 06-14;VAUXHALL CORSA MK III 06-14	FRONT	Diameter:257 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:60 mm Height:40.5 mm Number Of Holes:6 Pitch Circle Diameter:100 mm Solid Or Vented:V	93197241, 93188917, 569065,17710
BD4805 AC2514D	OPEL COMBO SERIES 01-/CORSA C SERIES 00-12/MERIVA A MPV 03- 10/TIGRA TWINTOP 04- 10;VAUXHALL/COMBO MK II SERIES 00-12/CORSAVAN MK II 00- 06/MERIVA MK I 03-10/TIGRA TWINTOP 04-09	FRONT	Diameter:260 mm Brake Disc Thickness:24 mm Minimum Thickness:21 mm Centering Diameter:60 mm Height:41 mm Number Of Holes:6 Pitch Circle Diameter:100 mm Solid Or Vented:V	9127967, 569000, 0 986 478 730 , 24.0124-0166.1
BD4806 DF7475	OPEL ASTRA J SERIES 09- ;VAUXHALL ASTRA MK VI SERIES 09-;CHEVROLET AVEO SERIES 11- /CRUZE SERIES 09-	FRONT	Diameter:276 mm Brake Disc Thickness:26 mm Minimum Thickness:23 mm Centering Diameter:60 mm Height:45.5 mm Number Of Holes:5 Pitch Circle Diameter:105 mm Solid Or Vented:V	13502045, 13502044, 569069, 569073

BD4807 DF7923	BUICK EXCELLE 10-17;CHEVROLET CRUZE 09-/ORLANDO 10-/VOLT 11-;OPEL AMPERA 11-15/ASTRA J 09-/ZAFIRA TOURER C 11-VAUXHALL AMPERA 12-/ASTRA MK VI 09-/ZAFIRA MK III 11-18	FRONT	Diameter:300 mm Brake Disc Thickness:26 mm Minimum Thickness:23 mm Centering Diameter:70.7 mm Height:45.5 mm Number Of Holes:5 Pitch Circle Diameter:115 mm Solid Or Vented:V	13502051,13502052, 13503988,13502051, 13502052,13503988, 569070,569076, 569082,13502051, 13502052,13503988
BD4808 DF4051	OPEL ASTRA SERIES 98-14/COMBO SERIES 01-/MERIVA A MPV 03-10/ZAFIRA SERIES 99-15;VAUXHALL ASTRA MK SERIES 98-10/ASTRAVAN MK IV 93-06/MERIVA MK I 03-10/ZAFIRA MK SERIES 98-14	REAR	Diameter:264 mm Brake Disc Thickness:9.8 mm Minimum Thickness:8 mm Centering Diameter:65.5 mm Height:42 mm Number Of Holes:5 Pitch Circle Diameter:110 mm Solid Or Vented:S	569109, 9117772, 90575113, 9117772
BD4809 DF4042	OPEL ASTRA SERIES 98-09/ZAFIRA A MPV 99-05;VAUXHALL ASTRA MK SERIES 98-05/ASTRAVAN MK IV 93-06	FRONT	Diameter:256 mm Brake Disc Thickness:23.8 mm Minimum Thickness:21 mm Centering Diameter:60 mm Height:41.1 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	9117677, 90497879, 569059
BD4810 DF1608	OPEL ASCONA C 81-88/ASTRA F 91-05/CORSA 82-02/KADETT 79-94/VECTRA A 88-95;VAUXHALL ASTRA 79-98/CAVALIER MK 81-95/CORSA MK I 92-00/CORSAVAN MK I 94-00/NOVA 83-93/NOVAVAN 90-94	FRONT	Diameter:236 mm Brake Disc Thickness:12.7 mm Minimum Thickness:9.7 mm Centering Diameter:60 mm Height:41 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	90111242, 569030, 93182290, 90008005, 90111242
BD4811 DF4050	OPEL ASTRA SERIES 98-14/MERIVA A MPV 03-10;VAUXHALL ASTRA MK SERIES 98-10/MERIVA MK I 03-10	REAR	Diameter:240 mm Brake Disc Thickness:9.8 mm Minimum Thickness:8 mm Centering Diameter:57 mm Height:42 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	569108, 569111, 9117771, 9196587, 90498304
BD4812 DF4318	OPEL COMBO 94-/MERIVA A MPV 03-10;VAUXHALL COMBO MK II BOX BODY / ESTATE 01-12/MERIVA MK I 03-10	FRONT	Diameter:280 mm Brake Disc Thickness:25 mm Minimum Thickness:22 mm Centering Diameter:60 mm Height:42 mm Number Of Holes:6 Pitch Circle Diameter:100 mm Solid Or Vented:V	93175376, 93181113, 93197712
BD4813 DF1601	OPEL ASCONA 70-81/KADETT 73-79/MANTA 70-88/REKORD 72-86;VAUXHALL CARLTON MK II 77-86/CAVALIER 75-88	FRONT	Diameter:246 mm Brake Disc Thickness:12.7 mm Minimum Thickness:9.7 mm Centering Diameter:73 mm Height:55.5 mm Number Of Holes:4 Pitch Circle Diameter:92 mm Solid Or Vented:S	569014, 569015, 569026, 90008001, 9280751

BD4814 92091900	OPEL ASTRA 98-14/COMBO BOX BODY / ESTATE 01-/CORSA 00-09-12/MERIVA A MPV 03-10/ZAFIRA 99-15;VAUXHALL ASTRA MK 98-10/CORSA MK II 00-06/MERIVA MK I 03-10/ZAFIRA MK I 98-14	FRONT	Diameter:280 mm Brake Disc Thickness:24.8 mm Minimum Thickness:22 mm Centering Diameter:70 mm Height:42 mm Number Of Holes:5 Pitch Circle Diameter:110 mm Solid Or Vented:V	9117678, 90539466, 569060, 569066
BD4815 DF6339	OPEL CORSA D 06-14;VAUXHALL CORSA MK III 06-14	REAR	Diameter:264 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:70 mm Height:40.5 mm Number Of Holes:5 Pitch Circle Diameter:110 mm Solid Or Vented:S	569418, 93190227
BD4816 92092100	OPEL ASTRA SERIES 98-14/COMBO SERIES 01-/MERIVA A MPV 03-10/ZAFIRA SERIES 99-15;VAUXHALL ASTRA MK SERIES 98-10/ASTRAVAN MK IV 93-06/MERIVA MK I 03-10/ZAFIRA MK SERIES 98-14	REAR	Diameter:264 mm Brake Disc Thickness:9.8 mm Minimum Thickness:8 mm Centering Diameter:65.5 mm Height:42 mm Number Of Holes:5 Pitch Circle Diameter:110 mm Solid Or Vented:S	90575113, 93188707, 569109, 360406039000
BD4817 DR6805	OPEL CALIBRA 93-	REAR Solid	Number of Stud Holes - 4 Outside Diameter - 260 Spigot Diameter - 57 Net Weight KG - 4.04 Height - 69.2 Th. Max - 9 Th. Min - 9	93592116, 903569206,DR6805
BD4818 DF7466	CHEVROLET CAPTIVA 06-;OPEL ANTARA 06-;VAUXHALL ANTARA 06-	FRONT	Diameter:296 mm Brake Disc Thickness:29 mm Minimum Thickness:27.5 mm Centering Diameter:70.7 mm Height:51.6 mm Number Of Holes:5 Pitch Circle Diameter:115 mm Solid Or Vented:V	20955857, 96625948, 4801850, 4808848, 96625948
BD4819 DF6340	BUICK ENCORE 10-;CHEVROLET CRUZE 09-/TRAX 14-;OPEL ASTRA 09-/MOKKA / MOKKA X 12-;VAUXHALL ASTRA MK VI 09-/MOKKA / MOKKA X 12-	REAR	Diameter:268 mm Brake Disc Thickness:12 mm Minimum Thickness:10 mm Centering Diameter:60 mm Height:45.1 mm Number Of Holes:5 Pitch Circle Diameter:105 mm Solid Or Vented:S	13502135,13502136, 13502864,13502134, 13502135,569072, 569074,13502134, 13502135
BD4820 DF6363	BUICK VERANO SALOON 11-/EXCELLE 10-17;CHEVROLET CRUZE 09-/ORLANDO 10-/VOLT 11-;HOLDEN ASTRA HATCHBACK,CASCADA CONVERTIBLE 14-/CRUZE 09-16/VOLT 11-13;OPEL AMPERA 11-15/ASTRA J 09-/CASCADA 13-/ZAFIRA TOURER C 11-;VAUXHALL AMPERA 12-/ASTRA MK 09-/CASCADA CONVERTIBLE 13-/ZAFIRA MK III 11-18	REAR	Diameter:292 mm Brake Disc Thickness:12 mm Minimum Thickness:10 mm Centering Diameter:70.7 mm Height:44.9 mm Number Of Holes:5 Pitch Circle Diameter:115 mm Solid Or Vented:S	13502139,13504280, 13502137,13502138, 569071, 569075, 569085,13502137, 13502138

BD4821 DDF1644	OPEL CORSA D 06-14;VAUXHALL CORSA MK III 06-14	FRONT	Diameter:278 mm Brake Disc Thickness:26 mm Minimum Thickness:23 mm Centering Diameter:70 mm Height:43.3 mm Number Of Holes:5 Pitch Circle Diameter:110 mm Solid Or Vented:V	5569026, 93188919,54564, 1815203660, 92156400, 812024164, DF4936,197149
BD4822 DDF1298	FIAT GRANDE PUNTO 05-;OPEL CORSA D 06-14;VAUXHALL CORSA MK III 06-14	FRONT	Diameter:284 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:60 mm Height:43.5 mm Number Of Holes:6 Pitch Circle Diameter:100 mm Solid Or Vented:V	5569025, 55700922, 55700923, 93188918
BD4823 DF4048	OPEL ASTRA 98-14/COMBO 01- /MERIVA A MPV 03-10/ZAFIRA 99- 15;VAUXHALL ASTRA MK 98- 10/CORSA MK II 00-06/MERIVA MK I 03-10/ZAFIRA MK 98-14	FRONT	Diameter:280 mm Brake Disc Thickness:24.8 mm Minimum Thickness:22 mm Centering Diameter:70 mm Height:42 mm Number Of Holes:5 Pitch Circle Diameter:110 mm Solid Or Vented:V	569060, 569066, 9117678, 90539466, 9117678, 93197592
BD4824 DF4344	OPEL ASTRA H TWINTOP 05- 10/COMBO TOUR 01-11/MERIVA A MPV 03-10;VAUXHALL ASTRA MK V 05-10/MERIVA MK I 03-10	REAR	Diameter:264 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:57 mm Height:42 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	569116, 93176548, 93176548
BD4825 DDF1872	BUICK ENCORE 12-/EXCELLE GT 10- 17;CHEVROLET CRUZE 09-/TRAX 14- ;OPEL ASTRA J 09-/MOKKA / MOKKA X 12-;VAUXHALL ASTRA MK VI 09- /MOKKA / MOKKA X 12-	REAR	Diameter:268 mm Brake Disc Thickness:12 mm Minimum Thickness:10 mm Centering Diameter:60 mm Height:45.1 mm Number Of Holes:5 Pitch Circle Diameter:105 mm Solid Or Vented:S	13502135, 13502134, 569072
BD4826 92145700	FIAT GRANDE PUNTO 05-;OPEL CORSA D 06-14;VAUXHALL CORSA MK III 06-14	FRONT	Diameter:257 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:60 mm Height:40.5 mm Number Of Holes:6 Pitch Circle Diameter:100 mm Solid Or Vented:V	93188917, 93197241, 569024, 569065
BD4827 ADG043127	CHEVROLET CAPTIVA 06-;OPEL ANTARA 06-;VAUXHALL ANTARA 06-	REAR	Diameter [mm]:303 Brake Disc Thickness [mm]:20 Minimum thickness [mm]:18 Height [mm]:71,7 Rim Hole Number:5 Brake Disc Type:Vented	96625873,20968395, 4801857,4804637, 96625873,20968395, 96625873,20968395

BD4828 562868BC	CHRYSLER 300 C 04-;LANCIA THEMA 11-;OPEL INSIGNIA 08-	FRONT	Diameter [mm]:345 Height [mm]:54,6 Weight [kg]:20,68 Brake Disc Type:Vented Brake Disc Thickness [mm]:28	4779197AE, 4779197AB, 4779197AC, 4779197AA, 4779197AD
BD4829 562315B	OPEL ASTRA 04-;VAUXHALL ASTRA 04-10	FRONT	Diameter [mm]:280 Brake Disc Thickness [mm]:25 Minimum thickness [mm]:23 Height [mm]:43,2 Rim Hole Number:4 Brake Disc Type:Vented	DR6514, 93181113, 93197712, 569007, 569067, 93181113, 93197712
BD4830 562240B	OPEL ASTRA 98-/CORSA 06-/MERIVA B 10-/ZAFIRA 05-;SAAB 9-5 97-09/9-3 98-03;VAUXHALL ASTRA 98-/MERIVA MK 03-/ZAFIRA MK II 05-/CORSA MK 06-	FRONT	Diameter [mm]:308 Height [mm]:40 Weight [kg]:16,84 Brake Disc Type:Vented Brake Disc Thickness [mm]:25	9194477, 9184405
BD4831 562290B	OPEL CORSA C 00-;VAUXHALL CORSA MK II 00-06/COMBO MK II 01-12	FRONT	Diameter [mm]:240 Brake Disc Thickness [mm]:20 Minimum thickness [mm]:17 Height [mm]:41,1 Rim Hole Number:4 Brake Disc Type:Vented	DR6636, 569021, 9195985
BD4832 524166	OPEL CORSA C 00-09/COMBO 01- /MERIVA 03-10/TIGRA TWINTOP 04- ;VAUXHALL CORSA 00-06/COMBO 01- 12/MERIVA MK I 03-10/TIGRA TWINTOP 04-09	FRONT	Diameter [mm]:260 Brake Disc Thickness [mm]:24 Minimum thickness [mm]:22 Height [mm]:41 Rim Hole Number:4 Brake Disc Type:Vented	DR6637, 569000, 9196050
BD4833 3419498	OPEL REKORD 82-	FRONT Solid	Number of Stud Holes - 5 Outside Diameter - 270.9 Spigot Diameter - 88.05 Height - 59.2 Th. Max - 11.6	3419498
BD4834 ADG043160	CHEVROLET CRUZE 09-/ORLANDO 10- /VOLT 11-;OPEL ASTRA J 09-/AMPERA 11-/ZAFIRA TOURER C 11-/CASCADA 13-;VAUXHALL ASTRA 05-/AMPERA 12-/ZAFIRA MK III 11-/CASCADA 13-	REAR	Diameter [mm]:292 Brake Disc Thickness [mm]:12 Minimum thickness [mm]:10 Height [mm]:45,6 Rim Hole Number:5 Brake Disc Type:Solid	13502139, 13504280, 569075, 569085, 13502137, 13502139, 13502138, 569071, 13502138, 13502137, 13504280
BD4835 DSK2754	CHEVROLET CRUZE 09-/ORLANDO 10-/VOLT 11-;OPEL ASTRA 09- /AMPERA 11-/ZAFIRA TOURER C 11-;VAUXHALL ASTRA 05- /AMPERA 12-/ZAFIRA MK III 11-	FRONT	Diameter [mm]:300 Brake Disc Thickness [mm]:26 Minimum thickness [mm]:23,4 Height [mm]:45,6 Rim Hole Number:5 Brake Disc Type:Vented	13502052, 13503988, 569070, 13502052, 569076, 569082, 13502051, 13502052, 13503988, 13502051
BD4836 562640BC	CHEVROLET CRUZE 09-/ORLANDO 10- /VOLT 11-;OPEL ASTRA 09-/AMPERA 11-/ZAFIRA TOURER C 11-/CASCADA 13-;VAUXHALL ASTRA 05-/AMPERA 12-/ZAFIRA MK III 11-/CASCADA 13-	REAR	Diameter [mm]:292 Brake Disc Thickness [mm]:12 Minimum thickness [mm]:10 Height [mm]:45,6 Rim Hole Number:5 Brake Disc Type:Solid	13502139, 13504280, 569075, 569085, 13502137, 13502139, 13502138, 569071, 13502138, 13502137,13504280

BD4837 DI956760	CHRYSLER 300 C 04-;LANCIA THEMA 11-;OPEL INSIGNIA 08-	REAR	Diameter [mm]:320 Height [mm]:67 Weight [kg]:16,92 Brake Disc Type:Vented Brake Disc Thickness [mm]:22	4779209AA, 4779209AC, 4779209AE, 4779209AB
BD4838 DK6095	OPEL CORSA C 88-;VAUXHALL CORSA 00-06;COMBO MK II 01-12	FRONT	Diameter [mm]:240 Brake Disc Thickness [mm]:20 Minimum thickness [mm]:17 Height [mm]:41,1 Rim Hole Number:4 Brake Disc Type:Vented	569021, 9195985, 24.0120-0174.1
BD4839 DSK 117	BEDFORD ASTRA VAN 82-84;CHEVROLET CORSA 94-02;OPEL KADETT 79-94/CORSA A 82-/ASTRA F 91-02/VECTRA A 88- 95;VAUXHALL CAVALIER 75-95/NOVA 83- 94/CORSA MK I 92-00/COMBO MK I 94- 01/ASTRA 84-98	FRONT	Diameter [mm]:236 Brake Disc Thickness [mm]:12,6 Minimum thickness [mm]:9,7 Height [mm]:41 Rim Hole Number:4 Brake Disc Type:Solid	90008005, 569030, 90111242, 90111242, 90008005
BD4840 510220	BUICK EXCELLE 10-17;CHEVROLET AVEO 11-/CRUZE 09-;OPEL ASTRA J 09-;VAUXHALL ASTRA MK VI 09-	FRONT	Diameter:276 mm Brake Disc Thickness:26 mm Minimum Thickness:23 mm Centering Diameter:60 mm Height:45.5 mm Number Of Holes:5 Pitch Circle Diameter:105 mm Solid Or Vented:V	569069,569073, 13502044,13502045, 13502824,DF7475, 24.0126-0165.1, 205013,TB219088, 297483
BD4841 VKBD0159	OPEL CORSA A 82 - 94/CORSA B 93 -02;VAUXHALL CORSA MK I 92- 00/NOVA 83 - 93	REAR	Diameter: 228 mm Width: 84 mm Inner diameter: 200 mm Number of Holes: 4 with integrated wheel bearing	DB4006, DB4006B, 4 18 117, 90007526
BD5001 DF2808	CITROEN BERLINGO / BERLINGO FIRST MPV 96-11/C-ELYSEE 12-	FRONT	Height : 27.2mm Diameter : 266mm Centering Diameter : 66mm Brake Disc Thickness : 13mm Min. thickness : 11mm Brake Disc Type : Solid Num. of holes : 4	4246-R4, 1608-691-680, 0 986 478 847, 92089100, DDF1000
BD5002 92111500	CITROEN BERLINGO / BERLINGO FIRST 96-11/C-ELYSEE 12-/C SERIES 02-/DS 3 09-15/XSARA 97-;PEUGEOT 1007 05- /08 13-/6 98-/7 06-/8 12-/301 12- /307 00-/PARTNER 08-	FRONT	Diameter:266 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:66 mm Height:34.2 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:V	4246-W7, 4249-G1, 4246-W1, 4249-15, 4249-16
BD5003 DF2781	PEUGEOT 406 95-05	REAR	Diameter:290.5 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Centering Diameter:71 mm Height:60 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:S	4246L7,DDF869, 4246T6,92080700, 4246T7

BD5004 DF4481S	CITROEN JUMPER BOX 94-02	REAR	Height : 82mm Diameter : 280mm Centering Diameter : 72mm Brake Disc Thickness : 16mm Bolt Hole Circle Diameter : 118mm Min. thickness : 14.2mm Brake Disc Type : Solid Hole Pitch / Number : 05/10	1606306680,4246G7,4246Y7,4246Y9,4249E6,4249L0,46833806,71740118,1606306680,4246G7,4246Y7,4246Y9,4249E6,4249L0
BD5005 DRF1140	CITROEN BERLINGO / BERLINGO FIRST 96-11/C-ELYSEE 12-/C SERIES 03-/DS 3 09-15/XSARA 97-;PEUGEOT 1007 05-/08 [13-/6 98-/7 06-]/8 12-/301 12-/307 00-/PARTNER 96-	FRONT	Diameter:266 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:66 mm Height:34.2 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:V	1613191380, 1629058880, 4246W1,424916, 424983,4249G1, 1613191380, 1629058880
BD5006 DF1217	CITROEN C15 84-06/SAXO 96-04/VISA 78-91/ZX 91-99;CITROEN FUKANG 92-07;PEUGEOT 106 91-04/5 83-00/6 HATCHBACK 98-/306 93-03/309 85-93/405 87-99;WULING DRAGON LZ PICKUP 98-	FRONT	Diameter:247 mm Brake Disc Thickness:10 mm Minimum Thickness:9 mm Centering Diameter:66 mm Height:34.2 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:S	4246-89, 4246-a5, 4249-95, 92029800
BD5007 DF1220	CITROEN BERLINGO / BERLINGO FIRST 96-11/BX 82-94/XANTIA 93-/ZX 91-99/C-TRIOMPHE 01-08 PEUGEOT 6 98-/305 II 82-90/306 93-03/405 87-99/PARTNER 96-15	FRONT	Diameter:266 mm Brake Disc Thickness:20.5 mm Minimum Thickness:18.5 mm Centering Diameter:66 mm Height:27.6 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:V	4246R5,4246W6, 4249F0,95632048, 95667809,424697, 4246B1,4246R3, 4246W5,4249F0
BD5008 DF4184	CITROEN BERLINGO / BERLINGO FIRST 96-11/C-ELYSEE 12-/C SERIES 02-/DS 3 09-15/XSARA 97-;PEUGEOT 1007 05-/08 13-/6 SERIES 98-/7 06-/8 12-/301 12-/307 00-/PARTNER 96-	FRONT	Diameter:266 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:66 mm Height:34.2 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:V	1613191380, 1629058880, 4246W1,424916, 424983,4249G1 3556159,1613191380, 1629058880
BD5009 4246-W1	CITROEN BERLINGO / BERLINGO FIRST 96-11/C-ELYSEE 12-/C SERIES 01-/DS 3 09-15/XSARA 97-;PEUGEOT 1007 05-/08 12-/6 98-/7 06-/301 12-/307 00-/PARTNER 96-	FRONT	Diameter:266 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:66 mm Height:34.2 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:V	1613191380, 1629058880, 4246W1,424916, 424983, 4249G1, 4249G1
BD5010 DRF244	CITROEN SAXO 96-04/XSARA 97-10/ZX 91-99;PEUGEOT 106 II 96-04/6 98-/306 93-03	REAR	Diameter:247 mm Brake Disc Thickness:8 mm Minimum Thickness:6 mm Centering Diameter:71.1 mm Height:25.3 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:S	4249F5, 95661749, 96012770

BD5011 DDF1140	CITROEN BERLINGO / BERLINGO FIRST 96-11/C-ELYSEE 12-/C SERIES 01/DS 3 09-15/XSARA 97- ;PEUGEOT 1007 05-/08 13-/6 CC 98-/7 06-/301 00-/PARTNER 96-1	FRONT	Diameter:266 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:66 mm Height:34.2 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:V	4246-w7, 4249-g1, 4249-15, 4249-83
BD5012 424138	CITRON JUMPER 94-;FIAT DUCATO 94-;PEUGEOT BOXER 94-	FRONT	Diameter [mm]:300 Brake Disc Thickness [mm]:24 Minimum thickness [mm]:21,9 Height [mm]:65,5 Rim Hole Number:5 Brake Disc Type:Vented	4249H9, 1607872280, 4246.K2, 4249.36, 4249H2, 4246.K3, 4246.Y3
BD5013 562130BC	CITRON BERLINGO 96-/XSARA PICASSO 99-/C SERIES 02- ;PEUGEOT PARTNER 96-/307 00- /1007 05-	REAR	Diameter [mm]:247 Brake Disc Thickness [mm]:9 Minimum thickness [mm]:8 Height [mm]:35,2 Rim Hole Number:4 Brake Disc Type:Solid	DR6184, 4246.X8, 424990, 4249.53, 4246.W9, E169198, 4249.52, E169198, 4246.W9, 424990
BD5014 561038B	PEUGEOT 305 II 82-90/504 68- 89/505 79-95/604 75-87;TALBOT TAGORA 80-87	FRONT	Diameter [mm]:273 Brake Disc Thickness [mm]:12,9 Minimum thickness [mm]:10,7 Height [mm]:43 Rim Hole Number:4 Brake Disc Type:Solid	DR6294, 4246.42, 4246.B2, 7851531000, 424642
BD5015 562128B	CITRON BERLINGO 96-/XSARA 97-/C SERIES 01-/DS3 09-/DS4 11-/C-ELYSEE 12-;PEUGEOT PARTNER 96-/6 98-/307 00-/1007 05-/7 06-/8 12-/301 12-/08 13-	FRONT	Diameter [mm]:266 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:20 Height [mm]:34 Rim Hole Number:4 Brake Disc Type:Vented	4246-W1, 4249-16, 4249-83, 4249-G1
BD5016 562373B	CITRON C SERIES 04-;PEUGEOT 307 00-	REAR	Diameter [mm]:249 Brake Disc Thickness [mm]:9 Minimum thickness [mm]:7,5 Height [mm]:67,5 Rim Hole Number:4 Brake Disc Type:Solid	DR6519, E169506, 4246.Z9, 4249.34, E169195, 4246.Z9, 4249.34
BD5017 DR6629	CITRON C4 II 09-/DS4 11- ;PEUGEOT 308 07-	REAR	Diameter [mm]:249 Brake Disc Thickness [mm]:9 Minimum thickness [mm]:8 Height [mm]:73,5 Rim Hole Number:4 Brake Disc Type:Solid	4249-65, 4249-66
BD5018 562178B	ALFA ROMEO MITO 08-;CITRON NEMO 08- ;FIAT PUNTO 99-/DOBLO 00-/STILO 01- 10/PANDA 03-/IDEA 03-/BRAVO II 06-/500 07-/LINEA 07-/FIORINO 07-/QUBO 08- ;LANCIA DEDRA 89-99/YPSILON 03- 11/MUSA 04-/YPSILON 11-;PEUGEOT BIPPER (AA_) 08-	FRONT	Diameter [mm]:257 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:20,2 Height [mm]:41 Rim Hole Number:4 Brake Disc Type:Vented	46401356, 46831041
BD5019 420132	CITRON ZX 91-98/AX 86-98/SAXO 96-04/XSARA 97-10;MEGA CLUB 92-99;PEUGEOT 106 I 91-96/5 83- 98/306 93-03/106 91-/6 98-	FRONT	Diameter [mm]:247 Brake Disc Thickness [mm]:20,5 Minimum thickness [mm]:18,5 Height [mm]:34,5 Rim Hole Number:4 Brake Disc Type:Vented	4246-94, 4246-A7, 4249-96

BD5020 562019B	CITRON XANTIA 93-03;PEUGEOT 406 95-05	FRONT	Diameter [mm]:283 Brake Disc Thickness [mm]:26 Minimum thickness [mm]:24 Height [mm]:28,2 Rim Hole Number:4 Brake Disc Type:Vented	DR6841, 4246.L8, 4246.NO, 4246.R7
BD5021 561409B	CITRON ZX 91-98/AX 86-98/SAXO 96-04/XSARA 97-10;MEGA CLUB 92-99;PEUGEOT 106 91-/5 83- 98/306 93-03/6 98-	FRONT	Diameter [mm]:247 Brake Disc Thickness [mm]:20,5 Minimum thickness [mm]:18,5 Height [mm]:34,5 Rim Hole Number:4 Brake Disc Type:Vented	DR6849, 95661474, 169003, 95661747, 91517695, 424996, 95661747, 4246.94, 4246.A7
BD5022 VKBD0124	CITROËN SAXO 96-04;PEUGEOT 106 II/206 96-12	REAR	Diameter: 212 mm Width: 80 mm Inner diameter: 180 mm Number of Holes: 4 with integrated wheel bearing	4247 35, 4247 44, 95 659 622, 4247 35, 4247 44
BD5023 VKBD0140	CITROËN XSARA 97 - 05/XSARA 98 - 05/ZX 91 - 97;PEUGEOT 306 93 - 02	REAR	Diameter: 212 mm Width: 81 mm Inner diameter: 180 mm Number of Holes: 4 with integrated wheel bearing	4247.32, 9478267980, 4247.32
BD5024 VKBD1017	CITROËN C4 II 09 -/DS4 11 - 15/DS 4 CROSSBACK 15 - 18;PEUGEOT 308 CC 09 -14/308 I 07 - 15/308 SW I 07 - 14	REAR	Rim Hole Number: 4 Diameter: 249 mm Height: 73,2 mm Brake Disc Thickness: 9 mm with integrated wheel bearing	VKBA 6549, VKBD 1016, VKBD 1017, 3748.94, 3748.94
BD5025 VKBD0122	CITROËN AX 86-98/SAXO 96- 04;PEUGEOT 106 II 96-04/106 VAN II 96-01	REAR	Diameter: 201 mm Width: 58 mm Inner diameter: 165 mm Number of Holes: 3 with integrated wheel bearing	0 986 477 118, VKBD 0122, VKBD 1328
BD5026 VKBD0125	CITROËN AX 91-96/CHANSON 96- 03/SAXO 96-03/PEUGEOT 106 91-	REAR	Diameter [mm] 212 Width (mm) 80 Inner diameter 180 Number of holes 4	VKBA 961, VKBD 0125
BD5027 VKBD0126	CITROEN SAXO 96-03	REAR	Width: 58mm Number of holes 1: 3 with integrated wheel bearing Diameter: 201mm	VKBD 0126,TO216020, 24.0216-5701.2, 841115
BD5028 VKBD0132	CITROËN SAXO 96-03;PEUGEOT 106 96-04	REAR	Diameter: 247 mm Width: 71,5 mm Inner diameter: 203 mm Number of Holes: 4 with integrated wheel bearing	VKBA 961, VKBD 0132

BD5029 VKBD0133	CITROËN SAXO 96-04;PEUGEOT 106 96-04/206 95-12	REAR	Diameter: 247 mm Width: 71,5 mm Inner diameter: 203 mm Number of Holes: 4 with integrated wheel bearing	VKBA 3556, VKBD 0133
BD5030 VKBD0138	PEUGEOT 205 83-98	REAR	Diameter: 212 mm Width: 73 mm Inner diameter: 180 mm Number of Holes: 4 with integrated wheel bearing	0 986 477 114, VKBA 961, VKBD 0138
BD5031 VKBD0141	CITROEN XSARA 97-05	REAR	Width : 81mm Num. of holes : 4 Supplementary Article/Info 2 : with integrated wheel bearing Ø : 212mm	VKBD 0141,24.0218- 0716.2, LKBD62091,841071
BD5032 VKBD0142	CITROËN XSARA 97-05/ZX 91- 97;PEUGEOT 306 93-02	REAR	Diameter: 247 mm Width: 81 mm Inner diameter: 203 mm Number of Holes: 4 with integrated wheel bearing	VKBA 961, VKBD 0142
BD5033 VKBD0143	CITROËN XSARA 97-05;PEUGEOT 306 93-02	REAR	Diameter: 247 mm Width: 81 mm Inner diameter: 203 mm Number of Holes: 4 with integrated wheel bearing	VKBA 3556, VKBD 0143
BD5034 VKBD1011	CITROËN C4 04-11/C4 I 04- 11;PEUGEOT 307 00-09	REAR	Rim Hole Number: 4 Diameter: 249 mm Height: 67,1 mm Brake Disc Thickness: 9 mm	4246.29,4249.34,VKBD 1011,BDC5425,BDC577 2,BG9021RS,BG9021RSC ,27201,KF159.48U,23- 0827,15329,61014.00
BD5035 VKBD1012	CITROËN C3 SERIES 09-/C4 SERIES 14-/C4 SERIES 04-11/DS3 09- 19/DS4 11-15;PEUGEOT 2008 I 13- /207 06-/208 SERIES 12-/307 00- 12	REAR	Rim Hole Number: 4 Diameter: 249 mm Height: 69,2 mm Brake Disc Thickness: 9 mm with integrated wheel bearing	4249.32,4249.19,VKBD 1012,BDC5771,BG9022 RS,BG9022RSC,32782,K F159.53U,KF159.57U,23 -0878,15342
BD5036 VKBD1016	CITROËN BERLINGO 08-/C4 SERIES 06-/DS4 11-15/DS5 11-15;DS DS 4 / DS 4 CROSSBACK 15-18/DS 5 15- 18;PEUGEOT 3008 09-16/308 SERIES 07-14/5008 09- 17/PARTNER 05-	REAR	Rim Hole Number: 4 Diameter: 267,7 mm Height: 73,2 mm Brake Disc Thickness: 12 mm	1611840880, 424945,424946, 1611840880, 424945,424946, 1611840880, 424945,424946
BD5201 54194DS	RENAULT ESPACE IV 02-/VEL SATIS 02-	FRONT	Height:47 mm Diameter:324 mm Centering Diameter:61 mm Pitch Circle Diameter:108 mm Brake Disc Thickness:28 mm Minimum Thickness:25.4 mm Number Of Holes:5 Solid Or Vented:V	7701207357,17449, 8200177024,25041, 8200242318,DSK2242, 8200570191,562187B, 0986478972

BD5202 54195DS	RENAULT ESPACE IV 02-/VEL SATIS 02-	REAR	Height:84.7 mm Diameter:300 mm Centering Diameter:62 mm Pitch Circle Diameter:108 mm Brake Disc Thickness:11 mm Minimum Thickness:9.5 mm Number Of Holes:5 Solid Or Vented:S	8200002874,17451, 8200244108,14937Y, 8200649353,DSK2326, 24011101002, 0986479276
BD5203 DF4381	DACIA LOGAN 04-/LOGAN MCV 07-/SANDERO 08-;RENAULT TWINGO 93-12	FRONT	Diameter:259 mm Brake Disc Thickness:12 mm Minimum Thickness:10.6 mm Centering Diameter:61 mm Height:40.9 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	7701-208-252, 6001-547-683, 0 986 479 164, 297802
BD5204 DF1032BP	RENAULT CLIO SERIES 98- /KANGOO SERIES 97-/LAGUNA I 93-02/MEGANE SERIES 95-/SCÉNIC SERIES 99-	FRONT	Diameter:280 mm Brake Disc Thickness:24 mm Minimum Thickness:21.8 mm Centering Diameter:61 mm Height:44 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	7701-207-829, 7701-205-230, 7701-206-118, 7700-426-389, 7701-205-086
BD5205 DF4274BS	RENAULT CLIO 05-/MEGANE 96- /MODUS / GRAND MODUS 04-	REAR	Diameter:240 mm Brake Disc Thickness:8 mm Minimum Thickness:7 mm Height:80.6 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	7701-207-823, 0 986 479 007, 08.A141.17, DDF1571
BD5206 92036100	RENAULT MEGANE I 95-04	FRONT	Diameter:238 mm Brake Disc Thickness:12 mm Minimum Thickness:10.5 mm Centering Diameter:61 mm Height:41 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	7701-204-282, 7700-704-705, 6001-547-684, 6001-549-211
BD5207 DF4272	RENAULT MEGANE 96-03/SCÉNIC I MPV 99-03	REAR	Diameter:274 mm Brake Disc Thickness:10.9 mm Minimum Thickness:9.5 mm Height:82.2 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	C4R021ABE, C4R021ABE , 24.0111-0166.2, 24.0111-0166.2, 0 986 479 108, DDF1381-1, 7701-206-328
BD5208 DDF1728	DACIA DUSTER 10-;RENAULT FLUENCE 10-/GRAND SCÉNIC III 09-/LAGUNA 07-15/MEGANE 08-	FRONT	Diameter:280 mm Brake Disc Thickness:24 mm Minimum Thickness:21.8 mm Centering Diameter:68 mm Height:44 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	402060010R, 402064151R, 402060010R, 4020600Q0L, 4020600Q1B, 402060010R, 402064151R

BD5209 561235BC	DACIA 1410 85-98/SANDERO 08- /NOVA 96-03;RENAULT RAPID 85- 98/CLIO 90-/11 83-89/TWINGO 93-/I 88-94/II 91-03/21 86-97/MEGANE 95- 06/THALIA I 98-/SANDERO/STEPWAY I 07-/EXPRESS PICKUP 95-99	FRONT	Diameter [mm]:238 Brake Disc Thickness [mm]:11,9 Minimum thickness [mm]:10,5 Height [mm]:41 Rim Hole Number:4 Brake Disc Type:Solid	DR6711, 6001 549 211, 2677 509 716, 6001 547 684, 7700 704 705
BD5210 561592B	RENAULT LAGUNA I 93- 01/SAFRANE I 92-96/MEGANE 95- 04	FRONT	Diameter [mm]:262 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:19,8 Height [mm]:44 Rim Hole Number:4 Brake Disc Type:Vented	DR6712, 7700 802 232, 7701204499, 7701 205 085, 7701 204 300
BD5211 TPM0004	RENAULT LAGUNA I 93-01/ESPACE III 96-02	FRONT	Diameter [mm]:280 Brake Disc Thickness [mm]:24 Minimum thickness [mm]:21,8 Height [mm]:44 Rim Hole Number:5 Brake Disc Type:Vented	DR6713, 7701205231, 7703 004 176, 7700 830 283, 7701 204 305
BD5212 TB217145	RENAULT 18 78-94/25 84- 93/ESPACE 84-97/FUEGO 80-92	FRONT	Diameter:259 mm Brake Disc Thickness:20.2 mm Minimum Thickness:17.7 mm Centering Diameter:61 mm Height:46.4 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	7700-715-081, 7701-204-283
BD5213 DI956889S	RENAULT MEGANE III 08- /FLUENCE 10-/MEGANE CC 10-	REAR	Diameter [mm]:260 Brake Disc Thickness [mm]:8 Minimum thickness [mm]:7 Height [mm]:86,2 Rim Hole Number:5 Brake Disc Type:Solid	432007595R, 432001868R, 432001539R
BD5214 DFM0004	RENAULT SCÉNIC II 03-/MEGANE II 03-12	REAR	Diameter [mm]:270 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:9 Height [mm]:80,7 Rim Hole Number:4 Brake Disc Type:Solid	DR7062, 7701 207 898, 0 986 479 274
BD5215 270207	DACIA LOGAN 04-/SANDERO 08- ;RENAULT TWINGO 93-/LOGAN 04-/SANDERO/STEPWAY 07-	FRONT	Diameter [mm]:259 Brake Disc Thickness [mm]:12 Minimum thickness [mm]:10,8 Height [mm]:41 Rim Hole Number:4 Brake Disc Type:Solid	7701208252,17619, 6001547683,986479164 , 8200123117,TB218031, 24.0112-0171.1, 92175103,DF4381
BD5216 270227	DACIA DUSTER 10-;RENAULT LAGUNA 07-/MEGANE 08-/SCÉNIC III 09-/GRAND SCÉNIC III 09- /FLUENCE 10-/DUSTER 11-	FRONT	Diameter [mm]:280 Brake Disc Thickness [mm]:24 Minimum thickness [mm]:22 Height [mm]:44 Rim Hole Number:5 Brake Disc Type:Vented	402064151R,17976, 402060010R,BG4265, 24.0124-0221.1, DF6072

BD5217 270218K	RENAULT CLIO 05-/MEGANE 96- /MODUS / GRAND MODUS 04-	REAR	Diameter:240 mm Brake Disc Thickness:8 mm Minimum Thickness:7 mm Height:80.6 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:S	7701207823,562376B, 0 986 479 007,DDF1571, 92119300,DF4274BS
BD5218 VKBD0101	DACIA LOGAN SERIES 04-;RENAULT 19 I,II SERIES/9/11/CLIO SERIES/SUPER 5/THALIA I/TWINGO I 81-12	REAR	Height: 83 mm Inner Brake Drum Height: 53 mm Diameter: 208 mm Drum Diameter: 180 mm Center Diameter: 52 mm Pitch Circle Diameter: 100 mm Number Of Holes: 4	6001548126, 7700419824, 7700752363, 7700783030
BD5219 VKBD0112	RENAULT 19,CLIO SERIES 88 - 08,TWINGO I 93-07	REAR	Diameter: 208 mm Width: 83 mm Inner diameter: 180,2 mm Number of Holes: 4 with integrated wheel bearing	6001548126, 7700419824, 6001548126, 7700 419 824
BD5220 VKBD0120	RENAULT 21 89-94	REAR	Width: 83mm Number of holes 1: 4 with integrated wheel bearing Diameter: 208mm	VKBD 0120, LKBD69082
BD5221 VKBD1009	RENAULT GRAND SCÉNIC II 04 - 09/SCÉNIC II 03 -10	REAR	Rim Hole Number: 4 Diameter: 274 mm Height: 82,2 mm Brake Disc Thickness: 10,9 mm with integrated wheel bearing	3748.90, 3648073, 3748.90
BD5222 VKBD1014	RENAULT GRAND SCÉNIC II 04 - 09/MEGANE II 03 - 11/SCÉNIC II 03 - 10	REAR	Rim Hole Number: 4 Diameter: 270 mm Width: 48 mm Height: 80,7 mm Brake Disc Thickness: 10 mm Inner diameter: 25 mm Outer diameter: 55 mm with integrated wheel bearing	VKBA 3676, VKBD 1014, 77 01 208 059
BD5223 VKBD1019	RENAULT LAGUNA III 07- 15/LAGUNA III GRANDTOUR 07-15	REAR	Rim Hole Number: 5 Diameter: 300 mm Height: 81,7 mm Brake Disc Thickness: 11 mm with integrated wheel bearing	0 986 479 445, 40 20 200 03R, 43 20 271 12R
BD5224 VKBD0116	RENAULT 19 88-96/CLIO II 98- /MEGANE I 96-	REAR,FRONT	Diameter: 234 mm Width: 76 mm Inner diameter: 203,3 mm Number of Holes: 4 with integrated wheel bearing	95608940, 60 01 548 986, 43210-AX000, 43210-AZ300
BD5225 VKBD0119	RENAULT KANGOO 97-/KANGOO EXPRESS 97-	REAR	Diameter: 234 mm Width: 76 mm Inner diameter: 203,3 mm Number of Holes: 4 with integrated wheel bearing	VKBA 976, VKBD 0119

BD5226 VKBD1006	RENAULT MEGANE I 99-03/MEGANE 97-99/SCÉNIC I 99-03	REAR	Rim Hole Number: 4 Diameter: 274 mm Height: 82,2 mm Brake Disc Thickness: 10,9 mm with integrated wheel bearing	0 986 479 270, DF4272BS, DDF1641-1
BD5227 VKBD1007	RENAULT GRAND SCÉNIC II 05-08/LAGUNA II 01-07	REAR	Rim Hole Number: 5 Diameter: 274 mm Height: 82,2 mm Brake Disc Thickness: 10,9 mm with integrated wheel bearing	77 01 472 838,77 01 713 008,82 00 367 094,82 00 655 249,24.0111- 0101.2,5504B,0 986 478 744,050655B
BD5228 VKBD1010	RENAULT ESPACE IV 02-/VEL SATIS 02-	REAR	Rim Hole Number: 5 Diameter: 300 mm Width: 48 mm Height: 84,7 mm Brake Disc Thickness: 11 mm Inner diameter: 30 mm Outer diameter: 62 mm	82 00 244 108, 702976,0 986 479 083, DF4413BS
BD5229 VKBD1015	RENAULT CLIO III 05-/MEGANE II 02-/MODUS / GRAND MODUS 04-/TWINGO II 08-/WIND 10-	REAR	Rim Hole Number: 4 Diameter: 240 mm Height: 80,6 mm Brake Disc Thickness: 8 mm with integrated wheel bearing	7701207823, DF4274BPS, DF4274BS
BD5401 7663465	ALFA ROMEO 145 94-01;FIAT 500 07-;LANCIA DEDRA SW 94-99/DELTA II 93-99/MUSA 04-12;FIAT BARCHETTA 95-05/BRAVO I 95-01/CINQUECENTO 91-99/COUP 93-00	FRONT, REAR	Height:40 mm Diameter:240.5 mm Centering Diameter:59 mm Pitch Circle Diameter:98 mm Brake Disc Thickness:11 mm Minimum Thickness:9.2 mm	1541804, 46403960, 5154238AA, 51859078, 51866264, 60805117, 60811879, 71738421, 71769481, 7566931
BD5402 DDF888	FIAT PALIO 96-/PALIO WEEKEND 96-/SIENA 96-13	FRONT	Diameter:240 mm Brake Disc Thickness:20 mm Minimum Thickness:18.2 mm Centering Diameter:59 mm Height:46.5 mm Number Of Holes:4 Pitch Circle Diameter:98 mm Solid Or Vented:V	46419204, 71740120, 0 986 478 878, DF4037
BD5403 DF2686	ALFA ROMEO 145 94-01/146 94-01/155 92-97;FIAT BARCHETTA 95-05/BRAVA 95-03/DOBLO 00-/MAREA 96-07/PALIO 96-/PUNTO 93-12/STRADA PICKUP 98-/TEMPRA 90-98/TIPO 87-97;LANCIA DEDRA 89-99	FRONT	Diameter:257.5 mm Brake Disc Thickness:20 mm Minimum Thickness:18.2 mm Centering Diameter:59 mm Height:40.5 mm Number Of Holes:4 Pitch Circle Diameter:98 mm Solid Or Vented:V	46423415, 4641671, 0 986 478 515
BD5404 DF1736	FIAT UNO 83-06	FRONT	Diameter:240 mm Brake Disc Thickness:20 mm Minimum Thickness:18.2 mm Centering Diameter:59 mm Height:46.5 mm Number Of Holes:4 Pitch Circle Diameter:98 mm Solid Or Vented:V	7650707, 7550923, 0 986 BB4 010

BD5405 92068500	ALFA ROMEO 145 94-01/146 94-01/155 92-97;FIAT BARCHETTA 95-05/BRAVA 95-03/DOBLO 00-/MAREA 96-07/PALIO 96-/PUNTO 93-12/STRADA PICKUP 98-/TEMPRA 90-98/TIPO 87-97;LANCIA DEDRA 89-99	FRONT	Diameter:257.5 mm Brake Disc Thickness:20 mm Minimum Thickness:18.2 mm Centering Diameter:59 mm Height:40.5 mm Number Of Holes:4 Pitch Circle Diameter:98 mm Solid Or Vented:V	46423415, 46416712, 360406021903, 431602040270, 2155210008
BD5406 DF1749	ALFA ROMEO 147 00-10/156 97-06/164 87-98/GT 03-10/GTV 94-05/SPIDER 94-05;FIAT CROMA 85-96;LANCIA THEMA 84-94	FRONT	Diameter:284 mm Brake Disc Thickness:22 mm Minimum Thickness:20.2 mm Centering Diameter:59 mm Height:43.5 mm Number Of Holes:5 Pitch Circle Diameter:98 mm Solid Or Vented:V	164102202300, 46445006, 60569163, 60571548, 60622077, 60653478
BD5407 561508B	ALFA ROMEO 145 94-01/155 92-97/146 94-01;FIAT TIPO 87-95/COUPE 93-00/MULTIPLA 99-10/PUNTO 99-;LANCIA DEDRA 89-99/DELTA II 93-99	FRONT	Diameter [mm]:284 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:20,2 Height [mm]:39,5 Rim Hole Number:4 Brake Disc Type:Vented	46427947, 46403958
BD5408 561387B	ABART H500 08-;ALFA ROMEO 155 92-97;FIAT BRAVO I 95-01/MAREA 96-07/COUPE 93-00/DOBLO 00-/STILO 01-10/IDEA 03-/BRAVO II 06-/LINEA 07-/FIORINO 07-/QUBO 08-;LANCIA DELTA 79-99/THEMA 84-94/LYBRA 99-05/MUSA 04-/DELTA III 08-	FRONT	Diameter [mm]:284 Brake Disc Thickness [mm]:22 Minimum thickness [mm]:20 Height [mm]:43,5 Rim Hole Number:4 Brake Disc Type:Vented	60813038, 46403959
BD5409 561380B	ABARTH 500 08-;ALFA ROMEO 145 94-01/146 94-01;FIAT CINQUECENTO 91-99/TEMPRA 90-98/PUNTO 93-/UNO 83-06/BARCHETTA,BRAVO I 95-05/MAREA 96-07/SEICENTO 98-10/COUPE 93-00/PANDA 03-/500 07-;FORD KA 08-;LANCIA DEDRA 89-99/DELTA II 93-99/Y 95-11/MUSA 04-	REAR	Diameter [mm]:240 Brake Disc Thickness [mm]:10,9 Minimum thickness [mm]:9,2 Height [mm]:40 Rim Hole Number:4 Brake Disc Type:Solid	DR6969, 60811879, 60800345, 71739572, 7663465, 60576335, 60805117, 7163465
BD5410 6060274	CHRYSLER 300 C 04-;LANCIA THEMA 11-	REAR	Diameter [mm]:320 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:8,5 Height [mm]:67,2 Rim Hole Number:5 Brake Disc Type:Solid	4779208AD, 4779208AE, 4779208AB, K04779209AE, K04779209AD
BD5411 53023	CHRYSLER 300 C 04-;LANCIA THEMA 11-	FRONT	Diameter [mm]:345 Brake Disc Thickness [mm]:28 Minimum thickness [mm]:26,5 Height [mm]:54,8 Rim Hole Number:5 Brake Disc Type:Vented	04779197AB, 4779197AD, 4779197AA, 4779197AB, 5154118AA
BD5412 53024	CHRYSLER 300 C 04-;LANCIA THEMA 11-14	REAR	Diameter:320 mm Brake Disc Thickness:22 mm Minimum Thickness:20.5 mm Centering Diameter:72.7 mm Height:67 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	04779209AA, 4779209AC,DF7647 4779209AD,DF4907S K04779209AG, DDF1766

BD5413 54196DS	ALFA ROMEO 147 00-10/156 97-05/156 SPORTWAGON 00-06/GT 03-10/GTV 94-05/SPIDER 94-05	FRONT	Height:44.8 mm Diameter:330 mm Centering Diameter:59 mm Pitch Circle Diameter:98 mm Brake Disc Thickness:32 mm Minimum Thickness:30 mm Number Of Holes:5 Solid Or Vented:V	51733051,17571, 51768587,24013201291 0986479593
BD5601 DDF2255C	ROVER CITYROVER HATCHBACK 03-05;TATA INDIGO 03-	FRONT	Diameter:231 mm Brake Disc Thickness:20 mm Minimum Thickness:18 mm Centering Diameter:66 mm Height:40.5 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:V	277942103704, DDF2255C,DSK2549, 92158900
BD5602 562225B	LAND ROVER FREELANDER 98-06	FRONT	Diameter:277 mm Brake Disc Thickness:21 mm Minimum Thickness:18 mm Centering Diameter:66.1 mm Height:51 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	SDB-101-070, SDB-000-080
BD5603 561629B	LAND ROVER RANGE ROVER I 70-95/DISCOVERY I 89-98/DEFENDER 90-	FRONT	Diameter [mm]:298 Brake Disc Thickness [mm]:24 Minimum thickness [mm]:22 Height [mm]:70 Rim Hole Number:5 Brake Disc Type:Vented	LR017952, FTC902
BD5604 561352B	LAND ROVER RANGE ROVER I 70-95/DISCOVERY I 89-98/DEFENDER 90-/90/110 93-90	FRONT	Diameter [mm]:298 Brake Disc Thickness [mm]:14 Minimum thickness [mm]:13 Height [mm]:70 Rim Hole Number:5 Brake Disc Type:Solid	DR6766, FRC 7329, FTC 3846, FTC461, LR017951, FTC1381, 5711762, LR017953 R511762, FRC9831
BD5605 DK6223	LAND ROVER FREE LANDER 98-06	FRONT	Diameter [mm]:262 Brake Disc Thickness [mm]:14 Minimum thickness [mm]:12,5 Height [mm]:51,5 Rim Hole Number:5 Brake Disc Type:Solid	SDB-100-830, 24.0114-0113.1
BD5606 562685BC	LAND ROVER DISCOVERY II 98-04	FRONT	Diameter [mm]:297 Brake Disc Thickness [mm]:25 Minimum thickness [mm]:22 Height [mm]:92 Rim Hole Number:5 Brake Disc Type:Vented	DR6783, SDB 000380, ANR 4582
BD5607 562363BC	FORD FOCUS 03-/C-MAX 07-/KUGA 08-/GRAND C-MAX 10-/TRANSIT CONNECT 13-/TOURNEO CONNECT 13-;LAND ROVER FREE LANDER 2 06-14;VOLVO S40 II 04-/V50 04-/C70 II 06-/C30 06-12	FRONT	Diameter [mm]:300 Brake Disc Thickness [mm]:25 Minimum thickness [mm]:23 Height [mm]:48,8 Rim Hole Number:5 Brake Disc Type:Vented	DR7090, 1469083, 7M511125BB, 1500152,3M512C375BC 3M512C375BD, 1253965, 1223666

BD5608 34251DS	FORD MONDEO III 00-07/MONDEO III SALOON 00-07/MONDEO III TURNIER 00-07;JAGUAR X-TYPE 01-09/X-TYPE ESTATE 03-09	FRONT	Height:47 mm Diameter:300 mm Centering Diameter:63.5 mm Pitch Circle Diameter:108 mm Brake Disc Thickness:23.9 mm Minimum Thickness:22 mm Number Of Holes:5 Solid Or Vented:V	1321488,1376118, 1SW71125AB,C2S4566 1SW71125CA,18A1702, 4097427,4097477, 17151,34251, 24032401611
BD5609 020208	FORD MONDEO 00-07;JAGUAR X-TYPE 01-09	FRONT	Diameter:300 mm Brake Disc Thickness:24 mm Minimum Thickness:22 mm Centering Diameter:63.5 mm Height:47 mm Number Of Holes:5 Pitch Circle Diameter:108 mm Solid Or Vented:V	4110587,1S7W1125AB, 1376118,C2S49729, 17151,24.0124-0161.1, 986478718,DDF1125, 312550,92109603, DF4147,92096203
BD5610 020255	FORD MONDEO 00-07;JAGUAR X-TYPE 01-09	REAR	Diameter:280 mm Brake Disc Thickness:12 mm Minimum Thickness:10 mm Centering Diameter:63.5 mm Height:34 mm Number Of Holes:5 Pitch Circle Diameter:108 mm Solid Or Vented:S	4098427,4179406, 4176921,4143445, 1506339,1676983, C2S35271,C2S42668, C2S4575,17116, DDF1126,92109703, DF4218
BD5801 34058DS	VOLVO 960 II SERIES 94-96/S90 96-98/V90 ESTATE 96-98	REAR	Height:71 mm Diameter:265 mm Centering Diameter:68 mm Pitch Circle Diameter:108 mm Brake Disc Thickness:10 mm Minimum Thickness:8 mm Number Of Holes:5 Solid Or Vented:S	2718953,17030, 2718955,24011002571, 145105,DSK811
BD5802 55143DS	BUICK TRUCK RAINIER 07;CHEVROLET/GMC TRUCK TRAIL BLAZER 06-09;GMC TRUCK ENVOY 08-09/TRUCK ENVOY DENALI 08-09 ;SAAB TRUCK 9-7X 08	FRONT	Height:54.4 mm Diameter:325 mm Centering Diameter:79.2 mm Pitch Circle Diameter:127 mm Brake Disc Thickness:29 mm Minimum Thickness:27.4 mm Number Of Holes:6 Solid Or Vented:V	1770998,15294772 145660,12066064, PRT5660
BD5803 30666802	VOLVO C30 07-13/C70 06-13/S40 04-11/V50 05-11	REAR	Height:41 mm Diameter:280 mm Centering Diameter:63.5 mm Pitch Circle Diameter:108 mm Brake Disc Thickness:11 mm Minimum Thickness:9 mm	1223566, 1223568, 1253962, 1253963, 1323551, 1373361, 30666802, 307691130
BD5804 92149100	FORD FOCUS II 04-13;VOLVO C70 II CONVERTIBLE 06-13/S40 03-12/V50 03-12	FRONT	Diameter:320 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:63.5 mm Height:48.5 mm Number Of Holes:5 Pitch Circle Diameter:108 mm Solid Or Vented:V	2745214, 31400942, 31302573, 31262720, 31329122

BD5805 DDF1227	FORD C-MAX 07-10/FOCUS 03- ;VOLVO C30 06-13/C70 II CONVERTIBLE 06-13/S40 03- 12/V50 03-12	REAR	Diameter:280 mm Brake Disc Thickness:11 mm Minimum Thickness:9 mm Centering Diameter:63.5 mm Height:41 mm Number Of Holes:5 Pitch Circle Diameter:108 mm Solid Or Vented:S	1223566,1223568, 1253962,1253963, 1323551,1373361, 1469081,1500156, 2025944,30666802, 30769113,31499632, 307691130
BD5806 NBD 569	VOLVO 850 91-97	FRONT	Diameter:279.4 mm Brake Disc Thickness:26.2 mm Minimum Thickness:23.1 mm Centering Diameter:68.1 mm Height:50.5 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:V	3516880, 2715902
BD5807 DDF1225	FORD C-MAX 07-10/FOCUS C-MAX 03-07/FOCUS II 04-;VOLVO C30 06- 13/C70 II CONVERTIBLE 06-13/S40 II 03-12/V50 03-12	FRONT	Diameter:300 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:63.5 mm Height:48.5 mm Number Of Holes:5 Pitch Circle Diameter:108 mm Solid Or Vented:V	274510, 31400941, 31362412, 31262719, 31341643, 31381375
BD5808 426107	VOLVO V70 I 96-00/C70 I 97- 05/S70 96-00/XC70 CROSS COUNTRY 97-07	FRONT	Diameter [mm]:302 Brake Disc Thickness [mm]:26 Minimum thickness [mm]:23 Height [mm]:50,5 Rim Hole Number:5 Brake Disc Type:Vented	DR6987, 272276, 2722767, 31262095
BD5809 561867B	VOLVO 850 91-97/V70 I 96-02/S70 96-00/C70 I CONVERTIBLE 98- 05/XC70 CROSS COUNTRY 97-07	REAR	Diameter [mm]:295 Brake Disc Thickness [mm]:9,6 Minimum thickness [mm]:8,4 Height [mm]:72 Rim Hole Number:5 Brake Disc Type:Solid	DR6988, 2717940, 271794, 31262099
BD5811 54011DS	FORD MUSTANG 94-04	FRONT	Height:46.5 mm Diameter:276 mm Centering Diameter:71 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:26 mm Minimum Thickness:24.7 mm Number Of Holes:5 Solid Or Vented:V	F4ZZ1125A,18A1068, 54011,141911,66443, 09826385,12061041, DF7053
BD5812 54017DS	FORD MUSTANG 94-04	REAR	Height:50 mm Diameter:267.1 mm Centering Diameter:70.9 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:13.8 mm Minimum Thickness:12.8 mm Number Of Holes:5 Solid Or Vented:S	F4ZZ2C026A, 18A1072, F8ZZ2C026AA, 65865, 141902,08803085, 12661042SL,66448R, DF7056

BD5813 54032DS	FORD USA EXPLORER 90-01	REAR	Height:58.3 mm Diameter:285 mm Centering Diameter:71.2 mm Pitch Circle Diameter:114 mm Brake Disc Thickness:12 mm Minimum Thickness:11 mm Number Of Holes:5 Solid Or Vented:S	3760664,16805, 4087729,18A731, F5T22C026A,54032, F5T22C026A2,DSK2069, YL222C026BA,145052
BD5814 54035DS	FORD USA EXPLORER 94-01	FRONT	Height:66 mm Diameter:286 mm Centering Diameter:72 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:26 mm Minimum Thickness:24.5 mm Number Of Holes:5 Solid Or Vented:V	3765157,3903349, 4028301,F57A1125CA, F5T21125A,F67Z1125BA XL541125BA,16804, XL5Z1125CA,ZZP233251
BD5815 54042DS	FORD TRUCK F150 97-03	FRONT	Height:52 mm Diameter:308 mm Centering Diameter:90.2 mm Pitch Circle Diameter:132.5 mm Brake Disc Thickness:26 mm Minimum Thickness:24.5 mm Number Of Holes:5 Solid Or Vented:V	F65Z1125AC,18A1175, XL3Z1125CB,145146, 145146FML
BD5816 54074DS	FORD TRUCK E450 03-06 /TRUCK EXCURSION 00-05 /TRUCK F250 98- 04/TRUCK F350 99-05/TRUCK HD 98- 04/TRUCK SUPER DUTY 98-04/TRUCK SUPER DUTY E 99-00/TRUCK SUPER DUTY E 02/TRUCK SUPER DUTY F 99-02	REAR	Height:98.3 mm Diameter:325.9 mm Centering Diameter:127 mm Pitch Circle Diameter:170 mm Brake Disc Thickness:30.1 mm Minimum Thickness:28 mm Number Of Holes:8 Solid Or Vented:V	F81A2C026C,18A934, F81Z2C026CA,145258, YC3Z2C026BA,0988601 0, YC3Z2C026BB
BD5817 54078DS	FORD TRUCK EXCURSION 00-05/TRUCK F250 99-04/TRUCK F350 99-04/TRUCK F450 99-04/TRUCK F550 99-00 /TRUCK F550 02-04/TRUCK HD 99-04/TRUCK SUPER DUTY 99-04/TRUCK SUPER DUTY F 00-01	FRONT	Height:99.3 mm Diameter:331 mm Centering Diameter:129.3 mm Pitch Circle Diameter:170 mm Brake Disc Thickness:38 mm Minimum Thickness:36 mm Number Of Holes:8 Solid Or Vented:V	F81Z1125CA,18A968, F81Z1125DA,145274, 12065086,PRT5274
BD5818 54079DS	FORD FOCUS 00-04	FRONT	Height:43.3 mm Diameter:257.8 mm Centering Diameter:63.8 mm Pitch Circle Diameter:108 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Number Of Holes:4 Solid Or Vented:V	3S4Z1125AA,18A1374, 7S6Z1125B,145273, YS4Z1125BA,PRT5273, YS4Z1125DA,09B63210, YS4Z1125DB
BD5819 54090DS	FORD TRUCK EXPEDITION 99- 02/TRUCK F150 99-03;LINCOLN TRUCK BLACKWOOD 02-03/TRUCK NAVIGATOR 98-02	REAR	Height:56.1 mm Diameter:334 mm Centering Diameter:87.6 mm Pitch Circle Diameter:135 mm Brake Disc Thickness:14.1 mm Minimum Thickness:12 mm Number Of Holes:5 Solid Or Vented:S	YL1Z2C026AA,18A1107, YL3Z2C026AA,145299, PRT5299,12065085

BD5820 54109DS	FORD TRUCK F150 07-08 /TRUCK F150 04-05;LINCOLN TRUCK MARK LT 06-08	FRONT	Height:47.9 mm Diameter:329.9 mm Pitch Circle Diameter:135 mm Brake Disc Thickness:30 mm Minimum Thickness:28.5 mm Number Of Holes:6 Solid Or Vented:V	4L3Z1125AA,18A1625, 5L3Z1125AA,145527, 09B59710,12165100
BD5821 54111DS	FORD TRUCK F150 04-08;LINCOLN TRUCK MARK LT 06-08	REAR	Height:87.1 mm Diameter:348 mm Pitch Circle Diameter:135 mm Brake Disc Thickness:20 mm Minimum Thickness:18.5 mm Number Of Holes:6 Solid Or Vented:V	4L3Z2C026AB,18A1627, 5L3Z2C026AA,54111, PRT5521,09B59510, 12065102
BD5822 54131DS	FORD MUSTANG 05-10	REAR Height:35 mm	Diameter:300 mm Centering Diameter:71 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:19 mm Minimum Thickness:17.4 mm Number Of Holes:5 Solid Or Vented:V	5R3Z2C026AA,18A2326, 145653,09B58510, 12161087
BD5823 54134DS	FORD MUSTANG 05-06	FRONT	Height:48 mm Diameter:316 mm Centering Diameter:71.1 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:30 mm Minimum Thickness:28.4 mm Number Of Holes:5 Solid Or Vented:V	4R3Z1125BA,18A2348, 54134,145658, 12061086
BD5824 54143DS	FORD TRUCK EXPLORE 06-10/TRUCK EXPLORER SPORT 07-10/TRUCK SPORT TRAC 07-10 ;MERCURY TRUCK MOUNTAINEER 06-08/TRUCK MOUNTAINEER 10	FRONT	Height:54.1 mm Diameter:305 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:30 mm Minimum Thickness:28.5 mm Number Of Holes:5 Solid Or Vented:V	6L2Z1125AA,18A2352, 145734,09B54210
BD5825 54151DS	FORD MUSTANG 07-10	FRONT	Height:46 mm Diameter:355 mm Centering Diameter:71.1 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:32 mm Minimum Thickness:30 mm Number Of Holes:5 Solid Or Vented:V	7R3Z1125A,54151, 145700,PRT5700
BD5826 54152DS	FORD TRUCK EXPEDITION 07- 09;LINCOLN TRUCK NAVIGATOR 07- 09/TRUCK NAVIGATOR 08-09	REAR	Height:55.9 mm Diameter:342.2 mm Centering Diameter:90 mm Pitch Circle Diameter:135 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Number Of Holes:6 Solid Or Vented:V	7L1Z2C026A,18A2460, AL1Z2C026AA,54152, PRT5699,12065120

BD5827 54153DS	FORD TRUCK EXPEDITION 07-08; LINCOLN TRUCK NAVIGATOR 07-08	FRONT	Height:49.5 mm Diameter:350 mm Centering Diameter:90 mm Pitch Circle Diameter:135 mm Brake Disc Thickness:34 mm Minimum Thickness:32 mm Number Of Holes:6 Solid Or Vented:V	7L1Z1125A,18A2461, 8L1Z1125A,145698, AL3Z1125B,12065119, PRT5698
BD5828 54165DS	FORD SHO 10 /TAURUS 09-10/TRUCK FLEX 09-10 /TRUCK TAURUS X 09 ;LINCOLN MKS 10/TRUCK MKT 10;MERCURY SABLE 09	REAR	Height:38.6 mm Diameter:329.9 mm Centering Diameter:68.1 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10.9 mm Minimum Thickness:9.9 mm Number Of Holes:5 Solid Or Vented:S	8G1Z2C026B,18A2629, 54165,145898,PRT5898
BD5829 54171DS	FORD EXPLORER 11-15 /FLEX 09-15/TAURUS 10-15;LINCOLN MKS 09-12/MKT 10-14	REAR	Diameter:325 mm Brake Disc Thickness:30 mm Minimum Thickness:28.5 mm Centering Diameter:68 mm Height:47 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	CB5Z1125A,18A2724, 18A2724A,10154171, PRT6124,0986479W52, 12061102,YH21261
BD5830 54181DS	FORD C-MAX 13-15 /FOCUS 12-14	FRONT	Height:48.5 mm Diameter:278 mm Centering Diameter:63.7 mm Pitch Circle Diameter:108 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Number Of Holes:5 Solid Or Vented:V	BV6Z1125A,54181, 146132,PRT6132, 12061100
BD5831 680998	FORD C-MAX SERIES 10-/GRAND C-MAX SERIES 10-/KUGA SERIES 12-/TOURNEO CONNECT SERIES 13-/KUGA 13-	FRONT	Diameter:320 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:63.5 mm Height:48.8 mm Number Of Holes:5 Pitch Circle Diameter:108 mm Solid Or Vented:V	1770767, CV611125FA, CV611125GA, CV6Z1125D
BD5832 680999	FORD C-MAX SERIES 10-/GRAND C-MAX SERIES 10-/KUGA SERIES 12-/TOURNEO CONNECT SERIES 13-/KUGA 13-	REAR	Height:51 mm Diameter:280 mm Pitch Circle Diameter:108 mm Brake Disc Thickness:11 mm Minimum Thickness:9 mm Number Of Holes:5 Solid Or Vented:S	CV6Z2C026B, 680999
BD5833 680998DS	FORD FOCUS III SERIES 10-/KUGA II (DM2) 12-/KUGA II VAN 12-/TOURNEO CONNECT SERIES 13-/KUGA 13-	FRONT	Diameter:320 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:63.5 mm Height:48.8 mm Number Of Holes:5 Pitch Circle Diameter:108 mm Solid Or Vented:V	1770767, CV611125FA, CV611125GA, CV6Z1125D

BD5834 54105DS	FORD CROWN VICTORIA 03-10/ GRAND MARQUIS 04-09; MERCURY GRAND MARQUIS 03-04/ GRAND MARQUIS 06-07/ GRAND MARQUIS 10/ MARAUDER 03	REAR	Diameter:295 mm Brake Disc Thickness:19 mm Minimum Thickness:18 mm Centering Diameter:70.7 mm Height:58.5 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	3W7Z-2C026-AA, 18A1254,145353, 12061073,680129
BD5835 GBD613	FORD COURIER PICKUP 99-11/ ESCORT '91 EXPRESS 90-94/ ESCORT '95 BOX 95-01/ ESCORT CLASSIC 98-00	FRONT	Height : 43mm Diameter : 240mm Centering Diameter : 63.6mm Bolt Hole Circle Diameter:107.95mm Brake Disc Thickness : 20mm Min. thickness : 18mm Brake Disc Type : Vented Num. of holes : 4	0986478502,1.1729.2.4, 955024,6096.1, 561513S,92051000, DF1659,DF1659, YS6W-1125BIB, YS6W-1125AC, YS6W-1125CA
BD5836 DDF1740	FORD FIESTA VI 08-/ FIESTA VI VAN 09-	FRONT	Diameter:258 mm Brake Disc Thickness:23 mm Minimum Thickness:21 mm Centering Diameter:63.5 mm Height:43.8 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:V	8V51-1125AC, 8V51-1125AD, 09.A968.2X,BD1346
BD5837 DR6371V	FORD COURIER 88-96	FRONT Ventilated	Number of Stud Holes:6 Outside Diameter:252 Spigot Diameter :86 Net Weight KG:4.86 Height:24 Th. Max:22 Th. Min:22	96NB-33251AA, 98NB-33251AA, BKDC5057
BD5838 DR6067	FORD FOCUS 05-	FRONT Ventilated	Height : 65.9mm Diameter : 278mm Brake Disc Thickness : 25mm Min. thickness : 23mm Brake Disc Type : Vented Num. of holes : 5 Wheel Hub Diameter : 63.5mm	F026A06275, PBR2118, 5M51-2C375AC
BD5839 92253403	FORD RANGER 011-	FRONT	Diameter:302 mm Brake Disc Thickness:32 mm Minimum Thickness:30 mm Centering Diameter:98 mm Height:61 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	AB31-1125AB, AB31-1125AA, 172-7183, 174-2318, 09.C424.11
BD5840 DR6391	FORD BANTAM 81-86	FRONT Solid	Number of Stud Holes - 4 Outside Diameter - 240 Spigot Diameter - 63.5 Net Weight KG - 3.7 Height - 58.3 Th. Max - 9 Th. Min - 9	86AB-1125ABM
BD5841 92294703	FORD FIESTA IV 96-99	FRONT	Height : 43.6mm Diameter : 240mm Centering Diameter : 63.6mm Bolt Hole Circle Diameter : 108mm Brake Disc Thickness : 20.3mm Min. thickness : 18.6mm	1S61-1125AA, 502-26523, 96FX-1125AB

BD5842 DR6330	FORD ESCORT 81-86	FRONT Ventilated	Number of Stud Holes - 4 Outside Diameter - 239.5 Spigot Diameter - 63.5 Height - 58.3 Th. Max - 22.3 Th. Min - 22.3	87BC-1125CAM
BD5843 MDC2834C	FORD FIESTA IV 96-99	FRONT	Height : 43.6mm Diameter : 240mm Centering Diameter : 63.6mm Bolt Hole Circle Diameter : 108mm Brake Disc Thickness : 20.3mm Min. thickness : 18.6mm Hole Pitch / Number : 04/04	1144739, 1S611125AA, 92294703
BD5844 DDF009	FORD ESCORT I 68-76	FRONT	Overall Height : 23mm Diameter : 219mm Centering Diameter : 63mm Brake Disc Thickness : 9.5mm Min. thickness : 8.6mm Num. of holes : 4	1419749, 1450669, 5022657,FBD182, 68AB1125AA
BD5845 186187	BEDFORD ASTRA 82-91/ASTRAMAX 85-90	FRONT	Height : 41mm Diameter : 236mm Centering Diameter : 60mm Bolt Hole Circle Diameter : 100mm Brake Disc Thickness : 12.7mm Min. thickness : 10.6mm Num. of holes : 4 Bore Diameter : 14mm	90008005,90111242, 90 008 005,569030, 90008005,90111242, 93182290,93182311
BD5846 DR6991	FORD FOCUS MK1 RS 99-05	REAR Solid	brake rotor	95GX-2A315EC
BD5847 616-9986	FORD SAPPHIRE 87-	FRONT Solid	Number of Stud Holes - 4 Outside Diameter - 240 Spigot Diameter - 63.5 Net Weight KG - 4.15 Height - 58 Th. Max - 11.8 Th. Min - 11.8	616-9986
BD5848 DF2622	FORD COUGAR 98-01/MONDEO 93-00/SCORPIO II 94-98	FRONT	Diameter:260 mm Brake Disc Thickness:24 mm Minimum Thickness:22.2 mm Centering Diameter:63.5 mm Height:47 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:V	1514233,1757848, 4070865,5026784, 93BX1125AC, F5RZ1125A, F5RZ1125B, F5RZ1125A, F5RZ1125B
BD5849 87BC-1125EAM	FORD SAPPHIRE 88-	FRONT Ventilated	Number of Stud Holes - 4 Outside Diameter - 260 Spigot Diameter - 63.5 Net Weight KG - 5.6 Height - 58.7 Th. Max - 22 Th. Min - 22	87BC-1125EAM

BD5850 92022900	FORD P 100 82-92	FRONT	Height : 58.1mm Diameter : 240mm Centering Diameter : 63.6mm Brake Disc Thickness : 24mm Min. thickness : 22.2mm Num. of holes : 5 Brake Disc Type : Vented	1610869, 5022679, 617443, 6174443, 88PX1125BA, T77BC1125BB
BD5851 92075400	FORD COUGAR 98-01/MONDEO 93-00/SCORPIO II 94-98	FRONT	Diameter:278 mm Brake Disc Thickness:24.1 mm Minimum Thickness:22.2 mm Centering Diameter:63.5 mm Height:46.9 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:V	93BX-1125CB, 502-6785
BD5852 561375B	FORD SCORPIO 85-98/SIERRA 82- 93/FOCUS 98-07/FIESTA 01- ;PANTHERKAL LISTA 82-93;TVRCHI MAERA 92 03	REAR	Diameter [mm]:253 Brake Disc Thickness [mm]:10,3 Minimum thickness [mm]:9,3 Height [mm]:33 Rim Hole Number:4 Brake Disc Type:Solid	95GJ-2A315EC, 502-2666, 95GX-2A315EB
BD5853 333184B	FORD GRANADA 72-85/CONSUL 72-75/GRANADA 72-77	FRONT	Diameter [mm]:262 Height [mm]:72,8 Weight [kg]:12,55 Brake Disc Type:Vented Brake Disc Thickness [mm]:24	1549702, 6089878, 1583926, 1548853, 5022453, 5022347, 1522209, 1549703
5854T77BC-1125	FORD CORTINA 80	FRONT Solid	Number of Stud Holes - 4 Outside Diameter - 247.5 Spigot Diameter - 69.05 Net Weight KG - 4.65 Height - 61.8 Th. Max - 11.6 Th. Min - 11.6	T77BC-1125AB
BD5855 M71BB- 1125BBA	FORD CORTINA ESCORT 86-	FRONT Solid	Number of Stud Holes - 4 Outside Diameter - 247.7 Spigot Diameter - 68 Net Weight KG - 3.79 Height - 27 Th. Max - 10.5 Th. Min - 10.5	M71BB-1125BBA
BD5856 PBR2107	FORD FAIRLANE LTD BF 05- 06/TERRITORY SX 04-05/FALCON BF 05-10/TERRITORY SY 05- 09/TERRITORY SZ 11-13	FRONT	Height : 55mm Diameter : 322mm Brake Disc Thickness : 28mm Min. thickness : 26mm Brake Disc Type : Vented Num. of holes : 5 Wheel Hub Diameter : 71mm	DR6787, BAF1125A, SX1 125 A
BD5857 DR6884	FORD AUSTRALI AFAIRLANE 95- 96/AUSTRALI AFALCON 94- 99/AUSTRALI ALTD 95- 99/AUSTRALI AFAIRMONT 94-98	FRONT Ventilated	Diameter [mm]:287 Brake Disc Thickness [mm]:25 Minimum thickness [mm]:22 Number of Holes:5 Weight [kg]:10,5 Brake Disc Type:Internally Vented	EF1-KOO2A, EL-2C202A

BD5858 020209	FORD FIESTA V 01-10/FOCUS 98-07/SCORPIO II 94-98/SIERRA 87-93	REAR	Diameter:253 mm Brake Disc Thickness:10.2 mm Minimum Thickness:8.9 mm Centering Diameter:63.5 mm Height:33 mm Number Of Holes:4 Pitch Circle Diameter:108 mm Solid Or Vented:S	1323621,95GX2A315EA, V85BX2A315AB,175688 2, 16375,24.0110-0115.1, 986478344,DDF281, 92088403,DF1654
BD5859 020215	FORD C-MAX 07-10/FOCUS 03-	FRONT	Diameter:278 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:63.5 mm Height:48.5 mm Number Of Holes:5 Pitch Circle Diameter:108 mm Solid Or Vented:V	1223665,1469082, 3M512C375AC, 7M511125FA, AV611125BA,31362411, 17586, 986479173, TB219068,204848, 92141203,DF4465
BD5860 020219	FORD TRANSIT 00-06	FRONT	Diameter:276 mm Brake Disc Thickness:24.5 mm Minimum Thickness:22.1 mm Centering Diameter:82 mm Height:43 mm Number Of Holes:5 Pitch Circle Diameter:100 mm Solid Or Vented:V	1456667,1C1W1125AA, 1C1W1125AB,4041427, 4395257, 202554, 17356,562141B, NBD1114,92110000
BD5861 020220	FORD TRANSI 00-06	FRONT	Diameter:276 mm Brake Disc Thickness:24.5 mm Minimum Thickness:22.1 mm Centering Diameter:82 mm Height:43 mm Number Of Holes:5 Pitch Circle Diameter:100 mm Solid Or Vented:V	1C1W1125AB,4041427, 17356,TB217752, DF4216,50919514, 24.0124-0167.1
BD5862 020228	FORD C-MAX 07-10/FOCUS 03- ;VOLVO C30 06-13/C70 II 06- 13/S40 03-12/V50 03-12	REAR	Diameter:280 mm Brake Disc Thickness:11 mm Minimum Thickness:9 mm Centering Diameter:63.5 mm Height:41 mm Number Of Holes:5 Pitch Circle Diameter:108 mm Solid Or Vented:S	1223566,1323551, 1373361,1500156, 7M512A315BA, 1469081,3M512A315E1 D, 30769113,30666802, 17605, DF4422, 986479170
BD5863 66595	FORD CROWN VICTORIA 96- 02;LINCOLN TOWN CAR 96-02	REAR	Diameter:285 mm Brake Disc Thickness:14 mm Minimum Thickness:13 mm Centering Diameter:70.7 mm Height:58.3 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	F6AZ2C026AA, F6AZ2C026BA, F7AZ2C026AA, XW7Z2C026AA, YW7Z2C026AA, 66595,54027
BD5864 66744	FORD CROWN VICTORIA 98- 02;LINCOLN TOWN CAR 98-02	FRONT	Diameter:316 mm Brake Disc Thickness:28.1 mm Minimum Thickness:25.8 mm Centering Diameter:71.9 mm Height:66 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	F8VZ1125AA,66744, 54060

BD5865 680026	FORD TRUCK EXPLORER 02-10/TRUCK SPORT TRAC 07-10/EXPLORER 01-/F-250 96-	REAR	Diameter:301 mm Brake Disc Thickness:12 mm Minimum Thickness:11 mm Centering Diameter:82 mm Height:58.4 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	1L2Z2C026AA, 2U2Z1V125CA, 4L2Z2C026AA, 5L2Z2C026A, 6L2Z2C026A,680026, 54098
BD5866 680106	FORD TRUCK EXPEDITION 03-06;LINCOLN TRUCK NAVIGATOR 03-06	REAR	Diameter:342 mm Brake Disc Thickness:22 mm Minimum Thickness:19 mm Centering Diameter:90 mm Height:51.4 mm Number Of Holes:6 Pitch Circle Diameter:135 mm Solid Or Vented:V	2L1Z2C026AA, 5L1Z2C026A, 6L1Z2C026A,680106, 54100
BD5867 680110	FORD CROWN VICTORIA 03-10/GRAND MARQUIS 04-09;LINCOLN TOWN CAR 03-10	FRONT	Diameter:305 mm Brake Disc Thickness:28 mm Minimum Thickness:26.3 mm Centering Diameter:71.7 mm Height:45 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	3W1Z1125AA,54103, 145326
BD5868 680129	FORD CROWN VICTORIA 03-10/GRAND MARQUIS 04-09	REAR	Diameter:295 mm Brake Disc Thickness:19 mm Minimum Thickness:18 mm Centering Diameter:70.7 mm Height:58.5 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	3W7Z2C026AA, 54105,145353, 145353FML, 145353FMR,PRT5353
BD5869 680416	FORD TRUCK EXPLORER 06-10/TRUCK SPOR 07-10/EXPLORER 01-	FRONT	Diameter:305 mm Brake Disc Thickness:30 mm Minimum Thickness:28.5 mm Centering Diameter:82 mm Height:54.1 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	6L2Z1125AA,18A2352, 54143,145734
BD5870 680507	FORD TRUCK EXPEDITION 07-09;LINCOLN TRUCK NAVIGATOR 07-09	REAR	Diameter:342.2 mm Brake Disc Thickness:22 mm Minimum Thickness:20 mm Centering Diameter:90 mm Height:55.9 mm Number Of Holes:6 Pitch Circle Diameter:135 mm Solid Or Vented:V	7L1Z-2C026-A,54152, AL1Z-2C026-AA, 145699,PRT5699
BD5871 680508	FORD TRUCK EXPEDITION 07-08/F-150 03-;LINCOLN TRUCK NAVIGATOR 07-08	FRONT	Diameter:350 mm Brake Disc Thickness:34 mm Minimum Thickness:32 mm Centering Diameter:90 mm Height:49.5 mm Number Of Holes:6 Pitch Circle Diameter:135 mm Solid Or Vented:V	7L1Z1125A,8L1Z1125A, 9L1Z1125A,AL3Z1125B, CL3Z1125B,CL3Z1125D, 18A2461,54153, 145698,PRT5698

BD5872 54035	FORD RANGER 98/EXPLORER 95/MERCURY MOUNTAINEER 97- 01	FRONT	brake rotor	YL2Z1V125AB
BD5873 54047	FORD EXPEDITION 98	REAR	brake rotor	YL7Z1V125A
BD5874 DF6138	FORD C-MAX II 10-/FOCUS III 10-	FRONT	Diameter:278 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:63.6 mm Height:48.4 mm Number Of Holes:5 Pitch Circle Diameter:108 mm Solid Or Vented:V	1686722,1686723 1790221,DF6217 AV611125DA, AV61-1125-DB, DF6138,DDF2062C
BD5875 FR3Z1125A	FORD MUSTANG 15	FRONT	Bolt Circle Diameter (IN): 4.5 Bolt Hole Diameter (In): 0.62 Bolt Hole Quantity: 5 Center Bore Diameter (IN): 2.80 Discard Thickness (IN): 1.20 Height (IN) : 2.52 Nominal Thickness (in): 1.26 Outside Diameter (in): 13.86	901376, FR3Z1125A, GR3Z1125E, GR3Z1125F
BD5876 FR3Z2C026A	FORD MUSTANG 15	FRONT	Bolt Circle Diameter (IN): 4.5 Bolt Hole Diameter (In): 0.62 Bolt Hole Quantity: 5 Center Bore Diameter (IN): 2.80 Discard Thickness (IN): 0.93 Height (IN) (IN): 1.71 Nominal Thickness (in): 0.98 Outside Diameter (in): 12.99	901374, GR3Z2C026C, FR3Z2C026A
BD5877 54103	FORD CROWN VICTORIA 03- 10/GRAND MARQUIS 04- 09;LINCOLN TOWN CAR 03-10	FRONT	Diameter:305 mm Brake Disc Thickness:28 mm Minimum Thickness:26.3 mm Centering Diameter:71.7 mm Height:45 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	18A1213,54103,145326, 09.8872.10,120.61072, 3W1Z-1125-AA,680110, BD125785,YH2771
BD5878 54105	FORD 03-10 CROWN VICTORIA 03- 10/MERCURY 03-10/GRAND MARQUIS 03-10	REAR	Diameter:295 mm Brake Disc Thickness:19 mm Minimum Thickness:18 mm Centering Diameter:70.7 mm Height:58.5 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	54105,DF4110, BD-5415,680129, DF4110,RCDI05910, 3W7Z-2C026-AA
BD5879 VKBD0160	FORD ESCORT V 90 - 95/ESCORT VI 95 - 99	REAR	Diameter: 239 mm Width: 80 mm Inner diameter: 203 mm Number of Holes: 4 with integrated wheel bearing	841116, VKBD 0160

BD5880 VKBD0154	FORD ESCORT V 90-95/ESCORT VI 95-99/FIESTA III 89-95/KA 96-08	REAR	Diameter: 216 mm Width: 76 mm Inner diameter: 180 mm Number of Holes: 4 with integrated wheel bearing	DB4028, DB4028B, DB4293, DB4293B
BD5881 VKBD0155	FORD ESCORT VI 95-99/KA 96-08	REAR	Diameter: 216 mm Width: 76 mm Inner diameter: 180 mm Number of Holes: 4 with integrated wheel bearing	DB4276B, VKBD0155
BD5882 VKBD0156	FORD FIESTA III 89-95	REAR	brake rotor	LKBD64096,BWK111, FBK111,09770
BD5883 VKBD0162	FORD FOCUS 98-04	REAR	Diameter: 243 mm Width: 81,8 mm Inner diameter: 203 mm Number of Holes: 4 with integrated wheel bearing	VKBD0162,34-0112, 24.0220-3720.2, 848073,34-0112
BD6001 561388B	LADA NOVA 81-/SAMARA 86-/110 95-;ZAZ SLAVUTA 92-	FRONT	Height:42.5 mm Diameter:239 mm Pitch Circle Diameter:98 mm Brake Disc Thickness:12 mm Minimum Thickness:10.8 mm Number Of Holes:4 Solid Or Vented:S	2108-3501070, DSK 142, 24.0312-0125.1
BD6002 562122B	LADA 110 95-/112 95-/111 95- /PRIORA 08-	FRONT	Height:41.8 mm Diameter:239 mm Centering Diameter:58.5 mm Pitch Circle Diameter:98 mm Brake Disc Thickness:19.5 mm Minimum Thickness:18 mm Number Of Holes:4 Solid Or Vented:V	2110-3501070, 420186,DI956181, 0 986 479 R54
BD6003 09.8903.10	LADA 110 95-/112 95-/111 95- /KALINA 04-	FRONT	Height:42 mm Diameter:260 mm Centering Diameter:58.5 mm Pitch Circle Diameter:98 mm Brake Disc Thickness:20 mm Minimum Thickness:18.5 mm Number Of Holes:4 Solid Or Vented:V	2112350107001, 2112-3501070, 24.0120-0187.1, 0986479346
BD6004 986479988	LADA 1200-1500 73-85/1200-1600 70-93/NOVA 81-/TOSCANA 83-12	FRONT	Height:65 mm Diameter:252.5 mm Centering Diameter:68 mm Pitch Circle Diameter:98 mm Brake Disc Thickness:10 mm Minimum Thickness:9 mm Number Of Holes:4 Solid Or Vented:S	DSK 505,411115, 24.0111-0115.1, 0 986 479 988, 478 683D

BD6005 420186	LADA 110 95-/112 95-/111 95- /PRIORA 08-	FRONT	Height:41.8 mm Diameter:239 mm Centering Diameter:58.5 mm Pitch Circle Diameter:98 mm Brake Disc Thickness:19.5 mm Minimum Thickness:18 mm Number Of Holes:4 Solid Or Vented:V	2110-3501070, 24.0120-0186.1, 1.2104.2.4, DI956181
BD6006 561130BC	LADA NIVA 76-/NADESCHDA 97-	FRONT	Height:50.5 mm Diameter:272 mm Centering Diameter:108 mm Pitch Circle Diameter:140 mm Brake Disc Thickness:11 mm Minimum Thickness:9.9 mm Number Of Holes:5 Solid Or Vented:S	2121-3501070, 2121350107080, 561130B, 0 986 478 746
BD6007 260202	LADA 1200-1500 72-85/1200-1600 70-93/NOVA 81-/TOSCANA 83-12	FRONT	Brake Disc Type:Solid Diameter [mm]:252,5 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:9 Centering Diameter [mm]:68 Height [mm]:64,5	2101-3501070, 986479435, 24.0111-0115.1, TB2101O3, DDF035
BD6008 260203	LADA OKA 88-	FRONT	Height : 40.7mm Diameter : 211mm Centering Diameter : 62mm Bolt Hole Circle Diameter : 98mm Brake Disc Thickness : 9mm Min. thickness : 7.8mm Num. of holes : 3 Thread Size : 13	BD1111,11113501070, TB2111O3,AB11, DF110
BD6009 260205	CHEVROLET NIVA 02-;LADA NIVA 76-/NADESCHDA 97-	FRONT	Brake Disc Type:Solid Diameter [mm]:272 Brake Disc Thickness [mm]:11 Minimum thickness [mm]:9,9 Centering Diameter [mm]:108 Height [mm]:50,5	2121350107080, 21213501070, 3501070,986478746, 24.0112-0130.1, TB2112O3,DF1725
BD6010 260206	LADA 110 95-/112 95-/111 95- /KALINA 04-	FRONT	Diameter [mm]:260 Brake Disc Thickness [mm]:20 Minimum thickness [mm]:18,5 Height [mm]:42,5 Rim Hole Number:4 Brake Disc Type:Vented	2112-3501070, 17342,24.0120-0187.1, 986479346,BG3806, TB2112O3,DF4107
BD6011 260206S	LADA 110 95-12/111 95-/112 95- 11	FRONT	Diameter:260 mm Brake Disc Thickness:20 mm Minimum Thickness:18.5 mm Centering Diameter:58.5 mm Height:42 mm Number Of Holes:4 Pitch Circle Diameter:98 mm Solid Or Vented:V	21120350107000, 21120350107001, 21123501070, 2112350107001, 562121B,92112100, DDF1147,DF4107
BD6012 260207S	LADA 110 95-12/111 95-/112 95- 11	FRONT	Diameter:239 mm Brake Disc Thickness:19.5 mm Minimum Thickness:18 mm Centering Diameter:58.5 mm Height:41.8 mm Number Of Holes:4 Pitch Circle Diameter:98 mm Solid Or Vented:V	21100350107002, 21103501070,26148 E, 24.0120- 0186.1,562122B, 09.8894.75,DDF1142, 92109200,DF4108

BD6013 550101	LADA SAMARA 99-	FRONT Solid	Diameter:271.9 mm Brake Disc Thickness:10 mm Minimum Thickness:10 mm Height:50.5 mm Number Of Holes:5	3110-3501077, 3302-3502070, 2112-3501070, 2121-3501070
BD7001 5569DS	CADILLAC TRUCK ESCALADE 99-00;CHEVROLET/GMC TRUCK BLAZE 92-94 / K SERIES 88-00/PICKUP 88-00/TRUCK SUBURBAN 92-98/TRUCK TAHOE 95-00/TRUCK YUKON/DENALI 95-99;GMC TRUCK YUKON 00	FRONT	Height:66.6 mm Diameter:295 mm Centering Diameter:78.59 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:32.6 mm Minimum Thickness:30.9 mm Number Of Holes:6 Solid Or Vented:V	15521902,16388, 15679710,177716, 18028089,5569, 141453
BD7002 5580DS	BUICK SKYLARK 90-98;CHEVROLET BERETTA 92-96/CAVALIER 92-05/CORSICA 92-96;OLDSMOBILE ACHIEVA 92/ACHIEVA 94-98/CUTLASS CALAIS 90-91;PONTIAC GRAND AM 90-98/SUNBIRD 92-94/SUNFIRE 01-05/SUNFIRE 95-99	FRONT	Height:48 mm Diameter:259.2 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:20.3 mm Minimum Thickness:18.7 mm Number Of Holes:5 Solid Or Vented:V	18016200,16362, 18021368,18A407, 18022417,5580, 18023034,141530, 18060237,12062034
BD7003 55014DS	BUICK LE SABRE 99-/PARK AVENUE 90-96;CADILLAC ELDORADO COUPE 91-02;CHEVROLET CAMARO 92-02/LUMINA APV MPV 89-96;PONTIAC BONNEVILLE SALOON 86-99/FIREBIRD 81-92/FIREBIRD CONVERTIBLE 93-02/TRANS SPORT 89-97	FRONT	Height:52 mm Diameter:277.8 mm Centering Diameter:70.6 mm Pitch Circle Diameter:118 mm Brake Disc Thickness:32.3 mm Minimum Thickness:30.7 mm Number Of Holes:5 Solid Or Vented:V	18016199,16351, 18016762,18A1028, 18021767,5576, 18023033
BD7004 55034DS	BUICK PARK AVENUE 96-05;CADILLAC CTS 02-07/DEVILLE 93-05/ELDORADO COUPE 91-02/SEVILLE 97-04;CHEVROLET CAMARO 92-02/CAMARO CONVERTIBLE 92-02/IMPALA SALOON 99-05	FRONT	Height:52 mm Diameter:302.8 mm Centering Diameter:70.6 mm Pitch Circle Diameter:118 mm Brake Disc Thickness:32.3 mm Minimum Thickness:30.7 mm Number Of Holes:5 Solid Or Vented:V	18021015,17254, 18026591,177856, 18060640,55034, 145150FML
BD7005 55054DS	CADILLAC TRUCK ESCALADE 01-06;CHEVROLET/GMC TRUCK ASTRO 03-05/AVALANCHE 1500 02-06/EXPRESS SERIES 03-08/SILVERADO 99-07/SUBURBAN 00-06/TAHOE 00-06;GMC TRUCK DENALI 03-06/SAFARI 03-05/SAVANA SERIES 03-08/SIERRA SERIES 00-07/ YUKON SERIES 00-06	FRONT	Height:58.1 mm Diameter:304.8 mm Centering Diameter:78.7 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:29 mm Minimum Thickness:27.2 mm Number Of Holes:6 Solid Or Vented:V	15716362, 15719362, 18060214
BD7006 55066DS	CADILLAC TRUCK ESCALADE 01-03;CHEVROLET/GMC TRUCK ASTRO 03-0/AVALANCHE SERIES 02-04/SILVERADO SERIES 99-07/TAHOE 00-04 ;GMC TRUCK DENALI 03-04/SAFARI 03-05/SIERRA SERIES 00-07/YUKON SERIES 00-04	REAR	Height:85.1 mm Diameter:325 mm Centering Diameter:78.7 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:20.1 mm Minimum Thickness:18.5 mm Number Of Holes:6 Solid Or Vented:V	15712800,177859, 145265,

BD7007 55067DS	CADILLAC TRUCK ESCALADE 01-03/ESCALADE 06;CHEVROLET/GMC TRUCK AVALANCHE SERIES 02-03/AVALANCHE 2500 04/ SILVERADO SERIES 03-05/TRUCK SUBURBAN SERIES 00-06/TRUCK TAHOE 00-04;GMC TRUCK DENALI 03-04/TRUCK SIERRA 1500 03/TRUCK YUKON SERIES 00-04	REAR	Height:95.3 mm Diameter:330.2 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:30.1 mm Minimum Thickness:28.5 mm Number Of Holes:6 Solid Or Vented:V	15712802, 15727134,145282,
BD7008 55085DS	BUICK ALLURE 05-08 /LACROSSE 05-08;PONTIAC GRAND PRIX 04-06/GRAND PRIX 08	REAR	Height:36.7 mm Diameter:270 mm Pitch Circle Diameter:118 mm Brake Disc Thickness:14 mm Minimum Thickness:12.5 mm Number Of Holes:5 Solid Or Vented:S	18048699,177893, 55085,PRT5442
BD7009 55087DS	BUICK ALLURE 05-08 /LACROSSE 05-08;PONTIAC GRAND PRIX 04-06/GRAND PRIX 08	FRONT	Height:51.8 mm Diameter:296.9 mm Centering Diameter:70.8 mm Pitch Circle Diameter:118 mm Brake Disc Thickness:32.3 mm Minimum Thickness:30.7 mm Number Of Holes:5 Solid Or Vented:V	18048698,177892, 145518,09B53210, 12162073
BD7010 55097DS	CADILLAC TRUCK ESCALADE 07-10;CHEVROLET/GMC TRUCK AVALANCHE 1500/EXPRESS 1500/SILVERADO 1500/SILVERADO HYBRID/SUBURBAN 1500/TAHOE 04-10;GMC TRUCK DENAL 07 /SAVANA 1500 05-10/SIERRA HYBRID 09/YUKON 07-10/YUKON HYBRID 08-10/YUKON XL 1500 07-10	FRONT	Height:55.5 mm Diameter:329.9 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:30 mm Minimum Thickness:28 mm Number Of Holes:6 Solid Or Vented:V	25819670,18A1705, 88963556,145582, 12166057
BD7011 55126DS	BUICK LUCERNE 06-08 /LUCERNE 10;CHEVROLET IMPALA 06-08/IMPALA 10/MONTE CARLO 06-07	FRONT	Height:52 mm Diameter:303 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:30 mm Minimum Thickness:28.6 mm Number Of Holes:5 Solid Or Vented:V	18A2322,15251335, 09B53510,25955931, 12062098
BD7012 55133DS	CADILLAC TRUCK ESCALADE SERIES 07-1;CHEVROLET/GMC TRUCK AVALANCHE 1500 07-10/TRUCK SILVERADO SERIES 07-09 /TRUCK SUBURBAN 1500 07-09/TRUCK TAHOE SERIES 07-09;GMC TRUCK DENALI SERIES 07/TRUCK SIERRA SERIES 08-09/TRUCK YUKON SERIES 07-10	REAR	Height:85 mm Diameter:344.7 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:20 mm Minimum Thickness:18.5 mm Number Of Holes:6 Solid Or Vented:V	18A2332,15792634, PRT5729,25832103
BD7013 55150DS	BUICK TRUCK ENCLAVE 08-10;CHEVROLET/GMC TRUCK TRAVERSE 09-10 ;GMC TRUCK ACADIA 07-10;SATURN TRUCK OUTLOOK 07-10	FRONT	Height:54.6 mm Diameter:325 mm Centering Diameter:75.6 mm Pitch Circle Diameter:132 mm Brake Disc Thickness:29 mm Minimum Thickness:27.5 mm Number Of Holes:6 Solid Or Vented:V	18A2497,10390111, 09C00510,25853001

BD7014 55151DS	BUICK TRUCK ENCLAVE 08-09;GMC TRUCK ACADIA 07-09	REAR	Height:53.4 mm Diameter:331 mm Centering Diameter:75.7 mm Pitch Circle Diameter:132 mm Brake Disc Thickness:20 mm Minimum Thickness:18.4 mm Number Of Holes:6 Solid Or Vented:V	18A2543,10391043, 12066070,25858784
BD7015 55171DS	CADILLAC CTS 08-10	REAR	Height:48 mm Diameter:315 mm Centering Diameter:67.4 mm Pitch Circle Diameter:120 mm Brake Disc Thickness:23 mm Minimum Thickness:21.5 mm Number Of Holes:5 Solid Or Vented:V	55171,15267107, PRT5836,12062105
BD7016 55174DS	BUICK ALLURE 10/GRD.NTL. GNX 11/LACROSSE 10/REGAL 11;CHEVROLET CAMARO 10-11	FRONT	Height:51 mm Diameter:321 mm Centering Diameter:67.4 mm Pitch Circle Diameter:120 mm Brake Disc Thickness:30 mm Minimum Thickness:27 mm Number Of Holes:5 Solid Or Vented:V	569064, 0569064, 569422, 0569422, 13501308, 13502214
BD7017 55184DS	BUICK LACROSSE 12-14/REGAL 11- 13;CHEVROLET MALIBU 13-14	FRONT	Height:51 mm Diameter:296 mm Centering Diameter:67.4 mm Pitch Circle Diameter:120 mm Brake Disc Thickness:30 mm Minimum Thickness:27 mm Number Of Holes:5 Solid Or Vented:V	18A2802A,146033, 13501319,12062110
BD7018 BD-9044	BUICK ROYAUM 04-06;HOLDEN STATESMAN SALOON 99-03 VT STATION WAGON 97-	FRONT	Diameter:296 mm Brake Disc Thickness:28 mm Minimum Thickness:25 mm Centering Diameter:71.5 mm Height:82.8 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	92057139, 92228515
BD7019 09.7815.14	CADILLAC ESCALADE 98-06	FRONT	Diameter [mm]:294 Brake Disc Thickness [mm]:32,7 Minimum thickness [mm]:30,9 Height [mm]:66,6 Rim Hole Number:6 Brake Disc Type:Vented	15521902, 15679710
BD7020 25932103	CADILLAC ESCALADE 06- 14;CHEVROLET AVALANCHE 00- /EXPRESS 03-/SUBURBAN 05- /TAHOE 07-14;GMC YUKON 06-14	REAR	Diameter:344.7 mm Brake Disc Thickness:20 mm Minimum Thickness:18.5 mm Height:85 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	25832103, 25932103, 15792634, 55133

BD7021 145582	CADILLAC ESCALADE 06-14;CHEVROLET SILVERADO 95- /AVALANCHE 00-/EXPRESS 03- /SUBURBAN 05-/TAHOE 07- 14;GMC YUKON 06-14	FRONT	Diameter:329.9 mm Brake Disc Thickness:30 mm Minimum Thickness:28 mm Centering Diameter:78.6 mm Height:55.5 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	25819670,145582, 25819670,580279, 55097
BD7022 56825	CADILLAC TRUCK ESCALADE 01- 06;CHEVROLET GMC TRUCK ASTRO 03-05/AVALANCHE 02-06/EXPRESS 03-08/SILVERADO 99- 07/SUBURBAN 00-06/TAHOE 00- 06	FRONT	Diameter:304.8 mm Brake Disc Thickness:29 mm Minimum Thickness:27.2 mm Centering Diameter:78.7 mm Height:58.1 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	15716362,55054, 15719362,145259, 18060214,PRT5259
BD7023 56827	CADILLAC TRUCK ESCALADE 01- 03;CHEVROLET GMC TRUCK ASTRO 03-05/AVALANCHE 02- 03/SILVERADO 99-06/TAHOE 00- 04;GMC TRUCK DENALI 03- 04/SAFARI 00-05/ SIERRA 00-07/ YUKON 00-04	REAR	Diameter:325 mm Brake Disc Thickness:20.1 mm Minimum Thickness:18.5 mm Centering Diameter:78.7 mm Height:85.1 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	15712800, 55066, 145265,PRT5265
BD7024 56919	CADILLAC TRUCK ESCALADE 01- 03;CHEVROLET GMC TRUCK AVALANCHE 02-04/SILVERADO03- 05/SUBURBAN 00-06/TAHOE 00- 04	REAR	Diameter:330.2 mm Brake Disc Thickness:30.1 mm Minimum Thickness:28.5 mm Centering Diameter:78.7 mm Height:95.3 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	15712802, 15727134,55067
BD7025 580279	CADILLAC TRUCK ESCALADE 07- 10;CHEVROLET GMC TRUCK AVALANCHE 07-10/ EXPRESS 09- 10/SILVERADO 05-10/SUBURBAN 07-10/TAHOE 07-10	FRONT	Diameter:329.9 mm Brake Disc Thickness:30 mm Minimum Thickness:28 mm Centering Diameter:78.6 mm Height:55.5 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	25819670,88963556, 55097
BD7026 580422	CADILLAC TRUCK ESCALADE 07- 10;CHEVROLET GMC TRUCK AVALANCHE 07-10/GMC TRUCK SILVERADO 07-09/GMC TRUCK SUBURBAN 07-09/GMC TRUCK TAHOE 07-09	REAR	Diameter:344.7 mm Brake Disc Thickness:20 mm Minimum Thickness:18.5 mm Centering Diameter:78.7 mm Height:85 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	15792634,55133, 25832103
BD7027 5072	CADILLAC SEVILLE II 85- 91;PONTIAC TRANS SPORT 89-97	FRONT	Diameter:260.6 mm Brake Disc Thickness:26.4 mm Minimum Thickness:24.4 mm Centering Diameter:70.6 mm Height:50.8 mm Number Of Holes:5 Pitch Circle Diameter:115 mm Solid Or Vented:V	1642177,5072, 01642177,5552 14035588,18018122

BD7028 580437	BUICK REGAL 88-95;CHEVROLET LUMINA 90-95/MONTE CARLO 95;OLDSMOBILE CUTLASS SUPREME 88-92/CUTLASS SUPREME 94-96;PONTIAC GRAND PRIX 88-95	FRONT	Diameter:266.7 mm Brake Disc Thickness:26.3 mm Minimum Thickness:24.7 mm Centering Diameter:70.8 mm Height:36 mm Number Of Holes:5 Pitch Circle Diameter:115.1 mm Solid Or Vented:V	14094932,5961 18020470,5566, 55134
BD7029 580064R	BUICK ROYAUM 04-06;HOLDEN STATESMAN SALOON 99-03/VT STATION WAGON 97-	FRONT	Diameter:296 mm Brake Disc Thickness:28 mm Minimum Thickness:25 mm Centering Diameter:71.5 mm Height:82.8 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	92053037, DF7014, 92057139,55088, 0 986 BB4 145
BD7030 580165	CADILLAC TRUCK ESCALADE 04-05;CHEVROLET GMC TRUCK AVALANCHE 03-06/EXPRESS 03-10/SILVERADO 03-07/SUBURBAN 04/SUBURBAN 06/TAHOE 04-06	REAR	Diameter:330.2 mm Brake Disc Thickness:30.1 mm Minimum Thickness:28.5 mm Height:95.5 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	25757802,18A1412, 55084
BD7031 580718	BUICK PARK AVENUE 07-13;HOLDEN CALAIS 13-/CAPRICE SALOON 06-13/COMMODORE 06-10/STATESMAN SALOON 06-10;PONTIAC G8 08-09	FRONT	Diameter:298 mm Brake Disc Thickness:30 mm Minimum Thickness:28 mm Centering Diameter:67.3 mm Height:52 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	5499796,92188884, 580718,DF7511, 55167,0986T16459
BD7032 55057	CADILLAC TRUCK ESCALADE 01-03;CHEVROLET GMC TRUCK AVALANCHE 02-03/GMC TRUCK AVALANCHE 06/GMC TRUCK EXPRESS 03-10/GMC TRUCK SILVERADO 01-06/GMC TRUCK SUBURBAN 01-06/GMC TRUCK TAHOE 00-04;/HUMMER TRUCK H2 03-09	REAR	Diameter:330.2 mm Brake Disc Thickness:29 mm Minimum Thickness:26.5 mm Centering Diameter:117.6 mm Height:85.6 mm Number Of Holes:8 Pitch Circle Diameter:165.1 mm Solid Or Vented:V	15712801, PRT5262,145262, 09881280
BD7033 55163	CADILLAC CTS 08-/STS 10/STS-V 10;CHEVROLET CAMARO 09-	REAR	Diameter:365 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Centering Diameter:67.4 mm Height:47.6 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	18549,1771051,55163, 25504V,145901, PRT5901,09A50811, 12062119,25851166, 92223366,92245929, 580712,BD180299, YH21097
BD7034 89060328	CADILLAC XLR 06-09/XLR-V 08-09 CHEVROLET CORVETTE 06-10	FRONT	Diameter:340 mm Brake Disc Thickness:32 mm Minimum Thickness:30 mm Centering Diameter:70.9 mm Height:45.7 mm Number Of Holes:5 Pitch Circle Diameter:120.6 mm Solid Or Vented:V	18A2429,55111, 145789,PRT5789, 120.62086,12162086, 89060328,580334, BD126281, YH20709DR

BD7035 89060329	CADILLAC XLR 06-09;CHEVROLET CORVETTE 05-08/CORVETTE 10	REAR	Diameter:329.9 mm Brake Disc Thickness:26 mm Minimum Thickness:24 mm Centering Diameter:70.8 mm Height:49.1 mm Number Of Holes:5 Pitch Circle Diameter:120.7 mm Solid Or Vented:V	18A2806,55123, 145663,PRT5663, 120.62096,89060329, 580386,BD180177, YH20710DR
BD7036 55097	CADILLAC TRUCK ESCALADE 07- 10;CHEVROLET GMC TRUCK AVALANCHE 07-10/GMC TRUCK EXPRESS 05-10/GMC TRUCK SUBURBAN 07-10/GMC TRUCK TAHOE 07-10	FRONT	Diameter:329.9 mm Brake Disc Thickness:30 mm Minimum Thickness:28 mm Centering Diameter:78.6 mm Height:55.5 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	18A1705,55097, 145582,PRT5582, 09.A406.10,120.66057, 25819670,88963556, 580279,BD126358, YH20538,YH20647, YH21581
BD7037 55133	CADILLAC TRUCK ESCALADE 07- 10;CHEVROLET GMC TRUCK AVALANCHE 07-10/GMC TRUCK SILVERADO 07-09/GMC TRUCK SUBURBAN 07-09/GMC TRUCK TAHOE 07-09	REAR	Diameter:344.7 mm Brake Disc Thickness:20 mm Minimum Thickness:18.5 mm Centering Diameter:78.7 mm Height:85 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	18A2332,55133, 145729,PRT5729, 09.B534.10,15792634, 25832103,580422, 580422P,BD126457, YH20646,YH21029, YH21580
BD7038 55067	CADILLAC TRUCK ESCALADE 01- 03;CHEVROLET GMC TRUCK AVALANCHE 02-04/GMC TRUCK SILVERADO 03-05/GMC TRUCK SUBURBAN 00-06/GMC TRUCK TAHOE 00-04	REAR	Diameter:330.2 mm Brake Disc Thickness:30.1 mm Minimum Thickness:28.5 mm Centering Diameter:78.7 mm Height:95.3 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	18A907A,55067, 145282,PRT5282, 09.8608.80, 15712802, 15727134,56919, BD125735, DS2661B01,YH2661
BD7039 55054	CADILLAC TRUCK ESCALADE 01- 05;CHEVROLET/GMC TRUCK ASTRO 03-05/AVALANCHE 02-06/EXPRESS 03-08/SILVERADO 99-07/SUBURBAN 00-06/TAHOE 00-06;GMC DENALI 03- 06/SAFARI 03-08/SIERRA 00- 07/YUKON 00-06	FRONT	Diameter:304.8 mm Brake Disc Thickness:29 mm Minimum Thickness:27.2 mm Centering Diameter:78.7 mm Height:58.1 mm Number Of Holes:6 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	15716362,56825 15719362,ST56825R 18060214,55054, DS2572B01, 09.8192.80
BD7040 55027DS	CHEVROLET CAMARO 93-97;PONTIAC FIREBIRD 93-97	REAR	Height:49 mm Diameter:292.8 mm Centering Diameter:70.9 mm Pitch Circle Diameter:118 mm Brake Disc Thickness:19.9 mm Minimum Thickness:18.4 mm Number Of Holes:5 Solid Or Vented:V	18017538,16465, 18020785,18022019, 55027,141888, 09802485
BD7041 55040DS	CHEVROLET MALIBU 97-98 /MALIBU 00-03/MALIBU CLASSIC 04-05 ;OLDSMOBILE ALERO 99-04/CUTLASS 97-99/SUPREME 97;PONTIAC GRAND AM 99/GRAND AM 01-05	FRONT	Height:48.8 mm Diameter:277.8 mm Centering Diameter:70.9 mm Pitch Circle Diameter:118 mm Brake Disc Thickness:26 mm Minimum Thickness:24.7 mm Number Of Holes:5 Solid Or Vented:V	18021774, 18040307, 18048801, 18060241, 18060442

BD7042 55045DS	CHEVROLET CORVETTE 97-06	REAR	Height:48.4 mm Diameter:304.8 mm Pitch Circle Diameter:120.7 mm Brake Disc Thickness:26 mm Minimum Thickness:24.5 mm Number Of Holes:5 Solid Or Vented:V	12162061, 10262997, 10406649, 10445859
BD7043 55050DS	CHEVROLET CAMARO 98-02;PONTIAC FIREBIRD 98-99 /FIREBIRD 01-02	REAR	Height:61 mm Diameter:304.8 mm Centering Diameter:70.9 mm Pitch Circle Diameter:118 mm Brake Disc Thickness:26 mm Minimum Thickness:24.6 mm Number Of Holes:5 Solid Or Vented:V	18023536, 18060239, 09851485
BD7044 55080DS	CHEVROLET/GMC TRUCK EQUINOX 05-06;PONTIAC TRUCK TORREN 06;SATURN TRUCK GREEN LINE 07/TRUCK RED LINE 04-07/TRUCK VUE 02-07 /TRUCK VUE HYBRID 07	FRONT	Height:51.5 mm Diameter:296 mm Centering Diameter:70.9 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:26 mm Minimum Thickness:24.5 mm Number Of Holes:5 Solid Or Vented:V	22666578,18A1424, 145344,12062068, 09911110
BD7045 55083DS	CHEVROLET COBALT 05-08 /COBALT 10/COBALT SS 08 ;PONTIAC G5 07-08/ G5 10/PURSUIT 05-06 ;SATURN ION 03-07/RED LINE 04-07	FRONT	Height:46.7 mm Diameter:256 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:24 mm Minimum Thickness:22 mm Number Of Holes:4 Solid Or Vented:V	22702612,18A1585, 25863339,145419, 09B60610
BD7046 55093DS	CHEVROLET COBALT SERIES 05-08 /MALIBU SERIES 04- 10;CHEVROLET/GMC TRUCK HHR 08- 10;PONTIAC G5 06-10/PURSUIT 05- 06/SATURN AURA 07-08/AURA 10/ION 04-07/RED LINE 04-07	FRONT	Height:43 mm Diameter:296 mm Pitch Circle Diameter:110 mm Brake Disc Thickness:26 mm Minimum Thickness:23 mm Number Of Holes:5 Solid Or Vented:V	15856665,18A1659, 22705375,145528, 25797350,PRT5528, 12162078
BD7047 55094DS	CHEVROLET COBALT 05-08/COBALT SS 08/MALIBU 04-08/MALIBU 10/MALIBU HYBRID 08 ;CHEVROLET/GMC TRUCK HHR 08/TRUCK HHR 10 ;PONTIAC G5 07-09/G6 05-10 /PURSUIT 05-06 ;SATURN AURA 07- 08/ION 04-07/RED LINE 04-07	REAR	Height:45 mm Diameter:270 mm Pitch Circle Diameter:110 mm Brake Disc Thickness:14 mm Minimum Thickness:12 mm Number Of Holes:5 Solid Or Vented:S	22705356,18A1675, 145563,08B60010, 12162079
BD7048 55095DS	CHEVROLET MALIBU 04-07 ;PONTIAC G6 06-07	FRONT	Height:42.8 mm Diameter:276 mm Pitch Circle Diameter:110 mm Brake Disc Thickness:26 mm Minimum Thickness:23 mm Number Of Holes:5 Solid Or Vented:V	22705302,18A1687, 25797351,145564, 09B51910,12162077

BD7049 55115DS	PONTIAC GRAND PRIX 06	REAR	Height:50.5 mm Diameter:305 mm Centering Diameter:70.9 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:26 mm Minimum Thickness:24 mm Number Of Holes:5 Solid Or Vented:V	88965595,1770923, 145747,12062092
BD7050 55121DS	PONTIAC GRAND PRIX 06/GRAND PRIX 08	FRONT	Height:52 mm Diameter:323 mm Centering Diameter:70.6 mm Pitch Circle Diameter:115 mm Brake Disc Thickness:32 mm Minimum Thickness:30 mm Number Of Holes:5 Solid Or Vented:V	12062091,1770922, 145737,88965592
BD7051 55122DS	CHEVROLET/GMC TRUCK HHR 06-10	FRONT	Height:43 mm Diameter:276 mm Pitch Circle Diameter:110 mm Brake Disc Thickness:26 mm Minimum Thickness:23 mm Number Of Holes:5 Solid Or Vented:V	17847,22728988, PRT5661,25958239
BD7052 55125DS	CHEVROLET IMPALA 06-08/MONTE CARLO 06-07	REAR	Height:50 mm Diameter:278 mm Centering Diameter:70.6 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:11 mm Minimum Thickness:9 mm Number Of Holes:5 Solid Or Vented:S	18A2321,88965647, 08846310,12162097
BD7054 D4003V	CHEVROLET AVEO / KALOS SERIES 03-08/AVEO SERIES 04-;PONTIAC G3 SERIES 05-10/WAVE 07	FRONT	Diameter:256 mm Brake Disc Thickness:24 mm Minimum Thickness:22 mm Centering Diameter:59 mm Height:41 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	964-71275, 96534660, BD-4908
BD7055 DF1540	CHANGAN BENNI 06- 14;CHEVROLET AVEO 11-	FRONT	Diameter:256 mm Brake Disc Thickness:24 mm Minimum Thickness:21 mm Centering Diameter:60 mm Height:45.5 mm Number Of Holes:4 Pitch Circle Diameter:100 mm Solid Or Vented:V	13502001,N3300919 92241400
BD7056 141631	CHEVROLET BLAZER S10 93-05/S10 PICKUP 94-12	FRONT	Diameter [mm]:267 Brake Disc Thickness [mm]:26,3 Minimum thickness [mm]:24,5 Height [mm]:109 Rim Hole Number:5 Brake Disc Type:Vented	15602574, 15725351, 18060217

BD7057 BD1354	CHEVROLET AVEO 05-/SPARK 09-	REAR	Inner Brake Drum Height [mm]:40,5 Total Br. Drum Height [mm]:57 Centering Diameter [mm]:57 Br. Drum outer diameter [mm]:230 Bolt Hole Circle ? [mm]:100	96470999, 96471771
BD7058 56828	CHEVROLET GMC TRUCK AVALANCHE 02-05/EXPRESS 05-10/SILVERADO 01-10/SUBURBAN 04-06/SUBURBAN 08-10	REAR	Diameter:330.2 mm Brake Disc Thickness:29 mm Minimum Thickness:27 mm Centering Diameter:123 mm Height:92 mm Number Of Holes:8 Pitch Circle Diameter:165.1 mm Solid Or Vented:V	15712803, 145260, 55055,PRT5260
BD7059 56829	CHEVROLET SILVERADO 1500 97-07/SUBURBAN 91-00/AVALANCHE 03-06/EXPRESS 03-08/SILVERADO 99-07/SUBURBAN 00-08	FRONT	Diameter:325 mm Brake Disc Thickness:38.1 mm Minimum Thickness:36.5 mm Centering Diameter:118 mm Height:89.2 mm Number Of Holes:8 Pitch Circle Diameter:165.1 mm Solid Or Vented:V	15718986,ST56829L 18060215
BD7060 56258	CHEVROLET GMC TRUCK C1500 92/C1500 94-00/EXPRESS 96-02/G1500 96-97/PICKUP 94-02/SAVANA 96-99/SUBURBAN 94-98/SUBURBAN 92/TAHOE 95-99	FRONT	Diameter:294.9 mm Brake Disc Thickness:32.6 mm Minimum Thickness:30.9 mm Centering Diameter:65 mm Height:114.7 mm Number Of Holes:5 Pitch Circle Diameter:127 mm Solid Or Vented:V	15649953,5595, 15981316,141829, PRT1829,DF7140S
BD7061 580719	HOLDEN CAPRICE SALOON 06-13/COMMODORE 06-13/STATSMAN SALOON 06-10;PONTIAC G8 08	REAR	Diameter:302 mm Brake Disc Thickness:22.1 mm Minimum Thickness:20 mm Centering Diameter:67.3 mm Height:55.9 mm Number Of Holes:5 Pitch Circle Diameter:119.9 mm Solid Or Vented:V	5499859,580719, 92159685,55168, 92170767,PRT5919
BD7062 580720	PONTIAC G8 08-09	FRONT	Diameter:321.1 mm Brake Disc Thickness:30 mm Minimum Thickness:28 mm Centering Diameter:67.3 mm Height:52.1 mm Number Of Holes:5 Pitch Circle Diameter:119.9 mm Solid Or Vented:V	92170769, 55169, 145865, PRT5865
BD7063 55178DS	CHEVROLET EQUINOX 10-14;GMC TERRAIN 10-14	REAR	Height:71.7 mm Diameter:303 mm Centering Diameter:67.4 mm Pitch Circle Diameter:120 mm Brake Disc Thickness:20 mm Minimum Thickness:18.4 mm Number Of Holes:5 Solid Or Vented:V	18A2727A,20792027, 10155178,PRT5996, 12166073

BD7064 580724	CHEVROLET CAPRICE 11-13;PONTIAC G8 08-09	REAR	Diameter:324.1 mm Brake Disc Thickness:22.1 mm Minimum Thickness:20.1 mm Centering Diameter:67.6 mm Height:55.4 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	92170766, 92218356, 55172
BD7065 55175	CHEVROLET CAMARO 10	FRONT	Diameter:355.4 mm Brake Disc Thickness:31.9 mm Minimum Thickness:30 mm Centering Diameter:67.4 mm Height:49.7 mm Number Of Holes:5 Pitch Circle Diameter:120 mm Solid Or Vented:V	55175,145999, PRT5999, 92213817, 92245928
BD7066 71669FR	CHEVROLET CORVETTE 14-19	REAR	brake rotor	71669FR
BD7067 5581DS	SATURN SC SERIES 91-02/SL SERIES 91-02/SW SERIES 93-02	FRONT	Height:43.3 mm Diameter:250 mm Centering Diameter:60 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:18 mm Minimum Thickness:15.8 mm Number Of Holes:4 Solid Or Vented:V	21011105,18A434, 21012664,5581, 21012880,09796410, PRT1604,12162038
BD7068 56830	CHEVY EXPRESS 03-10, 13-14/SILVERADO 99-07/SUBURBAN 00-07;GMC SAVANA 03-10, 12-14/SIERRA 99-07/YUKON 00-07;HUMMER H2 03-09	REAR	Diameter:330 mm Brake Disc Thickness:29 mm Minimum Thickness:26.492 mm Centering Diameter:117.86 mm Height:86.868 mm Number Of Holes:8 Pitch Circle Diameter:165.1 mm	15712801,18A928, 55057,8944043, YH145262
BD7401 680107	LINCOLN TOWN CAR 03-10	REAR	Diameter:295 mm Brake Disc Thickness:19 mm Minimum Thickness:18 mm Centering Diameter:70.6 mm Height:61.5 mm Number Of Holes:10 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	3W1Z2C026AA, 54101,145379, PRT5379
BD7402 34054DS	MERKUR SCORPIO 88-89	REAR	Height:33.4 mm Diameter:252.8 mm Centering Diameter:63.8 mm Pitch Circle Diameter:112 mm Brake Disc Thickness:10.3 mm Minimum Thickness:8.9 mm Number Of Holes:5 Solid Or Vented:S	E7RY2C026A,18A593, 34054,141718,PRT1718, 12061068
BD7700 5370DS	CHRYSLER CIRRUS 94-00/SEBRING 00-07/STRATUS 94-01/VOYAGER / GRAND VOYAGER III 95-01;DODGE CARAVAN 95-01/STRATUS 94-01;PLYMOUTH BREEZE 95-01/VOYAGER / GRAND VOYAGER 95-01	REAR	Height:53.2 mm Diameter:270.3 mm Centering Diameter:57.6 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:9.1 mm Minimum Thickness:7.2 mm Number Of Holes:5 Solid Or Vented:S	4616433,4764934AA, 4764934AB,5085651AB, 16727,18A726,145051, 08742080,12063043

BD7701 5382DS	DODGE TRUCK DAKOTA 97-02/TRUCK DURANGO 98-02	FRONT	Height:63.9 mm Diameter:286.9 mm Centering Diameter:73.4 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:24 mm Minimum Thickness:22.6 mm Number Of Holes:6 Solid Or Vented:V	52009208,17306, 52009208AC,18A1181, 24740E,145147
BD7702 5397DS	CHRYSLER NEON II 99-06;DODGE NEON II 99-;PLYMOUTH NEON II SALOON 99-	FRONT	Height:38.1 mm Diameter:256.9 mm Centering Diameter:61.2 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:22 mm Minimum Thickness:20.4 mm Number Of Holes:5 Solid Or Vented:V	05273038AA,5273038A A, 18A971,5397,145249, 09B65910,12063050
BD7703 53000DS	CHRYSLER PT CRUISER 00-10/PT CRUISER CONVERTIBLE 00-10	FRONT	Height:39.2 mm Diameter:280 mm Centering Diameter:61 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:23 mm Minimum Thickness:21.4 mm Number Of Holes:5 Solid Or Vented:V	04509994AA,17319, 4509994,18A1110, 04509994AB,53000, 4509994AD,DSK2096, 24012301071
BD7704 53005DS	CHRYSLER TRUCK ASPEN 07- 09;DODGE TRUCK DURANGO 04- 09/TRUCK RAM 1500 PICKUP 02-10	FRONT	Height:67.2 mm Diameter:336 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:28 mm Minimum Thickness:26.4 mm Number Of Holes:5 Solid Or Vented:V	52010080AA,17606, 52010080AB,18A1324, 52010080AC
BD7705 53006DS	CHRYSLER TRUCK ASPEN 07- 09;DODGE TRUCK DURANGO 04- 09/TRUCK RAM 1500 PICKUP 02-10	REAR	Height:72 mm Diameter:352 mm Centering Diameter:78.4 mm Pitch Circle Diameter:139.7 mm Brake Disc Thickness:22 mm Minimum Thickness:20.4 mm Number Of Holes:5 Solid Or Vented:V	52009968AA,18A1428, 52009968AB,145365, 09903710,12067054
BD7706 53021DS	CHRYSLER 300 C 04-/300 C TOURING 04-10	REAR	Height:67 mm Diameter:320 mm Centering Diameter:72.6 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8.5 mm Number Of Holes:5 Solid Or Vented:S	4779208AB,17839, 4779208AD,18A1690, 4779209DC,53021, 145567,DI956759, 08A40310,
BD7707 53022DS	CHRYSLER 300 C 04-/300 C TOURING 04-10	FRONT	Height:54.6 mm Diameter:320 mm Centering Diameter:72.5 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26.5 mm Number Of Holes:5 Solid Or Vented:V	4779196AB,17809, 4779196AD,145650, 4779196AE,18A2342, 09A40210,BD9196

BD7708 53023DS	CHRYSLER 300 C 04-/300 C TOURING 04-10	FRONT	Height:54.6 mm Diameter:345 mm Centering Diameter:72.6 mm Pitch Circle Diameter:115 mm Brake Disc Thickness:28 mm Minimum Thickness:26.7 mm Number Of Holes:5 Solid Or Vented:V	04779197AB,17903, 04779197AD,18A2343, 4779197AA,6009914, 4779197AB,145651, 4779197AC,ADA104304 4779197AD,09A40410, 4779197AE
BD7709 53024DS	CHRYSLER 300 C 04-/300 C TOURING 04-10	REAR	Height:67 mm Diameter:320 mm Centering Diameter:72.7 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:22 mm Minimum Thickness:20.5 mm Number Of Holes:5 Solid Or Vented:V	4779209AA,17904, 4779209AB,53024, 4779209AC,6109903, 4779209AE,145568, ADA104328
BD7710 53029DS	CHRYSLER 300 C 04-/300 C TOURING 04-10	FRONT	Height:58 mm Diameter:360 mm Centering Diameter:72.5 mm Pitch Circle Diameter:115 mm Brake Disc Thickness:32 mm Minimum Thickness:30 mm Number Of Holes:5 Solid Or Vented:V	5290537AA,17905, 5290537AB,18A2440, 53029,DSK2633, 145733,ADA104317
BD7711 53030DS	CHRYSLER 300 C 04-/300 C TOURING 04-10	REAR	Height:68 mm Diameter:350.5 mm Centering Diameter:72.6 mm Pitch Circle Diameter:115 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Number Of Holes:5 Solid Or Vented:V	5290538AA,17906, 5290538AB,18A2495, 5290538AC
BD7712 53031DS	CHRYSLER 300 C 04-/300 C TOURING 04-10	REAR	Height:67 mm Diameter:350 mm Centering Diameter:72.6 mm Pitch Circle Diameter:115 mm Brake Disc Thickness:26.2 mm Minimum Thickness:24.6 mm Number Of Holes:5 Solid Or Vented:V	4779438AA,18A2367, 4779438AB,10153031, 4779438AD,PRT5739, DI956933,09B99410, 44155230007PD
BD7713 53036DS	CHRYSLER SEBRING 06-10;DODGE CALIBER 06;JEEP COMPASS 06- /PATRIOT 07-	REAR	Height:60.2 mm Diameter:262 mm Centering Diameter:80 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:10 mm Minimum Thickness:8.4 mm Number Of Holes:5 Solid Or Vented:S	05105515AA,17882, 105105515AA,18A2418, 5105515AA,53036, 6100002,24011003631
BD7714 53042DS	DODGE NITRO 06-12;JEEP CHEROKEE 08-	FRONT	Height:64 mm Diameter:302 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26.4 mm Number Of Holes:5 Solid Or Vented:V	52109938AB,18018, 18A2469,53042, DSK2706

BD7715 53044DS	DODGE NITRO 06-12;JEEP CHEROKEE 08-	REAR	Height:76.5 mm Diameter:316 mm Centering Diameter:72.1 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:12 mm Minimum Thickness:10.4 mm Number Of Holes:5 Solid Or Vented:S	52129250AA,18A2471, 53044,145708, ADA104319
BD7716 53061DS	DODGE DURANGO 10-;JEEP GRAND CHEROKEE IV 10-	REAR	Height:64 mm Diameter:330 mm Centering Diameter:72 mm Pitch Circle Diameter:127 mm Brake Disc Thickness:14 mm Minimum Thickness:12.5 mm Number Of Holes:5 Solid Or Vented:S	52124763AB,146103, 52124763AC,08N23311, 24011401201,55747, DDF2096C,780867, DF6492,92274703
BD7717 53063DS	JEEP GRAND CHEROKEE 11/GRAND CHEROKEE 11 14;DODGE DURANGO 19	REAR	Bolt Circle (in): 5 Design: Vented Min Thk (in): 0.81 Nom Thk (in): 0.866 Outside Diameter (in): 12.992 Overall Height (in): 2.52 Studs: 5	68035022AB,18A2794A, YH321094P,PRT6101, 120.58007
BD7718 5383DS	DODGE CARAVAN 00-07;CHRYSLER VOYAGER IV 99-08/TOWN & COUNTRY 00-07	REAR	Diameter:290 mm Brake Disc Thickness:12.4 mm Minimum Thickness:11.2 mm Centering Diameter:72 mm Height:56 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	04721023, 04721023AD, 04721023AE, 04721023AF, 04721023AG
BD7719 4509994AA	CHRYSLER PT CRUISER 00-10/PT CRUISER CONVERTIBLE 00-10	FRONT	Height:39.2 mm Diameter:280 mm Centering Diameter:61 mm Pitch Circle Diameter:100 mm Brake Disc Thickness:23 mm Minimum Thickness:21.4 mm Number Of Holes:5 Solid Or Vented:V	04509994AA, 04509994AB, 4509994, 4509994AA,4509994AB, 4509994AD, 17319,18A1110
BD7720 DF4346	CHRYSLER VOYAGER IV 00-08	FRONT	Outer diameter : 301.7mm Brake Disc Thickness : 28mm Bolt Hole Circle Diameter : 114.3mm Min. thickness : 26.5mm Thickness : 38.8mm Brake Disc Type : Internally Vented Weight : 7.699kg Rim : 5 Hole	04683918AA, 04683918AB, 04683918AD, 4683918AA,4683918AB, 4683918AD, K04683918AA, K04683918AB
BD7721 145301	CHRYSLERPT CRUISER 00-10	FRONT	Diameter [mm]:280 Brake Disc Thickness [mm]:23 Minimum thickness [mm]:21,4 Height [mm]:39,3 Rim Hole Number:5 Brake Disc Type:Vented	DR6520, 4509994AB,5273141AA, 4509994,4509994AA, 4509994AD

BD7722 ADA104325	CHRYSLER NEON 94-06;DODGE NEON 94-;PLYMOUTH NEON 94-	FRONT	Diameter [mm]:257 Brake Disc Thickness [mm]:20 Minimum thickness [mm]:18,4 Height [mm]:38 Rim Hole Number:5 Brake Disc Type:Vented	DR6925, 4509552, 4509718, 4509718
BD7723 DSK 2038	CHRYSLER NEON 94-06/PT CRUISER 06-10/SEBRING 00-07	REAR	Diameter [mm]:270 Brake Disc Thickness [mm]:9 Minimum thickness [mm]:7,3 Height [mm]:53 Rim Hole Number:5 Brake Disc Type:Solid	DR6926, 4509553,5085651AA, 4509553AC,4509558 5085651AB
BD7724 PRT5650	CHRYSLER 300 C 04-;DODGE CHARGER 05-/CHALLENGER 07-	FRONT	Diameter [mm]:320 Brake Disc Thickness [mm]:28,1 Number of Holes:5 Brake Disc Type:Vented	4779196AB, 4779196AD, 4779196AE
BD7725 76645	DODGE DAKOTA 95-05/TRUCK DAKOTA 97-02/TRUCK DURANGO 98-02	FRONT	Diameter:286.9 mm Brake Disc Thickness:24 mm Minimum Thickness:22.6 mm Centering Diameter:73.4 mm Height:63.9 mm Number Of Holes:6 Pitch Circle Diameter:114.3 mm	52009208,145147, 09.7650.10,BS 8328, 09.7650.10,BS 5328, BD-9208
BD7726 780867	DODGE DURANGO 10-;JEEP GRAND CHEROKEE IV 10-	REAR	Diameter:330 mm Brake Disc Thickness:14 mm Minimum Thickness:12.5 mm Centering Diameter:72 mm Height:64 mm Number Of Holes:5 Pitch Circle Diameter:127 mm Solid Or Vented:S	52124763AB, 52124763AC, DF6492,146103, PRT6103,DDF2096C
BD7727 53018	FORD EXPEDITION 98	REAR	brake rotor	V5011240AA, 53018
BD7728 53022	CHRYSLER 300 C 04-;DODGE CHARGER 05-/CHALLENGER COUPE 07-	FRONT	Diameter [mm]:320 Brake Disc Thickness [mm]:28,1 Number of Holes:5 Brake Disc Type:Vented	04779196AD, 4779196AB, 04779196AB, 04779196AE
BD7729 53021	CHRYSLER 300 05-;DODGE CHALLENGER 09-/CHARGER 06- /MAGNUM 05-08	REAR	Diameter:320 mm Brake Disc Thickness:10 mm Minimum Thickness:8.5 mm Centering Diameter:72.6 mm Height:67 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:S	17839,18A1690, 53021,145567, PRT5567,DI956759, 08.A403.10,120.63060, 209323,4779208AB 4779209DC,780254, DF6027

BD7730 5115DS	JEEP CHEROKEE 83-01/GRAND CHEROKEE I 91-05/WRANGLER I 86-96/WRANGLER II 96-08/JEEP 2500 03- /SUPER CHEROKEE 97-05	FRONT	Height:81.5 mm Diameter:280 mm Centering Diameter:72 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:24 mm Minimum Thickness:22.7 mm Number Of Holes:5 Solid Or Vented:V	05015965AA,5015965A A, 52005000,52007710, 52008264,52008440, 52008440B
BD7731 5118DS	JEEP CHEROKEE 83-01/GRAND CHEROKEE II 98-05/GRAND CHEROKEE III 04-11/SUPER CHEROKEE 97-05	FRONT	Height:63.5 mm Diameter:305 mm Centering Diameter:72 mm Pitch Circle Diameter:127 mm Brake Disc Thickness:26 mm Minimum Thickness:24.5 mm Number Of Holes:5 Solid Or Vented:V	52008672,17032,24812, 52098672,145254 24012601301, AC2525D
BD7732 5119DS	JEEP CHEROKEE 83-01/GRAND CHEROKEE II 98-05/GRAND CHEROKEE III 04-11/SUPER CHEROKEE 97-05	REAR	Height:75.2 mm Diameter:305 mm Centering Diameter:72.4 mm Pitch Circle Diameter:127 mm Brake Disc Thickness:10 mm Minimum Thickness:8.5 mm Number Of Holes:5 Solid Or Vented:S	52098666,17308, 6109992,DSK2180, 145253,ADA104312, 0986478771
BD7733 5360DS	JEEP GRAND CHEROKEE I 91-99	REAR	Height:59.2 mm Diameter:285 mm Centering Diameter:72 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:11 mm Minimum Thickness:9.5 mm Number Of Holes:5 Solid Or Vented:S	52008184,16557, 18A657,5360, 141901,PRT1901, DSK2066,ADA104322C
BD7734 5396DS	JEEP CHEROKEE (XJ) 83-01/WRANGLER II 96-08	FRONT	Height:78 mm Diameter:280 mm Centering Diameter:72 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:24 mm Minimum Thickness:22.7 mm Number Of Holes:5 Solid Or Vented:V	05016434AA,5016434A A, 17309,18A972,5396, PRT5276,BS8600
BD7735 53001DS	JEEP CHEROKEE 01-08	FRONT	Diameter:288 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Centering Diameter:72 mm Height:64.8 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	52128247AA,17842, C3Y013ABE,18A9002, 53001,DSK2445,428708, DI956323,DDF1184
BD7736 53010DS	JEEP TRUCK LIBERTY 03-07/TRUCK TJ 03-06/TRUCK WRANGLER 03-06/TRUCK YJ 03-06	REAR	Height:58 mm Diameter:285 mm Centering Diameter:72 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:12 mm Minimum Thickness:11 mm Number Of Holes:5 Solid Or Vented:S	52128411AA,18A1336, 52128411AB,10153010, 145383,08A63610, 12067063

BD7737 53026DS	JEEP COMMANDER 05-10/GRAND CHEROKEE III 04-11	FRONT	Height:53 mm Diameter:328 mm Centering Diameter:72 mm Pitch Circle Diameter:127 mm Brake Disc Thickness:30 mm Minimum Thickness:28.4 mm Number Of Holes:5 Solid Or Vented:V	1052089269AB,17819, 52089269AB,18A2345, DR6698,DSK2561, 24013002231
BD7738 53027DS	JEEP COMMANDER 05-10/GRAND CHEROKEE II 98-05/GRAND CHEROKEE III 04-11/GRAND CHEROKEE IV 10-	REAR	Height:66.5 mm Diameter:319.8 mm Centering Diameter:72 mm Pitch Circle Diameter:127 mm Brake Disc Thickness:14 mm Minimum Thickness:12.4 mm Number Of Holes:5 Solid Or Vented:S	1052089275AB,17820, 52089275AB,18A2363, DR6699,DSK2562, 6100001,24011401181
BD7739 53032DS	JEEP TRUCK GRAND CHEROKEE 06-10	FRONT	Height:52.8 mm Diameter:359.8 mm Centering Diameter:72.1 mm Pitch Circle Diameter:127 mm Brake Disc Thickness:32 mm Minimum Thickness:31.8 mm Number Of Holes:5 Solid Or Vented:V	5290733AA,18A2443, 5290733AB,53032, 145732,12058003
BD7740 53039DS	JEEP GRAND CHEROKEE II 98- 05/GRAND CHEROKEE III 04-11	REAR	Height:68.2 mm Diameter:349.8 mm Centering Diameter:72.1 mm Pitch Circle Diameter:127 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Number Of Holes:5 Solid Or Vented:V	5290731AA,18A2537, 5290731AB,53039, PRT5736,DI956932, 12058004,6049795
BD7741 53040DS	JEEP WRANGLER II 96-08/WRANGLER III 07-	FRONT	Height:55 mm Diameter:302 mm Centering Diameter:72 mm Pitch Circle Diameter:127 mm Brake Disc Thickness:28 mm Minimum Thickness:26.4 mm Number Of Holes:5 Solid Or Vented:V	52060137AB,18A2464, 53040,6009913,145725, ADA104335,09C00310, 12167068,6060371
BD7742 53041DS	JEEP WRANGLER II 96-08/WRANGLER III 07-	REAR	Height:76 mm Diameter:316 mm Centering Diameter:72 mm Pitch Circle Diameter:127 mm Brake Disc Thickness:12 mm Minimum Thickness:10.4 mm Number Of Holes:5 Solid Or Vented:S	052060147AA,18A2465, 152060147AA,53041, 52060147AA,6109902, 24011201931
BD7743 53062DS	JEEP GRAND CHEROKEE 11	FRONT	Min Thk (in): 1.2 Nom Thk (in): 1.26 Outside Diameter (in): 12.992 Overall Height (in): 2.165 Studs: 5	52124762AB,PRT6102, 780868,GP53062, 120.58006,780868, DS1-780868

BD7744 53064DS	JEEP GRAND CHEROKEE IV 10-	FRONT	Height:54.5 mm Diameter:350 mm Centering Diameter:72 mm Pitch Circle Diameter:127 mm Brake Disc Thickness:32 mm Minimum Thickness:30.5 mm Number Of Holes:5 Solid Or Vented:V	68035012AB,18217, 18A2795A,DSK2937, 6009916,146100, ADA104363
BD7745 54197DS	JEEP CHEROKEE 01-08	FRONT	Height:64.8 mm Diameter:288 mm Centering Diameter:72 mm Pitch Circle Diameter:114.3 mm Brake Disc Thickness:28 mm Minimum Thickness:26 mm Number Of Holes:5 Solid Or Vented:V	052128247AA,DDF1184 52128247AA,D1468 052128247AA,54197 52128247AA, 562856BC
BD7746 92113500	JEEP CHEROKEE 83-01/GRAND CHEROKEE I 91-05/WRANGLER 86-08/JEEP 2500 03-/SUPER CHEROKEE 97-05	FRONT	Diameter:280 mm Brake Disc Thickness:24 mm Minimum Thickness:22.7 mm Centering Diameter:72 mm Height:81.5 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	5115965AA, 52005000, 52007710, 52008264, 52008440
BD7747 80002	JEEP WRANGLER 86-08/CHEROKEE 83-08	REAR	Inner Br. Drum Diam. [mm]:228 Inner Brake Drum Height [mm]:77 Height [mm]:90 Rim Hole Number:5 Hub Diameter 1 [mm]:72	52005350AC, 52005350, 52128270AA, 8952005350, 52005350
BD7748 329341B	JEEP WRANGLER 86-08/CHEROKEE 83-01	REAR	Inner Br. Drum Diam. [mm]:254 Height [mm]:110 Inner Brake Drum Height [mm]:63,5 Rim Hole Number:5 Hub Diameter 1 [mm]:72,2	8952001915,2550-S, 8983504947,7D0423, 52001915,329341B, 83504947,BT1000, 52001915
BD7749 80012	JEEP CHEROKEE 73-01/GRAND CHEROKEE I 91-99	REAR	Inner Br. Drum Diam. [mm]:254 Inner Brake Drum Height [mm]:55 Height [mm]:102 Rim Hole Number:5 Hub Diameter 1 [mm]:72,2	52007502, 140631, DR962156
BD7750 53010	JEEP WRANGLER II 96- 08/CHEROKEE 01-08	REAR	Diameter [mm]:285 Brake Disc Thickness [mm]:12 Minimum thickness [mm]:11 Height [mm]:59,5 Rim Hole Number:5 Brake Disc Type:Solid	52128411AA, 52128411AB, 52128411AB, 52128411AA
BD7751 52008184	JEEP GRAND CHEROKEE I 91-99	REAR	Diameter [mm]:285 Brake Disc Thickness [mm]:10,8 Minimum thickness [mm]:9,5 Height [mm]:60,5 Rim Hole Number:5 Brake Disc Type:Solid	52008184,DSK 2066, 562880BC,141901, ADA104322C, 0 986 AB6 106, DI955606

BD7752 52098666	JEEP CHEROKEE 83-01/GRAND CHEROKEE II 98-05	REAR	Diameter [mm]:305 Brake Disc Thickness [mm]:10 Minimum thickness [mm]:8,5 Height [mm]:75,4 Rim Hole Number:5 Brake Disc Type:Solid	52098666,DSK 2180, 24.0110-0299.1, 562148B,ADA104312, 0986478771
BD7753 53027	JEEP GRAND CHEROKEE 98- /COMMANDER 05-10	REAR	Diameter [mm]:320 Brake Disc Thickness [mm]:14 Minimum thickness [mm]:12 Height [mm]:66,6 Rim Hole Number:5 Brake Disc Type:Solid	52089275AB,DSK2562, 24.0114-0118.1, 562855BC,145656, ADA104310, 0986479499,DI956633
BD7754 PRT5726	JEEP WRANGLER 96-	REAR	Diameter [mm]:316 Brake Disc Thickness [mm]:12,4 Minimum thickness [mm]:10,4 Height [mm]:77 Rim Hole Number:5 Brake Disc Type:Solid	52060147AA,DSK2802, 24.0112-0193.1, ADA104337,DI956934, 0 986 479 R08
BD7755 53026	JEEP GRAND CHEROKEE 98- /COMMANDER 05-10	FRONT	Diameter [mm]:328 Brake Disc Thickness [mm]:30 Minimum thickness [mm]:27 Height [mm]:53,2 Rim Hole Number:5 Brake Disc Type:Vented	52089269AB,DSK256, 24.0130-0223.1, 145655,0 986 479 R48, DI956632
BD7756 PRT5736	JEEP GRAND CHEROKEE 98-10	REAR	Diameter [mm]:349,7 Brake Disc Thickness [mm]:28 Minimum thickness [mm]:27 Height [mm]:68 Rim Hole Number:5 Brake Disc Type:Vented	5290731AA,428255, 5290731AB,DSK2875, 24.0128-0255.1, DI956932S,142.1731, BD1411
BD7757 52060137AB	JEEP WRANGLER 96-	FRONT	Diameter [mm]:302 Brake Disc Thickness [mm]:28 Minimum thickness [mm]:26,4 Height [mm]:55 Rim Hole Number:5 Brake Disc Type:Vented	52060137AB, PRT5725,ADA104335, 0 986 479 C38, DI956935,6060371, BG4259,BD-5394, 142.1629
BD7758 5115	JEEP WRANGLER 86-08/CHEROKEE 83-01/GRAND CHEROKEE I 91- 99/COMANCHE 85-96	FRONT	Diameter [mm]:280 Brake Disc Thickness [mm]:24,5 Minimum thickness [mm]:22,7 Height [mm]:81,7 Rim Hole Number:5 Brake Disc Type:Vented	52008440,DSK 2025, 52007710,424702, 8952007710,141602, 8952008264, 24.0124-0702.1
BD7759 5108	JEEP WRANGLER I 86- 96/CHEROKEE 73-01/COMANCHE 85-96	FRONT	Diameter [mm]:280 Brake Disc Thickness [mm]:22,2 Minimum thickness [mm]:19,8 Height [mm]:77 Rim Hole Number:5 Brake Disc Type:Vented	8303.251.156, 9883.251.156, J3251156,3251156, 8303251156,561537B

BD7760 52098672	JEEP CHEROKEE 83-01/GRAND CHEROKEE II 98-05	FRONT	Diameter [mm]:305 Brake Disc Thickness [mm]:25,9 Minimum thickness [mm]:24,5 Height [mm]:63,5 Rim Hole Number:5 Brake Disc Type:Vented	52098672,DSK 2143, 5118,DK6234,426130, 24.0126-0130.1, 562147B, ADA104313
BD7761 53001	JEEP CHEROKEE 01-08	FRONT	Diameter [mm]:288 Brake Disc Thickness [mm]:28 Minimum thickness [mm]:26 Height [mm]:65 Rim Hole Number:5 Brake Disc Type:Vented	52128247AB,DSK 2445, 52128247AA,428708, 24.0128-0708.1, ADA104307, 0 986 479 461
BD7762 14.8121.80	JEEP WRANGLER 86-08/CHEROKEE 83-08	REAR	Inner Br. Drum Diam. [mm]:228 Inner Brake Drum Height [mm]:77 Height [mm]:90 Rim Hole Number:5 Hub Diameter 1 [mm]:72	52005350AC,52005350, 52005350,140570, ADA104703, 14.8121.85
BD7763 76793	JEEP CHEROKEE 83-01/GRAND CHEROKEE 98-11/SUPER CHEROKEE 97-05	FRONT	Diameter:305 mm Brake Disc Thickness:26 mm Minimum Thickness:24.5 mm Centering Diameter:72 mm Height:63.5 mm Number Of Holes:5 Pitch Circle Diameter:127 mm Solid Or Vented:V	52098672, US104313, 562147B,DF4170, DDF1169,76793, 92113600,54136, RCDI02840
BD7764 76794	JEEP CHEROKEE 83-01/GRAND CHEROKEE 98-11/SUPER CHEROKEE 97-05	REAR	Diameter:305 mm Brake Disc Thickness:10 mm Minimum Thickness:8.5 mm Centering Diameter:72.4 mm Height:75.2 mm Number Of Holes:5 Pitch Circle Diameter:127 mm Solid Or Vented:S	52098666,5119, 145253,562148B, PRT5253,DF4178
BD7765 76923	JEEP CHEROKEE 83-01/WRANGLE 96-08	FRONT	Diameter:280 mm Brake Disc Thickness:24 mm Minimum Thickness:22.7 mm Centering Diameter:72 mm Height:78 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	05016434AA, 5016434AA, 145276,PRT5276, BS8600,DDF1525, 38342
BD7766 780289	JEEP COMMANDER 05- 10/GRANDCHEROKEE III 04- 11/TRUCK COMMANDER 10/TRUCK COMMANDER 06- 08/TRUCK GRAND CHEROKEE 05- 10	FRONT	Diameter:328 mm Brake Disc Thickness:30 mm Minimum Thickness:28.4 mm Centering Diameter:72 mm Height:53 mm Number Of Holes:5 Pitch Circle Diameter:127 mm Solid Or Vented:V	1052089269AB, 52089269AB, 53026,145655, PRT5655,DDF1593

BD7767 780296	JEEP COMMANDER 05-10/GRAND CHEROKEE 98-/TRUCK COMMANDER 06-08/TRUCK COMMANDER 10/TRUCK GRAND CHEROKEE 05-10	REAR	Diameter:319.8 mm Brake Disc Thickness:14 mm Minimum Thickness:12.4 mm Centering Diameter:72 mm Height:66.5 mm Number Of Holes:5 Pitch Circle Diameter:127 mm Solid Or Vented:S	1052089275AB, 52089275AB, DF4914S,53027, 145656,PRT5656, 0986479499
BD7768 780444	JEEP CHEROKEE 83-01/GRAND CHEROKEE I 91-05/WRANGLER 86- 08/JEEP 2500 03-/SUPER CHEROKEE 97-05	FRONT	Diameter:280 mm Brake Disc Thickness:24 mm Minimum Thickness:22.7 mm Centering Diameter:72 mm Height:81.5 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:V	05015965AA, 5015965AA, 52005000,52007710, 52008264,52008440, 52008440B,5115, 53035,141602, PRT1602FC
BD7769 780518	JEEP WRANGLER 96-/TRUCK WRANGLER 07-10/TRUCK YJ 07-10	FRONT	Diameter:302 mm Brake Disc Thickness:28 mm Minimum Thickness:26.4 mm Centering Diameter:72 mm Height:55 mm Number Of Holes:5 Pitch Circle Diameter:127 mm Solid Or Vented:V	52060137AB, DF6037,53040, 145725,PRT5725
BD7770 780519	JEEP WRANGLER 96-/TRUCK WRANGLER 07-10/TRUCK YJ 07-10	REAR	Diameter:316 mm Brake Disc Thickness:12 mm Minimum Thickness:10.4 mm Centering Diameter:72 mm Height:68.6 mm Number Of Holes:5 Pitch Circle Diameter:127 mm Solid Or Vented:S	052060147AA, 152060147AA, 52060147AA, DF6029,53041,145726, PRT5726
BD7771 780868	JEEP GRAND CHEROKEE IV 10-	FRONT	Diameter:330 mm Brake Disc Thickness:32 mm Minimum Thickness:30.5 mm Centering Diameter:72 mm Height:54.5 mm Number Of Holes:5 Pitch Circle Diameter:127 mm Solid Or Vented:V	52124762AB, 18218,146102, PRT6102
BD7772 DF2624	JEEP CHEROKEE 83-01/WRANGLER I 86-96	FRONT	Diameter:280 mm Brake Disc Thickness:22.2 mm Minimum Thickness:20.7 mm Centering Diameter:72 mm Height:77 mm Number Of Holes:5 Pitch Circle Diameter:114 mm Solid Or Vented:V	3251156,8303251156, 9883251156,J3251156, DF2624,5108,141194, 0986478694, DDF367
BD8601 ADJ134309	TATA INDICA 98-	FRONT	Outer diameter : 231mm Centering Diameter : 66mm Brake Disc Thickness : 17mm Bolt Hole Circle Diameter:107.95mm Min. thickness : 15mm Thickness : 39.5mm Number of mounting bores : 4 Rim : 4-Hole	270-242-103-714, 270-242-103-707, 270-242-103-704, ADJ124305

BD8602 TXD0081	TATA TELCOLINE 99-11	FRONT	Diameter:261.7 mm Brake Disc Thickness:21 mm Minimum Thickness:19 mm Centering Diameter:85.1 mm Height:70 mm Number Of Holes:05/05 Pitch Circle Diameter:110 mm Solid Or Vented:V	265-442-103-704, 92264103, 98200264101PRO
BD8603 60029	TATA INDICA VISTA 08-	FRONT	Diameter:240 mm Brake Disc Thickness:21 mm Minimum Thickness:18 mm Centering Diameter:66 mm Height:41.2 mm Number Of Holes:6 Pitch Circle Diameter:108 mm Solid Or Vented:V	287442103701, 288842103704
BD8605 DR6551	MAHINDRA SCORPIO 05-08	FRONT Ventilated	Number of Stud Holes - 5 Outside Diameter - 271.5 Spigot Diameter - 95.3 Net Weight KG - 5.46 Height - 29.6 Th. Max - 19 Th. Min - 19	060-3AA-001-0N
BD8607 BD0024	MAHINDRA GOA 10-/SCORPIO 02-	FRONT	Diameter:298 mm Brake Disc Thickness:24 mm Minimum Thickness:22 mm Centering Diameter:95 mm Height:31 mm Number Of Holes:5 Pitch Circle Diameter:114.3 mm Solid Or Vented:Vented	060-3AA-020-0N, 060-3AB-012-0N
BD8651 TB3102	GAZGAZ ELLE 93-02	FRONT	Height: 73.7 mm Bolt Hole Circle Diameter: 122 mm Num. of holes: 6 Thread Size: M10 x 1.5 Min. thickness: 19 mm Diameter: 280 mm Centering Diameter: 104 mm Brake Disc Thickness: 21 mm	3302-3501078, ADC 1802V,HD907, V 841,2.6.7
BD8652 550201	GAZ GAZELLE BUS 93-02	FRONT	Diameter:280 mm Brake Disc Thickness:21 mm Minimum Thickness:19 mm Centering Diameter:104 mm Height:73.7 mm Number Of Holes:6 Pitch Circle Diameter:122 mm Solid Or Vented:V	3302-3501077, 3302-3501078, 3302-3501078- 10,adc1802V, TB3102O3,0986479R49, DF4241,3302-3501077
BD8653 550202	GAZELLE	REAR	Diameter:290 mm Height:94 mm Number Of Holes: 6	A21R23-3501078, 02123-00-3501078-000, BDV2123,DF119, A21R233501078, KD0455

BD8654 550203	UAZ 31512 98-/3160 94-03/CARGO 04-/HUNTER 92-/PATRIOT 04-/SIMBIR 97-	FRONT	Diameter:294 mm Brake Disc Thickness:23 mm Minimum Thickness:21 mm Centering Diameter:110 mm Height:54 mm Number Of Holes:5 Pitch Circle Diameter:139.7 mm Solid Or Vented:V	31603501075, 31603501076, 3160350107696, 316003501076097, TB216003,DF160, 42020.3160-3501076
BD8701 0986AB6684	GREAT WALL SING 02-10	FRONT	Diameter:257 mm Brake Disc Thickness:25 mm Minimum Thickness:23 mm Centering Diameter:85 mm Height:46.9 mm Number Of Holes:5 Pitch Circle Diameter:110 mm Solid Or Vented:V	3103101-D01, ADG043172, PBD1115
BD8702 BD6993	GREAT WALL FENGJUN 5 PICKUP 10-	FRONT	Diameter : 256mm Brake Disc Thickness : 26mm Min. thickness : 24.6mm Wheel Hub Diameter : 88mm	3103101P01, 8-97238-272-0, 0 986 AB6 993
BD8703 KJ1-33-251A	ASIA ROCSTA 96-	FRONT Solid	Number of Stud Holes - 4 Outside Diameter - 275.2 Spigot Diameter - 85 Net Weight KG - 4.78 Height - 20.1 Th. Max - 18 Th. Min - 18	KJ1-33-251A
BD8704 CT11-3502075	CHERY J5 08-	REAR Solid	Number of Stud Holes - 4 Outside Diameter - 287.4 Spigot Diameter - 65 Net Weight KG - 5 Height - 59.2 Th. Max - 9 Th. Min - 9	CT11-3502075
BDD0001 61389	TOYOTA HILUX III PICKUP 04-	REAR	Inner Br. Drum Diam. [mm]:254 Inner Brake Drum Height [mm]:61,8 Height [mm]:73,6 Rim Hole Number:5 Hub Diameter 1 [mm]:62 Br. Drum outer diameter [mm]:303,3	424310K080,BF545, F 026 A06 833,7D0722, 8DT 355 302-511, MBD361,254526, 61389
BDD0002 DB7041	TOYOTA HILUX VII PICKUP 04-	REAR	Height:61.8 mm Inner Brake Drum Height:61.8 mm Diameter:303.3 mm Drum Diameter:254 mm Center Diameter:62 mm Pitch Circle Diameter:114.3 mm Number Of Holes:5	42431-0K220,DB7041, 424310K080,2866-S, 424310K090,BBR7227, 424310K220,BD-4196
BDD0003 DB4352	TOYOTA HILUX V PICKUP 88-99/HILUX VI PICKUP 94-06	REAR	Height:81 mm Inner Brake Drum Height:68 mm Drum Diameter:270 mm Center Diameter:67 mm Pitch Circle Diameter:114.3 mm Number Of Holes:5	4243126081, 1825264504 , DB4352,329312B, 700-128

BDD0004 DB7013	TOYOTAHILUX II PICKUP 83-05	REAR	Rim Hole Number:5 Thickness [mm]:256 Diameter [mm]:254 Height [mm]:67 Minimum thickness [mm]:62 Number of Holes:5	4243104010, 4243135150, 4243135151,PDR0582, 18B244,3596, 24.0225-4018.1
BDD0005 986477183	TOYOTA LITEACE BOX 83-92/HIACE 77-04/HILUX II PICKUP 83-05;VW TARO 89-97	REAR	Inner Br. Drum Diam. [mm]:254 Height [mm]:78 Inner Brake Drum Height [mm]:66,5 Rim Hole Number:5 Hub Diameter 1 [mm]:67 Br. Drum outer diameter [mm]:301	42431- 35030,4243135031, 42431-35190,42431- 35130,J42.431.351.90, J4243135190,329076B, 0986477183
BDD0007 DR961240	TOYOTA LITEACE BOX 83-92/HIACE 77-04/HILUX II PICKUP 83-05;VW TARO 89-97	REAR	Inner Br. Drum Diam. [mm]:254 Height [mm]:78 Inner Brake Drum Height [mm]:66,5 Rim Hole Number:5 Hub Diameter 1 [mm]:67 Br. Drum outer diameter [mm]:301	42431-35030,42431- 35130,J42.431.351.90,J 4243135190,329076B, 14.4730.10,DR961240
BDD2201 14.9392.10	CHEVROLET MATIZ 05-/SPARK 05- ;DAEWOO MATIZ 98-	REAR	Height : 79.5 mm Inner Brake Drum Height : 40 mm Diameter : 205.5 mm Drum Diameter : 180 mm Center Diameter : 47 mm Pitch Circle Diameter : 114.3 mm Num. of holes : 4	96457238, 96316636, 96318925, 96320387
BDD2202 329264B	BEDFORD ASTRA VAN 84-91;CHEVROLET LANOS 05-;DAEWOO ESPERO 91-99/NEXIA 95-08/LANOS,NUBIRA 97-/ARANOS 95- 97/CIELO 94-07/LEMANS 90-95;OPEL KADETT 65-94/ASTRA 91-09;VAUXHALL ASTRA 79-01/CARLTON MK III ESTATE 86- 94/CAVALIER 75-95	REAR	Inner Br. Drum Diam. [mm]:200 Height [mm]:67 Inner Brake Drum Height [mm]:53 Rim Hole Number:4 Hub Diameter 1 [mm]:57	91024352, 568057, 90168958, 96175281, 96175281, 568039, 90168958, 91024352, 90105445, 90168958
BDD2203 380101	CHEVROLET LANOS 05-;DAEWOO ESPERO 91-99/LANOS 97-	Fitting Position:REAR	Inner Br. Drum Diam. [mm]:200 Height [mm]:67 Inner Brake Drum Height [mm]:53 Rim Hole Number:4 Hub Diameter 1 [mm]:57	96193771,TO216120, 96193876,5128S, 329292B,329292J, BF399
BDD2204 380102	BEDFORD CHEVANNE 76- 82;CHEVROLET LANOS 05-;DAEWOO ESPERO 91-99/NEXIA 95-08/LANOS 97-/NUBIRA 97-;OPEL KADETT 65- 94/COMBO94-01/MANTA 70- 88/ASCONA 70-88/ASTRA 91- 09/VECTRA A 88-95/OLYMPIA A 67-71	Fitting Position:REAR	Bolt Hole Circle ? [mm]:57 Inner Brake Drum Height [mm]:52,5 Number of Holes:4 Inner Br. Drum Diam. [mm]:200	568057,91024352, 568054,TO216000, 90168960,96175281, 94008600
BDD2205 510101	CHEVROLET MATIZ 05-;DAEWOO MATIZ 98-	REAR	Height:79.5 mm Inner Brake Drum Height:40 mm Diameter:205.5 mm Drum Diameter:180 mm Center Diameter:47 mm Pitch Circle Diameter:114.3 mm Number Of Holes:4	96316636,96320387, DB4273,SD3011, BT-1520,60201066SX, CCC-027

BDD6001 260101	LADA NOVA 81-/SAMARA 86-/110 95-/112 95-/111 95-/KALINA 04- /PRIORA 08-;MOSKVICH 2141 89- 01;ZAZ TAVRIA 89-	REAR	Inner Brake Drum Height [mm]:50 Bolt Hole Circle ? [mm]:98 Number of Holes:4 Drum Diameter:200 Max.skimmed drum measure [mm]:201,5	21080350207000, 21083502070,DB4307, 24.0220-0020.1, TO2108C3
BDD7001 9529	CADILLAC ESCALADE 98-06	REAR	Inner Br. Drum Diam. [mm]:283 Inner Brake Drum Height [mm]:70	140623,8999, D9432,HP66742, 9529
BDD7701 8934	JEEP CHEROKEE 90-91/WAGONEER 90-93	REAR	brake drum	18B112,177327, J5359281,5359281, 05359281,177327, 68290,8832028
BDD7702 2469	JEEP WRANGLER 86-08/CHEROKEE 83-08/COMANCHE 85-96	FRONT	Inner Br. Drum Diam. [mm]:228 Inner Brake Drum Height [mm]:77 Height [mm]:90 Rim Hole Number:5 Hub Diameter 1 [mm]:72	52005350AC,140570 52005350,329340B 52128270AA,ADA10470 3 8952005350,DR962155 52005350,14.8121.85
BDDD0006 DRM9965	TOYOTA YARIS 05-	REAR	Inner Br. Drum Diam. [mm]:200 Inner Brake Drum Height [mm]:43,7 Height [mm]:54 Rim Hole Number:4 Hub Diameter 1 [mm]:55 Br. Drum outer diameter [mm]:252	4243152070,DRM9965, 0986AB5721,BD-2895, J3402043,BD-9628

TOP QUALITY, GENUINE PARTS BRAKE SYSTEM COMPONENTS SPECIALIST

Email: Info@qytauto.com ; Inquiry@qytauto.com

WhatsApp/Wechat 1 : +86 13634216230 Ken Huang

WhatsApp/Wechat 2 : +86 13022699069 Adan Ni

WhatsApp/Wechat 3 : +86 15158572405 Abby Guo

WhatsApp/Wechat 4 : +86 13588945342 Ava Niu

WhatsApp/Wechat 5 : +86 18768548087 Abby Xu

WhatsApp/Wechat 6 : +86 13556216120 Irene Meng

